# **MEDICATION LISTS BY CARRIER**

# **CONTENTS**

FOR TERM PRODUCTS:	2
Foresters Strong Foundation MoO Term Phoenix Safe Harbor	2 3 4
FOR THE FINAL EXPENSE PRODUCTS:	5
Foresters PlanRight	5
MoO Living Promise Final Expense	30
Phoenix Remembrance	31
<u>Transamerica Solutions</u>	32
CFG Dignified	66



# **MEDICATION LISTS BY CARRIER**

## **FOR TERM PRODUCTS:**

**Foresters Strong Foundation** 

This list is not meant to be exhaustive but lists more commonly seen medications.

Medications	Used For	Life - (Non-medical)
Abilify	Anti-psychotic	Decline
Antabuse	Alcoholism	Decline
Aripiprazole	Anti-psychotic	Decline
Campral	Substance Abuse	Decline
Chlorpromazine	Anti-psychotic	Decline
Clozapine	Anti-psychotic	Decline
Clozaril	Anti-psychotic	Decline
Coumadin	Blood thinner	Decline
Digoxin	Heart Failure, Arrhythmias	Decline
Dopamine	Shock/Heart Attack	Decline
Eskalith	Bi-polar Disorder	Decline
Furosemide	Heart/Liver/Kidney Disorder	Decline
Geodon	Anti-psychotic	Decline
Haldol	Anti-psychotic	Decline
Haloperidol	Anti-psychotic	Decline
Halperidone	Anti-psychotic	Decline
Invega	Anti-psychotic	Decline
Isosorbide	Angina	Decline
Lanoxin	Heart Failure, Arrhythmias	Decline
Lasix	Heart/Liver/Kidney Disorder	Decline
Lithane	Bi-polar Disorder	Decline
Lithium	Bi-polar Disorder	Decline
Lithobid	Bi-polar Disorder	Decline
Morphine	Moderate/Severe Pain	Decline
Nitro-Dur	Angina/Chest pain	Decline
Nitroquick	Angina/Chest pain	Decline
Nitrostat	Angina/Chest pain	Decline
Olanzapine	Anti-psychotic	Decline
Paliperidone	Anti-psychotic	Decline
Perphenazine	Anti-psychotic	Decline
Plavix	Blood thinner	Decline
Quetiapine	Anti-psychotic	Decline
Ranexa	Angina	Decline
Ribaviran	Hepatitis C	Decline
Risperdal	Anti-psychotic	Decline
Risperidone	Anti-psychotic	Decline
Seroquel	Anti-psychotic	Decline
Symbyax	Anti-psychotic	Decline
Thorazine	Anti-psychotic	Decline
Trilafon	Anti-psychotic	Decline
Ziprasodone	Anti-psychotic	Decline
Zyprexa	Anti-psychotic	Decline



# > Life Express Products

PRESCRIPTION DRUG EXCLUSIONS - BROKERAGE

#### TERM LIFE EXPRESS (TLE), GUARANTEED UNIVERSAL LIFE EXPRESS (GULE)

Proposed insureds currently taking any of the following medications are not eligible for TLE or GULE coverage. This is not an all-inclusive drug list. Additional medications or combinations of medications may be added to this list at the discretion of United of Omaha at any time.

Abacavir Combivir Geodon Nabi-Hb Spiriva Abilify Haldol Naloxone Hcl Stalevo Copaxone Adcirca Crixivan Haloperidol Naltrexone Hcl Stribild Aggrenox Cyclosporine Hepsera Namenda Suboxone Alkeran Cytoxan Humira Neupogen Sustiva Panretin Amiodarone Digitek Hydrea Symbyax Ampyra Digoxin Hydroxyurea Pegasys Tamoxifen Antabuse Dobutamine Hcl Peg-Intron **Targretin** Infergen Aricept Donepezil Perphenazine Teslac Invega Pradaxa Truvada Arimidex Droxia Invirase Atripla Prograf Tysabri Eligard Kalydeco Avonex Eliquis Lanoxin Ranexa Viracept Azilect Eminase Latuda Razadyne Viramune Baraclude Enbrel Leucovorin Calcium Rebif Viread Lexiva Xarelto Betaseron Epivir Hbv Retrovir Calcium Acetate **Ergoloid Mesylates** Limbitrol Revia Xeljanz Campath Exelon Lithium Revlimid Zenapax Ribavirin Campral Femara Megestrol Acetate Zerit Caprelsa Floxuridine (Megace) Risperdal Ziagen Carbidopa/Levodopa Fluorouracil Methadone Rituxan Zidovudine Casodex Galantamine Methotrexate Sandimmune Zoladex Cellcept Hydrobromide Mitomycin Saphris Zyprexa Chlorpromazine Hcl Gammagard Morphine Sulfate Seroquel Clozapine Gamunex Mycophenolate Mofetil Serzone Gengraf Myfortic Sinemet Cognex

#### ADDITIONAL INFORMATION REQUIRED

If the proposed insured currently takes any of the following medications listed below, please include the reason(s) for the medication(s) on the application. If this information is not included with the application, it will be obtained during the underwriting process in a pharmaceutical report, MIB reporting or, if needed, phone interview to help determine eligibility for coverage.

Carvedilol Coreg Enoxaparin Sodium Plavix
Clopidogrel Coumadin Lovenox Warfarin

For producer use only. Not for use with the general public.

WAA

170121

# **List of Concerning Medications**

If your client is currently on any of the medications cited below, coverage may not be available.

ABILIFY	DEPO-PROVERA <sup>2</sup>	HALOPERIDOL	MEGACE	RISPERDAL	TYSABRI
ALKERAN	DEXAMETHASONE	HYDERGINE	MELLARIL	SANDIMMUNE	VIRAMUNE
ANTABUSE	DIGOXIN	IMURAN	METHADONE	SEROQUEL	WARFARIN
ARICEPT	ERGOLOID MESYLATES	INVIRASE	PURINETHOL	STELAZINE	ZENAPAX
AVONEX	ESKALITH	JANTOVEN	RAZADYNE	SUSTIVA	ZERIT
CASODEX	EXELON	LANOXIN	REBIF	TAMOXIFEN	ZIAGEN
COGNEX	GENGRAF	LEXIVA	REMICADE	TESLAC	ZIDOVUDINE
COMBIVIR	GEODON	LITHIUM	REMINYL	THORAZINE	ZOLADEX <sup>3</sup>
COPAXONE	HALDOL	LUPRON	RETROVIR	TRUVADA	ZYPREXA

<sup>2.</sup> Use to age 50 is acceptable.

CYTOXAN

<sup>3.</sup> Use in treatment for endometriosis is acceptable.

#### FOR THE FINAL EXPENSE PRODUCTS:

Foresters PlanRight (page 1)

#### **MEDICATION REFERENCE CHART**

Prescription medications are always changing. Foresters will make every effort to keep this chart current. Please make sure that you regularly go onto our producer website to access the most recent version of this guide. Please note that the lists provided are not exhaustive.

Applicants with a history of Congestive Heart Failure (CHF) are not eligible for PlanRight, regardless of when diagnosed or treated.

### **Drug Combinations**

Any applicant who has been prescribed certain combinations of 3 or more medications may not be offered coverage, depending on the drug combinations. There are a few rare 2-drug CHF combinations which could also lead to no coverage.

If a client has been prescribed a medication from List A in combination with at least 2 medications from two other Lists (List B, C, or D) at the same time, they may not be eligible for coverage.

LIST A	LIST B	LIST C	LIST D
ALDACTAZIDE	BUMETANIDE	ACCUPRIL	ACEBUTOLOL HCL
ALDACTONE	BUMEX	ACCURETIC	ATENOLOL
SPIRONOLACTONE	DEMADEX	ACEON	BETAPACE
METOLAZONE			BISOPROLOL
	DYAZIDE	ALTACE	FUMARATE
MYKROX	DYRENIUM	ATACAND	BREVIBLOC
ZAROXOLYN	EDECRIN	AVALIDE	BYSTOLIC
	FUROSEMIDE	AVAPRO	CARTROL
	LASIX	AZOR	CARVEDILOL
	MAXZIDE	BENAZEPRIL HCL	COREG
	MODURETIC 5-50	BENICAR	CORGARD
	SODIUM EDECRIN	CAPOTEN	CORZIDE
	TORSEMIDE	CAPTOPRIL	DIGITEK
	TRIAMTERENE	COZAAR	DIGOXIN
	TRIAMTERENE/HYDROCHLOROTH	DIOVAN	INDERAL
		ENALAPRIL	
		MALEATE	INDERIDE
		EXFORGE	LABETALOL HCL
		FOSINOPRIL	
		SODIUM	LANOXIN
		HYZAAR	LOPRESSOR
			METOPROLOL
		LISINOPRIL	SUCCINATE ER
		LOTENICIN	METOPROLOL
		LOTENSIN	TARTRATE
		LOTREL	PINDOLOL
		MAVIK	PROPRANOLOL HCL
		MICARDIS	SECTRAL
		MONOPRIL	SOTALOL HCL
		PRINIVIL	TENORMIN
		QUINAPRIL HCL	TOPROL XL
		RAMIPRIL	VISKEN
		TARKA	ZEBETA
		TEVETEN	ZIAC
		UNIVASC	
		VALTURNA	

For Producer Use Only Pg 9



#### **Diabetes**

Applicants who have diabetic kidney disease (nephropathy) or diabetic nerve/circulatory (neuropathy) disease may be eligible for the Modified death benefit.

Any applicant, who is taking medications from the nephropathy list and diabetes list, or medications from the neuropathy list and diabetes list, within the past 2 years, may be offered the Modified death benefit.

Nephropathy	Neuropathy	Diabetes
ARANESP	CARBAMAZEPINE	ACTOPLUS
CALCITRIOL	CARBATROL	ACTOS
CALCIUM ACETATE	DEPACON	AMARYL
CARNITOR	DEPAKENE	AVANDAMET
CYSTAGON	EPITOL	AVANDARYL
FOSRENOL	GABAPENTIN	AVANDIA
HECTOROL	LAMICTAL	DIABETA
PHOSLO	LAMOTRIGINE	DIABINESE
RENVELA	LYRICA	FORTAMET
ROCALTROL	NEURONTIN	GLIPIZIDE
SENSIPAR	TEGRETOL	GLUCOPHAGE
ZEMPLAR	VALPROIC ACID	GLUCOTROL
		GLYBURIDE
		GLYNASE
		HUMALOG
		HUMULIN
		ILETIN
		JANUMET
		JANUVIA
		LANTUS
		LEVEMIR
		METFORMIN
		MICRONASE
		NOVOLIN
		NOVOLOG
		PRANDIN
		STARLIX
		TOLBUTAMIDE
		TOLINASE

For Producer Use Only Pg 10

### **Alphabetical Drug List**

Where medications that can be used for more than one condition exist, the alternate uses and appropriate level of coverage has been indicated.

The "Rx Fill Within" column means the drug was prescribed within the time period noted. For some circulatory/heart and cancer medications, the "Rx Fill Within" column notes "First Fill". This refers to when the medication was originally prescribed.

Medication	Indication	Rx Fill Within	Benefit Eligibility
Abilify	Psychotic Disorder	N/A	Level
Abraxane	Cancer	3 years	Modified
Abraxarie	(7,710)	Current Use	No Coverage
Accupril	Hypertension	N/A	Level
Accupin	CHF	N/A	No Coverage
Accuretic	Hypertension	N/A	Level
Accuretic	CHF	N/A	No Coverage
Acebutolol HCL	Hypertension	N/A	Level
ACEDITOIOT TICE	CHF	N/A	No Coverage
Aceon	Hypertension	N/A	Level
	CHF	N/A	No Coverage
Acetyl L-Carnitine	Alzheimer's / Dementia	N/A	No Coverage
Actiq	Cancer Pain	3 years	Modified
N=1	Severe Pain	N/A	Level
Activase	Stroke/TIA/Heart Attack	2 years	Modified
	Diabetes	N/A	Level
Actoplus	Diabetic	2 years	Modified
	Nephropathy/Neuropathy	*	
	Diabetes	N/A	Level
Actos	Diabetic	2 years	Modified
	Nephropathy/Neuropathy		
Adalat	Hypertension	N/A	Level
Adriamusin	Cancer	3 years	Modified
Adriamycin	Cancer	Current Use	No Coverage
Adrucil	Comean	3 years	Modified
Adrucii	Cancer	Current Use	No Coverage
Advair	Asthma	N/A	Level
Auvair	COPD / Emphysema	N/A	Graded
A 6: i+		3 years	Modified
Afinitor	Cancer	Current Use	No Coverage
Agenerase	AIDS	N/A	No Coverage
Aggrastat	Heart Attack	2 years	Modified
		First Fill	
A	Chualas / TIA	<2years	Modified
Aggrenox	Stroke / TIA	First Fill >2	1 genell
		years	Level
A marcal Darro	C	3 years	Modified
Agrylin	Cancer	Current Use	No Coverage
Alsimatan	Parkinson's	N/A	Graded
Akineton	Other Use	N/A	Level
A 16	Asthma	N/A	Level
Albuterol	COPD	N/A	Graded
8 Jul - 12 - 13	Hypertension	N/A	Level
Aldactazide	CHF	N/A	No Coverage
A L. Grander	Hypertension	N/A	Level
Aldactone	CHF	N/A	No Coverage
	L CITI	IN/A	NO COVERAGE

For Producer Use Only Pg 11



Medication	Indication	Rx Fill Within	Benefit Eligibility
Alimta	Cancer	3 years	Modified
Allilita	Caricei	Current Use	No Coverage
Alkeran	Cancer	3 years	Modified
		Current Use	No Coverage
Allopurinol	Gout	N/A	Level
Aloxi	Cancer	3 years	Modified
27-26-7-20-6-8-8-7-20-6-8-8-8-8-8-8-8-8-8-8-8-8-8-8-8-8-8-8-	1,000,000,000,000	Current Use	No Coverage
Alprazolam	Anxiety Disorder	N/A	Level
Altace	Hypertension	N/A	Level
A   11.01	CHF	N/A N/A	No Coverage
Amantadine HCL	Parkinson's		Graded
Amand	Diabetes Diabetic	N/A	Level Modified
Amaryl	Nephropathy/Neuropathy	2 years	Modified
	мертгораспу/местораспу		
Ambisome	AIDS	N/A	No Coverage
Amifostine	Cancor	3 years	Modified
Amnosune	Cancer	Current Use	No Coverage
Amiloride HCL	Hypertension	N/A	Level
	CHF	N/A	No Coverage
Amlodipine	Hypertension	N/A	Level
Besylate/Benaz	CHF	N/A	No Coverage
Amyl Nitrate	Angina	2 years	Modified
74Hyi Willate	CHF	N/A	No Coverage
Anagrelide HCL	Cancer	3 years	Modified
		Current Use	No Coverage
Angiomax	Circulatory Surgery	2 years	Modified
Antabuse	Alcohol / Drugs	2 years	Modified
		First Fill	Modified
Anastrozole	Cancer	<3years	sat and who can do a financia sub-sharing and
		First Fill >3	Level
		years	Modified
Anzemet	Cancer	3 years Current Use	The state of the s
Aptivus	AIDS	N/A	No Coverage No Coverage
Aptivus Apokyn	Parkinson's	N/A N/A	Graded
	Hypertension	N/A	Level
Apresoline	CHF	N/A N/A	No Coverage
	Kidney Dialysis	1 year	No coverage
Aranesp	Kidney Disease/Failure	N/A	Graded
Aranesp	Diabetic Nephropathy	2 years	Modified
Arcapta Neohaler	COPD	N/A	Graded
1995		3 years	Modified
Aredia	Cancer	Current Use	No Coverage
Argatroban	Circulatory Surgery	2 years	Modified
Aricept	Alzheimer's / Dementia	N/A	No Coverage
No Apper control Control (* 1800-1991)	,	First Fill	
Arimidox	Cancer	<3years	Modified
Arimidex	Cancer	First Fill >3	Level
		years	374
		First Fill	Modified
<b>600</b> 章 10	965	<3years	13 1004
Aromasin	Cancer	First Fill >3	Level
		years	
İ		,	



Medication	Indication	Rx Fill Within	Benefit Eligibility
Arranon	Cancer	3 years	Modified
AHAHAH	Cancel	Current Use	No Coverage
Arsenic Trioxide	Cancer	3 years	Modified
Arseme Trioxide	Carreer	Current Use	No Coverage
Arzerra	Cancer	3 years	Modified
, uzena	Matterson of the Hope soul	Current Use	No Coverage
Atacand	Hypertension	N/A	Level
	CHF	N/A	No Coverage
Atamet	Parkinson's	N/A	Graded
Atenolol	Hypertension	N/A	Level
B-1 consideration	CHF	N/A	No Coverage
Atgam	Organ / Tissue Transplant	N/A	No coverage
Ativan	Anxiety Disorder	N/A	Level
Atripla	AIDS	N/A	No coverage
Atrovent/Atrovent HFA	COPD	N/A	Graded
Atrovent (Nasal)	Allergies	N/A	Level
Avalide	Hypertension	N/A	Level
Availac	CHF	N/A	No Coverage
0 <b>-</b> 0 000 0 0 0 0 0	Diabetes	N/A	Level
Avandia	Diabetic Nephropathy/Neuropathy	2 years	Modified
	Hypertension	N/A	Level
Avapro	CHF	N/A	No Coverage
* **		3 years	Modified
Avastin	Cancer	Current Use	No Coverage
Avonex	Multiple Sclerosis	N/A	Level
Azilect	Parkinson's	N/A	Graded
	Organ / Tissue Transplant	N/A	No coverage
Azasan	Rheumatoid Arthritis	N/A	Level
	Systemic Lupus	N/A	Graded
	Organ / Tissue Transplant	N/A	No coverage
Azathioprine	Rheumatoid Arthritis	N/A	Level
et annemalie en	Systemic Lupus	N/A	Graded
A	Asthma	N/A	Level
Azmacort	COPD / Emphysema	N/A	Graded
A	Hypertension	N/A	Level
Azor	CHF	N/A	No Coverage
Baclofen	Multiple Sclerosis	N/A	Level
Baraclude	Liver Disorder	N/A	Graded
Ponazonril UCI	Hypertension	N/A	Level
Benazepril HCL	CHF	N/A	No Coverage
Benicar	Hypertension	N/A	Level
Dellical	CHF	N/A	No Coverage
Benlysta	Systemic Lupus	N/A	Graded
Benztropine	Parkinson's	N/A	Graded
Mesylate	Other Use	N/A	Level
15000 60	Heart Arrhythmia	N/A	Level
Betapace	CHF	N/A	No Coverage
Betaseron	Multiple Sclerosis	N/A	Level
Betaxolol HCL	Hypertension	N/A	Level
DELAXUIUI TICL	CHF	N/A	No Coverage
Pover	Cancar	3 years	Modified
Bexxar	Cancer	Current Use	No Coverage



Medication	Indication	Rx Fill Within	Benefit Eligibility
Bicnu	Cancer	3 years	Modified
10-111-011-00	m.ercieuws	Current Use	No Coverage
BiDil	CHF	N/A	No Coverage
Bisoprolol Fumarate	Hypertension	N/A	Level
Bisoproior rumarate	CHF	N/A	No Coverage
Blenoxane	Cancer	3 years	Modified
Bierioxarie	cancer	Current Use	No Coverage
Bleomycin Sulphate	Cancer	3 years	Modified
Bleamyem Balphace	Distribution across Habitation	Current Use	No Coverage
Blocadren	Hypertension	N/A	Level
2.555.0.1	CHF	N/A	No Coverage
Brevibloc	Hypertension	N/A	Level
	CHF	N/A	No Coverage
Brovana	COPD	N/A	Graded
Bromocriptine Mesylate	Parkinson's	N/A	Graded
960	Hypertension	N/A	Level
Bumetadine	CHF	N/A	No Coverage
		100	R)
Bumex	Hypertension	N/A	Level
Anniber 1997 of Land Control Report Control	CHF	N/A	No Coverage
Buprenex	Alcohol / Drugs	2 years	Modified
Busulflex	Cancer	3 years	Modified
Busumex	220027000000000000000000000000000000000	Current Use	No Coverage
Bystolic	Hypertension	N/A	Level
	CHF	N/A	No Coverage
	Kidney Dialysis	1 year	No coverage
Calcijex	Kidney Disease/Failure	N/A	Graded
	Diabetic Nephropathy	2 years	Modified
G-1-h-d-1	Kidney Dialysis	1 year	No coverage
Calcitriol	Kidney Disease/Failure	N/A	Graded
	Diabetic Nephropathy	2 years	Modified
Calcium Acetata	Kidney Dialysis	1 year	No coverage
Calcium Acetate	Kidney Disease/Failure	N/A	Graded
Calan	Diabetic Nephropathy	2 years N/A	Modified Level
Calan	Hypertension	7.0	Modified
Campath	Cancer	3 years Current Use	
Campral	Alcohol / Drugs	2 years	No Coverage Modified
Campral	Alcohol / Drugs	3 years	Modified
Camptosar	Cancer	Current Use	No Coverage
8	Hypertension	N/A	Level
Capoten	CHF	N/A N/A	No Coverage
~	Hypertension	N/A N/A	Level
Capozide	CHF	N/A N/A	No Coverage
~	Hypertension	N/A N/A	Level
Captopril	CHF	N/A N/A	No Coverage
	Seizures	N/A N/A	Level
Carbamazepine	Diabetic Neuropathy	2 years	Modified
229 20 10	Seizures	N/A	Level
Carbatrol	Diabetic Neuropathy	2 years	Modified
Carbidopa	Parkinson's	N/A	Graded
	25%	3 years	Modified
Carboplatin	Cancer	Current Use	No Coverage
Cardioplegic	Circulatory Surgery	2 years	Modified
Cardiopiegic	Circulatory Surgery		Houlifed



Medication	Indication	Rx Fill Within	Benefit Eligibility
Cardizem	Hypertension	N/A	Level
Cardura	Hypertension	N/A	Level
	Kidney Dialysis	1 year	No coverage
Carnitor	Kidney Disease/Failure	N/A	Graded
related and the first are used could have been stated.	Diabetic Nephropathy	2 years	Modified
Cartia	Hypertension	N/A	Level
Cartrol	Hypertension	N/A	Level
Cartroi	CHF	N/A	No Coverage
Carvedilol	Hypertension	N/A	Level
	CHF	N/A	No Coverage
Catapress	Hypertension	N/A	Level
Casodex	Cancer	3 years	Modified
Casoacx	Caricci	Current Use	No Coverage
CeeNu	Cancer	3 years	Modified
	,	Current Use	No Coverage
Celebrex	Arthritis	N/A	Level
Cellcept	Organ / Tissue Transplant	N/A	No coverage
		3 years	Modified
Cerubidine	Cancer	Current Use	No Coverage
			where the description was adverse the - design
Cesamet	Cancer	3 years	Modified
Cesamer	Carreer	Current Use	No Coverage
Chlorambucil	Cancer	3 years	Modified
		Current Use	No Coverage
Chlorpromazine	Psychotic Disorder	N/A	Level
Cisplatin	Cancer	3 years	Modified
100	0-2910-0-1277-1440-0-0-0-0-	Current Use	No Coverage
Citalopram	Depressive Disorder	N/A	Level
Cladribine	Cancer	3 years	Modified
		Current Use	No Coverage
Clolar	Cancer	3 years Current Use	Modified
		First Fill	No Coverage
		<2years	Modified
Clopidogrel	Stroke/TIA/Heart Attack	First Fill >2	
		years	Level
	Parkinson's	N/A	Graded
Cogentin	Other Use	N/A	Level
Cognex	Alzheimer's/Dementia	N/A	No coverage
Combivent	COPD	N/A	Graded
Combivir	AIDS	N/A	No Coverage
Complera	AIDS	N/A	No Coverage
Comtan	Parkinson's	N/A	Graded
Copaxone	Multiple Sclerosis	N/A	Level
Copegus	Liver Disorder	N/A	Graded
Cordarone	Arrythmia	N/A	Level
	Hypertension	N/A	Level
Coreg	CHF	N/A	No Coverage
C '	Hypertension	N/A	Level
Corgard	CHF	N/A	No Coverage
Cosmegen	Cancer	3 years	Modified
		Current Use	No Coverage
			<b>3</b>
	For Producer Use Or	Ä	503461 US (11/1



Medication	Indication	Rx Fill Within	Benefit Eligibility
	Cardiac Valve	2 years	Modified
	Replacement		
Coumadin	TIA/Stroke	2 years	Modified
	Pulmonary Embolism	N/A	Level
	Thrombosis	N/A	Level
Cozzar	Hypertension	N/A	Level
Cozaar	CHF	N/A	No Coverage
Crixivan	AIDS	N/A	No Coverage
Cyalambaanbamida	Comean	3 years	Modified
Cyclophosphamide	Cancer	Current Use	No Coverage
Cyclosporine	Organ / Tissue Transplant	N/A	No Coverage
Cyclosporine Modified	Organ / Tissue Transplant	N/A	No Coverage
Cyclospornic Flourica	Kidney Dialysis	1 year	No coverage
Cystagon	Kidney Disease/Failure	N/A	Graded
Cystagon	Diabetic Nephropathy	2 years	Modified
	Diabetic Nephropatity	3 years	Modified
Cytarabine	Cancer	Current Use	No Coverage
Cytogam	Organ / Tissue Transplant	N/A	No coverage
	700	3 years	Modified
Cytosar-U	Cancer	Current Use	No Coverage
-		Current Ose	No Coverage
Cytovene	AIDS	N/A	No Coverage
Cytoxan	Cancer	3 years	Modified
Cytoxan	Caricei	Current Use	No Coverage
Dacarbazine	Cancor	3 years	Modified
Dacarbazine	Cancer	Current Use	No Coverage
Dacogon	Cancer	3 years	Modified
Dacogen	Caricei	Current Use	No Coverage
Dactinomycin	Cancer	3 years	Modified
Dactillolliyelli	Caricer	Current Use	No Coverage
Daliresp	COPD	N/A	Graded
Daunorubicin HCL	Cancar	3 years	Modified
Daunorubiciii NCL	Cancer	Current Use	No Coverage
Daunovomo	Cancor	3 years	Modified
Daunoxome	Cancer	Current Use	No Coverage
Demadex	Hypertension	N/A	Level
Demadex	CHF	N/A	No Coverage
Donasan	Seizures	N/A	Level
Depacon	Diabetic Neuropathy	2 years	Modified
Depade	Alcohol / Drugs	2 years	Modified
- 100	Seizures	N/A	Level
Depakene	Diabetic Neuropathy	2 years	Modified
Depakote	Seizure Disorder	N/A	Level
		3 years	Modified
Depocyt	Cancer	Current Use	No Coverage
D. L. Control and Control and Control	Special size of the size	3 years	Modified
Dexrazoxane	Cancer	Current Use	No Coverage
	Diabetes	N/A	Level
Diabeta	Diabetic	2 years	Modified
Have a COURT ACTION IN THE	Nephropathy/Neuropathy	a Karatana	1.14.00.100.000 (1 <sup>1</sup> 0.000)
	Diabetes	N/A	Level
Diabinese	Diabetic	2 years	Modified
	Nephropathy/Neuropathy	- / 20.0	
Diazoxide	Cancer	3 years	Modified



Medication	Indication	Rx Fill Within	Benefit Eligibility
Didanosine	AIDS	N/A	No coverage
	Atrial Fibrillation	N/A	Level
Digitek	CHF	N/A	No Coverage
	Atrial Fibrillation	N/A	Level
Digoxin	CHF	N/A	No Coverage
Dilacor	Hypertension	N/A	Level
Dilantin	Seizure Disorder	N/A	Level
197 - 30 30 EUG (200-2004) SEN	Angina	2 years	Modified
Dilatrate SR	CHF	N/A	No Coverage
Dilor	Asthma	N/A	Level
Diloi	COPD / Emphysema	N/A	Graded
Diltiazem	Hypertension	N/A	Level
Diovan	Hypertension	N/A	Level
Diovaii	CHF	N/A	No Coverage
Disulfiram	Alcohol / Drugs	2 years	Modified
Dolophine	Opioid Dependence	1 year	Modified
Donepezil HCL	Alzheimer's / Dementia	N/A	No coverage
Doxil	Cancar	3 years	Modified
DOXII	Cancer	Current Use	No Coverage
		3 years	Modified
Doxorubicin HCL	Cancer	Current Use	No Coverage
		weed mass make	400 M 100 M
Dronabinol	Cancer	3 years	Modified
- Dronabilion	carreer	Current Use	No Coverage
DTIC-Dome	Cancer	3 years	Modified
SHIBBOOKER - OF SHIBBOOKER - O	0.000.00 (0.000.00.00	Current Use	No Coverage
Duoneb	COPD	N/A	Graded
Dyazide	Hypertension CHF	N/A	Level
		N/A	No Coverage
Dynacirc	Hypertension Hypertension	N/A N/A	Level Level
Dyrenium	CHF	N/A N/A	No Coverage
0993	Hypertension	N/A	Level
Edecrin	CHF	N/A N/A	No Coverage
Edurant	AIDS	N/A	No Coverage
Eldepryl	Parkinson's	N/A	Graded
	219	3 years	Modified
Eligard	Cancer	Current Use	No Coverage
	Kidney Dialysis	1 year	No coverage
Eliphos	Kidney Disease/Failure	N/A	Graded
or	Diabetic Nephropathy	2 years	Modified
Elitek	10 20 3	3 years	Modified
Ешек	Cancer	Current Use	No Coverage
Ellence	Cancer	3 years	Modified
LIICIAC	Caricci	Current Use	No Coverage
Eloxatin	Cancer	3 years	Modified
2011/05/05/05/05/05/05/05/05/05/05/05/05/05/	700000 C T T T T T T T T T T T T T T T T	Current Use	No Coverage
Elspar	Cancer	3 years	Modified
		Current Use	No Coverage
Emcyt	Cancer	3 years Current Use	Modified No Coverage
## ## ## ## ## ## ## ## ## ## ## ## ##		3 years	Modified
Emend	Cancer	Current Use	No Coverage
	1 L	Current USE	NO Coverage



Medication	Indication	Rx Fill Within	Benefit Eligibility
Emtriva	AIDS	N/A	No coverage
Enalapril Maleate	Hypertension CHF	N/A N/A	Level No Coverage
Enalaprilat	Hypertension CHF	N/A N/A	Level No Coverage
Epitol	Seizures Diabetic Neuropathy	N/A 2 years	Level Modified
Epivir	AIDS	N/A	No coverage
Epizicom	AIDS	N/A	No coverage
Eplerenone	CHF	N/A	No Coverage
Erbitux	Cancer	3 years Current Use	Modified No Coverage
Ergoloid Mesylates	Alzheimer's / Dementia	N/A	No coverage
Eskalith	Bipolar Disorder	N/A	Level
Esmolol HCL	Hypertension CHF	N/A N/A	Level No Coverage
Estinyl	Cancer	3 years Current Use	Modified No Coverage
Ethyol	Cancer	3 years Current Use	Modified No Coverage
Etopophos	Cancer	3 years Current Use	Modified No Coverage
Etoposide	Cancer	3 years Current Use	Modified No Coverage
Eulexin	Cancer	3 years Current Use	Modified No Coverage
Evista	Cancer Osteoporosis	3 years Current Use N/A	Modified No Coverage Level
Exelon	Alzheimer's / Dementia	N/A	No coverage
Exforge	Hypertension CHF	N/A N/A	Level No Coverage
Fareston	Cancer	3 years Current Use	Modified No Coverage
Faslodex	Cancer	3 years Current Use	Modified No Coverage
Felodipine	Hypertension	N/A	Level
Femara	Cancer	First Fill <3years	Modified
Tamara		First Fill >3 years	Level
Fentanyl Citrate	Cancer Pain Severe Pain	3 years N/A	Modified Level
Fentora	Cancer Pain Severe Pain	3 years N/A	Modified Level
Floxuridine	Cancer	3 years Current Use	Modified No Coverage
Fludara	Cancer	3 years Current Use	Modified No Coverage



Fortovase Foscarnet Sodium Foscavir	Cancer Cancer Cancer  Cancer  Diabetes Diabetic Nephropathy/Neuropathy AIDS AIDS	3 years Current Use 3 years Current Use 3 years Current Use 3 years Current Use N/A 2 years	Modified No Coverage Modified No Coverage Modified No Coverage  Modified No Coverage  Modified No Coverage  Level Modified
Fluoxymesterone Flutamide  Folotyn  Fortamet  Fortovase Foscarnet Sodium Foscavir	Cancer Cancer  Cancer  Diabetes Diabetic Nephropathy/Neuropathy AIDS AIDS	3 years Current Use 3 years Current Use 3 years Current Use N/A 2 years	Modified No Coverage Modified No Coverage  Modified No Coverage  Level
Folotyn  Fortamet  Fortovase Foscarnet Sodium Foscavir	Cancer  Cancer  Diabetes Diabetic  Nephropathy/Neuropathy  AIDS  AIDS	Current Use 3 years Current Use 3 years Current Use N/A 2 years	No Coverage  Modified No Coverage  Modified No Coverage  Level
Folotyn  Fortamet  Fortovase Foscarnet Sodium Foscavir	Cancer  Cancer  Diabetes Diabetic  Nephropathy/Neuropathy  AIDS  AIDS	3 years Current Use 3 years Current Use N/A 2 years	Modified No Coverage Modified No Coverage Level
Fortamet  Fortovase Foscarnet Sodium Foscavir	Cancer Diabetes Diabetic Nephropathy/Neuropathy AIDS AIDS	3 years Current Use N/A 2 years	No Coverage  Modified  No Coverage  Level
Fortamet Fortovase Foscarnet Sodium Foscavir	Diabetes Diabetic Nephropathy/Neuropathy AIDS AIDS	3 years Current Use N/A 2 years	Modified No Coverage Level
Fortamet Fortovase Foscarnet Sodium Foscavir	Diabetes Diabetic Nephropathy/Neuropathy AIDS AIDS	Current Use N/A 2 years	No Coverage Level
Fortamet Fortovase Foscarnet Sodium Foscavir	Diabetes Diabetic Nephropathy/Neuropathy AIDS AIDS	Current Use N/A 2 years	No Coverage Level
Fortamet Fortovase Foscarnet Sodium Foscavir	Diabetes Diabetic Nephropathy/Neuropathy AIDS AIDS	N/A 2 years	Level
Fortovase Foscarnet Sodium Foscavir	Diabetic Nephropathy/Neuropathy AIDS AIDS	2 years	
Fortovase Foscarnet Sodium Foscavir	Nephropathy/Neuropathy AIDS AIDS	View Parameters	Modified
Fortovase Foscarnet Sodium Foscavir	AIDS AIDS	N/A	
Foscarnet Sodium Foscavir	AIDS	M/A	NI
Foscavir			No coverage
		N/A	No coverage
NAME OF TAXABLE PARTY O	AIDS	N/A	No coverage
Fosinopril Sodium	Hypertension	N/A	Level
-	CHF Kidney Dielysie	N/A	No Coverage
Fosrenol	Kidney Dialysis Kidney Disease/Failure	1 year N/A	No coverage Graded
rosienoi	Diabetic Nephropathy	2 years	Modified
	Diabetic Nephropatry	3 years	Modified
Fortesta	Cancer	Current Use	No Coverage
		3 years	Modified
FUDR	Cancer	Current Use	No Coverage
	Hypertension	N/A	Level
Furosemide	CHF	N/A N/A	No Coverage
		3 years	Modified
Fusilev	Cancer	Current Use	No Coverage
Fuzeon	AIDS	N/A	No coverage
	Seizures	N/A	Level
Gabapentin	Diabetic Neuropathy	2 years	Modified
Gabitril	Seizure Disorder	N/A	Level
Galantamine	Alzheimer's / Dementia	N/A	No coverage
		3 years	Modified
Gallium Nitrate	Cancer	Current Use	No Coverage
Ganciclovir	AIDS	N/A	No coverage
Ganite	Cancar	3 years	Modified
Ganite	Cancer	Current Use	No Coverage
Gemzar	Cancer	3 years	Modified
Gerrizar	Cancel	Current Use	No Coverage
Gengraf (	Organ / Tissue Transplant	N/A	No coverage
Gleevec	Cancer	3 years	Modified
GICCVCC	Carico	Current Use	No Coverage
Gliadel Wafer	Cancer	3 years	Modified
Chade Male		Current Use	No Coverage
	Diabetes	N/A	Level
Glipizide	Diabetic	2 years	Modified
	Nephropathy/Neuropathy	B1 / A	ir
Charanter	Diabetes	N/A	Level
Glucophage	Diabetic	2 years	Modified
	Nephropathy/Neuropathy	NI /A	l accell
	Diabetes	N/A	Level
Glucotrol	Diabetic	2 years	Modified
	Nephropathy/Neuropathy		



Medication	Indication	Rx Fill Within	Benefit Eligibility
E0 / 20	Diabetes	N/A	Level
Glyburide	Diabetic	2 years	Modified
	Nephropathy/Neuropathy	NI /A	11
Chinasa	Diabetes Diabetic	N/A	Level Modified
Glynase	Nephropathy/Neuropathy	2 years	Modified
Granisetron HCL	Cancer	3 years	Modified
Gramsetron rice	Cancer	Current Use	No Coverage
		carrent osc	No coverage
Granisol	Cancer	3 years	Modified
Granisor	Cancel	Current Use	No Coverage
Halaven	Cancer	3 years	Modified
Not appropriate specimen speciments taken	(*1505.00 *15 * *******************************	Current Use	No Coverage
Haldol	Psychotic Disorder	N/A	Level
Haloperidol	Psychotic Disorder	N/A	Level
Halotestin	Cancer	3 years	Modified
LICT7	Usuantanaian	Current Use	No Coverage
HCTZ	Hypertension	N/A N/A	Level Level
HCTZ/Triamterene	Hypertension CHF	N/A N/A	No Coverage
	Kidney Dialysis	1 year	No coverage
Hectoral	Kidney Disease/Failure	N/A	Graded
ricetoral	Diabetic Nephropathy	2 years	Modified
H40415 50	Pulmonary Embolism	N/A	Level
Heparin	Thrombosis	N/A	Level
Hepsera	Liver Disorder	N/A	Graded
•		3 years	Modified
Herceptin	Cancer	Current Use	No Coverage
Hexalen	Cancer	3 years	Modified
		Current Use	No Coverage
Hivid	AIDS	N/A	No coverage
	Diabetes	N/A	Level
Humalog	Diabetic	2 years	Modified
	Nephropathy/Neuropathy		
	Diabetes	N/A	Level
Humulin	Diabetic	2 years	Modified
	Nephropathy/Neuropathy	- / ania	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Hycomtin	2 2	3 years	Modified
Hycamtin	Cancer	Current Use	No Coverage
Hydralazine HCL	Hypertension	N/A	Level
Tryatalazille fiel	CHF	N/A	No Coverage
Hydrea	Cancer	3 years	Modified
0000 0000F1500	3.0011/e1001/2017-37	Current Use	No Coverage
Hydroxyurea	Cancer	3 years Current Use	Modified No Coverage
Hydergine	Alzheimer's /Dementia	N/A	No coverage
Trydergine	Systemic Lupus	N/A	Graded
Hydroxychloroquine	Malaria	N/A	Level
, a. o., amoroganie	Rheumatoid Arthritis	N/A	Level
Hymoratat TV		3 years	Modified
Hyperstat IV	Cancer	Current Use	No Coverage
Hytrin	Hypertension	N/A	Level
Hyzaar	Hypertension	N/A	Level
TTYZGGI	CHF	N/A	No Coverage



Medication	Indication	Rx Fill Within	Benefit Eligibility
Idamycin PFS	Cancer	3 years	Modified
Iddinyem 113	cancei	Current Use	No Coverage
Idarubicin	Cancer	3 years	Modified
Iddiablem	caricei	Current Use	No Coverage
Ifex	Cancer	3 years	Modified
303500 (AC 1999-1)	caricei	Current Use	No Coverage
Ifex/Mesnex Combo	Cancer	3 years	Modified
Pack		Current Use	No Coverage
Ifosfamide	Cancer	3 years	Modified
Indicates An action produced that garden and the residence access		Current Use	No Coverage
Tlatia	Diabetes Diabetic	N/A	Level
Iletin	and particular and a control of the	2 years	Modified
	Nephropathy/Neuropathy	2 40250	Modified
Imdur	Angina CHF	2 years N/A	No Coverage
	Organ / Tissue Transplant	N/A	No coverage
Imuran	Rheumatoid Arthritis	N/A N/A	Level
inalan	Systemic Lupus	N/A	Graded
Inamrinone	CHF	N/A	No Coverage
	Hypertension	N/A	Level
Inderal	CHF	N/A	No Coverage
	Hypertension	N/A	Level
Inderide	CHF	N/A	No Coverage
Infergen	Liver Disorder	N/A	Graded
	Hypertension	N/A	Level
Innopran XL	CHF	N/A	No Coverage
Inspra	CHF	N/A	No Coverage
•	Diabetes	N/A	Level
Insulin	Diabetic	2 years	Modified
	Nephropathy/Neuropathy	72	
Intelence	AIDS	N/A	No Coverage
	Cancer	3 years	Modified
Intron-A		Current Use	No Coverage
	Hepatitis C	N/A	Graded
Invirase	AIDS	N/A	No coverage
Ipratropium Bromide	COPD	N/A	Graded
Tpratropiani Bronniae	Allergies	N/A	Level
		3 years	Modified
Iressa	Cancer	Current Use	No Coverage
	_	3 years	Modified
Irinotecan	Cancer	Current Use	No Coverage
Т	Angina	2 years	Modified
Ismo	CHF	N/A	No Coverage
Toodhan	Angina	2 years	Modified
Isochron	CHF	N/A	No Coverage
Isodax	Cancer	3 years	Modified
		Current Use	No Coverage
Isoptin	Hypertension	N/A	Level
Isordil	Angina	2 years	Modified
0.000 (0.000)	CHF	N/A	No Coverage
Isosorbide	Angina	2 years	Modified
Dinitrate/Mononitrate	CHF	N/A	No Coverage
Ixempra	Cancer	3 years	Modified
		Current Use	No Coverage



Medication	Indication	Rx Fill Within	Benefit Eligibility
	Diabetes	N/A	Level
Janumet	Diabetic	2 years	Modified
	Nephropathy/Neuropathy	-	
	Diabetes	N/A	Level
Januvia	Diabetic	2 years	Modified
520/520/0022564/AV -4000/	Nephropathy/Neuropathy	05- <b>4</b> 41011-44497	ENGELS SEAT PRINTER
100.00		3 years	Modified
Jetvana	Cancer	Current Use	No Coverage
Kaletra	AIDS	N/A	No coverage
	Parkinson's	N/A	Graded
Kemadrin	Other Use	N/A	Level
	otw	3 years	Modified
Kepivance	Cancer	Current Use	No Coverage
	Hypertension	N/A	Level
Kerlone	CHF	N/A	No Coverage
		3 years	Modified
Kytril	Cancer	Current Use	No Coverage
VI 00 000 00 00	Hypertension	N/A	Level
Labetaolol	CHF	N/A	No Coverage
	Seizures	N/A	Level
Lamictal	Diabetic Neuropathy	2 years	Modified
	Seizures	N/A	Level
Lamtrogine	Diabetic Neuropathy	2 years	Modified
963	Atrial Fibrillation	N/A	Level
Lanoxicaps	CHF		
	Atrial Fibrillation	N/A	No Coverage Level
Lanoxin	CHF	N/A	(-1-)-/1/1-11
		N/A	No Coverage
Tantora	Diabetes	N/A	Level
Lantus	Diabetic	2 years	Modified
	Nephropathy/Neuropathy	NI /A	Laval
Lasix	Hypertension	N/A	Level
1 20 3 3 3 4 3 5 5	CHF	N/A	No Coverage
Larodopa	Parkinson's	N/A	Graded
Leucovorin Calcium	Cancer	3 years	Modified
UZ GOMENNESHONIKE SONIKENINYENTEN Z SECENDISCHULE VINESHONI Z	2200.0000000000000000000000000000000000	Current Use	No Coverage
Leukeran	Cancer	3 years	Modified
		Current Use	No Coverage
Leukine	Cancer	3 years	Modified
National (1997)	0 (2000 0 m) 0 To	Current Use	No Coverage
Leuprolide	Cancer	3 years	Modified
, L,		Current Use	No Coverage
Leustatin	Cancer	3 years	Modified
		Current Use	No Coverage
Levatol	Hypertension	N/A	Level
SUPPLIED NO COLUCTOR SHEET NO.	CHF	N/A	No Coverage
Levodopa	Parkinson's	N/A	Graded
Levamisole HCL	Cancer	3 years	Modified
Ecvaniisole fice	3.833.91.00 (0.04569.00)	Current Use	No Coverage
	Diabetes	N/A	Level
Levemir	Diabetic	2 years	Modified
	Nephropathy/Neuropathy		
	Kidney Dialysis	1 year	No coverage
Levocarnitine	Kidney Disease/Failure	N/A	Graded
	Diabetic Nephropathy	2 years	Modified
Lexiva	AIDS	N/A	No coverage



Medication	Indication	Rx Fill Within	Benefit Eligibility
Lexxel	Hypertension	N/A	Level
Lexxei	CHF	N/A	No Coverage
Lipitor	Cholesterol	N/A	Level
Lisinopril	Hypertension	N/A	Level
Additional Physics Co. 1 17 years	CHF	N/A	No Coverage
Lithium	Bipolar Disorder	N/A	Level
Lodosyn	Parkinson's	N/A	Graded
Lopressor	Hypertension	N/A	Level
Losartan Potassium	Hypertension	N/A	Level
Losartan Fotassium	CHF	N/A	No Coverage
Lotensin	Hypertension	N/A	Level
Loterisiii	CHF	N/A	No Coverage
Lotrel	Hypertension	N/A	Level
120 - 300-2003-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0	CHF	N/A	No Coverage
Loxapine	Psychotic Disorder	N/A	Level
Loxitane	Psychotic Disorder	N/A	Level
Lozol	Hypertension	N/A	Level
Lupron	Cancer	3 years	Modified
Eupton		Current Use	No Coverage
Lyrica	Seizures	N/A	Level
Lyrica	Diabetic Neuropathy	2 years	Modified
Lysodren	Cancer	3 years	Modified
Lysouren	10000000000	Current Use	No Coverage
Lytensopril	Hypertension	N/A	Level
	CHF	N/A	No Coverage
Marinol	Cancer	3 years	Modified
	3411031	Current Use	No Coverage
Matulane	Cancer	3 years	Modified
,,,,,,,,,,		Current Use	No Coverage
Maxzide	Hypertension	N/A	Level
	CHF	N/A	No Coverage
Mavik	Hypertension	N/A	Level
NA SILESTI	CHF	N/A	No Coverage
Mellaril	Psychotic Disorder	N/A	Level
Melphalan	Cancer	3 years	Modified
Hydrochloride		Current Use	No Coverage
Mepron	AIDS	N/A	No coverage
-		2 40250	Modified
Mercaptopurine	Cancer	3 years Current Use	
			No Coverage Modified
Mesna	Cancer	3 years	
	+	Current Use 3 years	No Coverage Modified
Mesnex	Cancer	Current Use	No Coverage
	Diabetes	N/A	Level
Metformin	Diabetic	2 years	Modified
Medollilli	Nephropathy/Neuropathy	z years	PIOUITICU
Methadone	Opioid Dependence	1 year	Modified
Methadose	Opioid Dependence	1 year	Modified
rictiadose	Cancer	3 years	Modified
Methotrexate	Cancer	Current Use	No Coverage
FICHIOTICAGE	Rheumatoid Arthritis	N/A	Level
Methyldopa	Hypertension	N/A	Level
	Hypertension	N/A	Level
Metolazone	CHF	N/A N/A	No Coverage
	L	111/75	NO COVERAGE



Medication	Indication	Rx Fill Within	Benefit Eligibility
Metoprolol	Hypertension	N/A	Level
Tartrate/Succinate	CHF	N/A	No Coverage
Metoprolol HCTZ	Hypertension	N/A	Level
·	CHF	N/A	No Coverage
Mevacor	Cholesterol	N/A	Level
Micardis	Hypertension	N/A	Level
riidarais	CHF	N/A	No Coverage
	Diabetes	N/A	Level
Micronase	Diabetic	2 years	Modified
	Nephropathy/Neuropathy		
Midamor	Hypertension	N/A	Level
1//00/T1 #00/1/2/E/I	CHF	N/A	No Coverage
Milrinone	CHF	N/A	No Coverage
Minipress	Hypertension	N/A	Level
Minitran	Angina	2 years	Modified
	CHF	N/A	No Coverage
Mirapex	Parkinson's	N/A	Graded
	Other Use	N/A	Level
Mithracin	Cancer	3 years	Modified
	55.155.	Current Use	No Coverage
Mitomycin	Cancer	3 years	Modified
Tillerityelli	carreer	Current Use	No Coverage
Mitoxantrone HCL	Cancer	3 years	Modified
		Current Use	No Coverage
Moban	Psychotic Disorder	N/A	Level
Moduretic	Hypertension	N/A	Level
Hoddrette	CHF	N/A	No Coverage
Moexipril HCL	Hypertension	N/A	Level
Посхірні нес	CHF	N/A	No Coverage
Monoket	Angina	2 years	Modified
Pionoket	CHF	N/A	No Coverage
Monopril	Hypertension	N/A	Level
Монории	CHF	N/A	No Coverage
Mustargen	Cancer	3 years	Modified
riustargen	Caricei	Current Use	No Coverage
Mutamycin	Cancer	3 years	Modified
ist in a terminal year operation in a time of incomparation.		Current Use	No Coverage
Mycobutin	AIDS	N/A	No coverage
Myfortic	Organ / Tissue Transplant	N/A	No coverage
Mykrok	Hypertension	N/A	Level
Myklok	CHF	N/A	No Coverage
Myleran	Cancer	3 years	Modified
Hylelali	Caricei	Current Use	No Coverage
Mylocel	Cancer	3 years	Modified
Mylocel	Cancer	Current Use	No Coverage
Mylotarg	Cancer	3 years	Modified
		Current Use	No Coverage
Mysoline	Seizure Disorder	N/A	Level
Nadolol	Hypertension	N/A	Level
INAUUIUI	CHF	N/A	No Coverage
Namenda	Alzheimer's /Dementia	N/A	No coverage
Narcan	Alcohol / Drugs	2 years	Modified
Naloxone	Alcohol / Drugs	2 years	Modified
Naltrexone	Alcohol / Drugs	2 years	Modified
Natrecor	CHF	N/A	No Coverage



Medication	Indication	Rx Fill Within	Benefit Eligibility
Navane	Psychotic Disorder	N/A	Level
27.000		3 years	Modified
Navelbine	Cancer	Current Use	No Coverage
Nebupent	AIDS	N/A	No coverage
•	C	3 years	Modified
Neosar	Cancer	Current Use	No Coverage
Nevlests	Canaca	3 years	Modified
Neulasta	Cancer	Current Use	No Coverage
Neumega	Cancer	3 years	Modified
		Current Use	No Coverage
Neupro	Parkinson's	N/A	Graded
Neurontin	Seizures	N/A	Level
	Diabetic Neuropathy	2 years	Modified
Neutrexin	AIDS	N/A	No coverage
Nexavar	Cancer	3 years	Modified
		Current Use	No Coverage
Nifedipine	Hypertension	N/A	Level
Nilandron	Cancer	3 years	Modified
		First Fill	Modified
Nimodipine	Stroke/TIA/Aneurysm	<2years	100000000000000000000000000000000000000
Europe F		First Fill >2	Level
		years First Fill	
			Modified
Nimotop	Stroke/TIA/Aneurysm	<2years First Fill >2	
300	*	vears	Level
	460	3 years	Modified
Nipent	Cancer	Current Use	No Coverage
	Angina	2 years	Modified
Nitrek	CHF	N/A	No Coverage
Witness Co.	Angina	2 years	Modified
Nitro-bid	CHF	N/A	No Coverage
Nitua diiu	Angina	2 years	Modified
Nitro-dur	CHF	N/A	No Coverage
Nitroglycerine/Nitrota	Angina	2 years	Modified
b/Nitroquick/Nitrostat	CHF	N/A	No Coverage
Nitrol	Angina	2 years	Modified
Microi	CHF	N/A	No Coverage
Nitromist	Angina	2 years	Modified
Meronnise	CHF	N/A	No Coverage
		First Fill	Modified
Nolvadex	Cancer	<3years	remaining of the Control
		First Fill >3	Level
	Llyportanaian	years	
Normodyne	Hypertension	N/A	Level
Norpace	CHF Arrythmia	N/A N/A	No Coverage
Norpace Norvasc	Hypertension	N/A N/A	Level Level
Norvir	AIDS	N/A N/A	No coverage
INOLAIL	Diabetes	N/A N/A	Level
Novolin	Diabetic	2 years	Modified
NOVOIII	Nephropathy/Neuropathy	z years	Piodifica
	Diabetes	N/A	Level
Novolog	Diabetic	2 years	Modified
1.5.0109	Nephropathy/Neuropathy	2 , 501 5	Hodinod



Indication	Rx Fill Within	Benefit Eligibility
Cancer	3 years	Modified
carreer		No Coverage
Cancer		Modified
Garreo.		No Coverage
Cancer		Modified
		No Coverage
Cancer		Modified
B 1 11 B1 1		No Coverage
	CONTRACTOR INC.	Level
		No coverage
		Graded
		Modified
Cancer		Modified
	Current Use	No Coverage
Cancer	3 years	Modified
		No Coverage
		Modified
Severe Pain	N/A	Level
Cancer		Modified
carreer		No Coverage
Cancer		Modified
		No Coverage
		No coverage
Arrythmia		Level
Cancer		Modified
Carreer		No Coverage
Cancer		Modified
100-01000000000000000000000000000000000		No Coverage
AIDS		No coverage
Cancer		Modified
		No Coverage
		Graded
		Graded
		Level
AIDS	N/A	No coverage
AIDS	N/A	No coverage
	3 years	Modified
Cancer		No Coverage
Liver Disorder		Graded
		Graded
		Level
		Graded
		Level
		No Coverage
		Graded
		Level
		No coverage
		Graded
	1931	Modified
1. 1. 2.	3 years	Modified
Cancer		
Carreer	( Hrrent Lise	NO COVERAGE
Hypertension	Current Use N/A	No Coverage Level
	Cancer Cancer Cancer Psychotic Disorder Kidney Dialysis Kidney Disease/Failure Diabetic Nephropathy Cancer  Cancer Cancer Cancer Pain Severe Pain Cancer  Cancer  Cancer  Cancer  Cancer  AIDS Cancer  AIDS Cancer  Parkinson's Parkinson's Parkinson's Depressive Disorder AIDS  Cancer  Liver Disorder Liver Disorder Stomach Disorder Parkinson's Hypertension CHF Parkinson's Seizure Disorder Kidney Disease/Failure Diabetic Nephropathy	Cancer Current Use  3 years Current Use  3 years Current Use  Ridney Dialysis Kidney Disease/Failure Diabetic Nephropathy Cancer Current Use  Cancer Cancer Current Use  Cancer Current Use  Cancer Current Use  Cancer Current Use  Organ / Tissue Transplant Arrythmia NA Cancer Cancer Current Use  AIDS N/A Cancer Current Use  AIDS N/A Cancer Current Use  AIDS N/A Parkinson's N/A Parkinson's N/A  AIDS AI



Medication	Indication	Rx Fill Within	Benefit Eligibility
	Systemic Lupus	N/A	Graded
Plaquenil	Malaria	N/A	Level
	Rheumatoid Arthritis	N/A	Level
Platinol AQ	Cancer	3 years	Modified
Tiddillol AQ	Caricci	Current Use	No Coverage
		First Fill	Modified
Plavix	Stroke/TIA/Heart Attack	<2years	Flourited
TIGVIX	Stroke, HA, Heart Attack	First Fill >2	Level
		years	12-13- N WIND
Plegisol	Circulatory Surgery	2 years	Modified
Plenaxis	Cancer	3 years	Modified
and management		Current Use	No Coverage
Plendil	Hypertension	N/A	Level
	Diabetes	N/A	Level
Prandin	Diabetic	2 years	Modified
	Nephropathy/Neuropathy		
Pravachol	Cholesterol	N/A	Level
Prazosin	Hypertension	N/A	Level
Prezista	AIDS	N/A	No coverage
Primacor	CHF	N/A	No Coverage
Prinivil	Hypertension	N/A	Level
FILLIVII	CHF	N/A	No Coverage
Prinzide	Hypertension	N/A	Level
	CHF	N/A	No Coverage
Procardia	Hypertension	N/A	Level
Prograf	Organ / Tissue Transplant	N/A	No Coverage
Proleukin	Cancer	3 years	Modified
(No. 1601 - 52/00/24 (No. 1604/24 (No. 1644/24 (No. 1644/	01/01/2017/14-01/00/201/	Current Use	No Coverage
Prolixin	Psychotic Disorder	N/A	Level
Propanolol HCL	Hypertension	N/A	Level
Tropanoloi ITCE	CHF	N/A	No Coverage
Provenge	Cancer	3 years	Modified
	7.000.000	Current Use	No Coverage
Proventil	Asthma	N/A	Level
	COPD / Emphysema	N/A	Graded
Prozac	Depressive Disorder	N/A	Level
Purinethol	Cancer	3 years	Modified
		Current Use	No Coverage
Quadramet	Cancer	3 years	Modified
	Data Laura Dia salam	Current Use	No Coverage
Quetiapine	Psychotic Disorder	N/A	Level
Quinapril	Hypertension	N/A	Level
v €construintsskat (jaar env	CHF	N/A	No Coverage
Quinaretic	Hypertension	N/A	Level
₩ <del>□</del>	CHF	N/A	No Coverage
Ramipril	Hypertension	N/A	Level
	CHF	N/A	No Coverage
Ranexa	Angina Ctompoh Disorder	2 years	Modified
Ranitidine	Stomach Disorder	N/A	Level
Rapamune	Organ / Tissue Transplant	N/A	No Coverage
Razadyne	Alzheimer's / Dementia	N/A	No Coverage
Rebetol	Liver Disorder	N/A	Graded
Rebetron	Liver Disorder	N/A	Graded
Rebif	Multiple Sclerosis	N/A	Level
Reglan	Stomach Disorder	N/A	Level



Medication	Indication	Rx Fill Within	Benefit Eligibility
Requip	Parkinson's	N/A	Graded
	Other Use	N/A	Level
Reminyl	Alzheimer's / Dementia	N/A	No Coverage
	Kidney Dialysis	1 year	No coverage
Renagel	Kidney Disease/Failure	N/A	Graded
	Diabetic Nephropathy	2 years	Modified
	Kidney Dialysis	1 year	No coverage
Renvela	Kidney Disease/Failure	N/A	Graded
The state of Pedale and Service	Diabetic Nephropathy	2 years	Modified
Rescriptor	AIDS	N/A	No Coverage
Retrovir	AIDS	N/A	No Coverage
Revex	Alcohol / Drugs	2 years	Modified
Revia	Alcohol / Drugs	2 years	Modified
	690	3 years	Modified
Revlimid	Cancer	Current Use	No Coverage
Reyataz	AIDS	N/A	No Coverage
Ribapak	Liver Disorder	N/A	Graded
Ribasphere	Liver Disorder	N/A	Graded
Ribatab	Liver Disorder	N/A N/A	Graded
Ribavirin	Liver Disorder	N/A N/A	Graded
			Project Control State Control Control Control
Rilutek	ALS	N/A	No Coverage
Risperdal	Psychotic Disorder	N/A	Level
Risperidone	Psychotic Disorder	N/A	Level
_0.0	Cancer	3 years	Modified
Rituxan	18452 ADMINISTRAÇÃO SE DE AS	Current Use	No Coverage
	Rheumatoid Arthritis	N/A	Level
Rivastigmine Tartrate	Alzheimer's / Dementia	N/A	No Coverage
	Kidney Dialysis	1 year	No coverage
Rocaltrol	Kidney Disease/Failure	N/A	Graded
	Diabetic Nephropathy	2 years	Modified
	Cancer	3 years	Modified
Roferon		Current Use	No Coverage
	Hepatitis C	N/A	Graded
Doninirolo	Parkinson's	N/A	Graded
Ropinirole	Other Use	N/A	Level
Dubasa	C	3 years	Modified
Rubex	Cancer	Current Use	No Coverage
Rythmol	Arrythmia	N/A	Level
•		3 years	Modified
Sancuso	Cancer	Current Use	No Coverage
Sandimmune	Organ / Tissue Transplant	N/A	No Coverage
Gananinane	signif fiscae fransparit		_
Sandostatin	Cancer	3 years	Modified
Sandostatiii	Cancer	Current Use	No Coverage
	Hypertension	N/A	Level
Sectral			
	CHF	N/A	No Coverage
Selegiline HCL	Parkinson's	N/A	Graded
Selzentry	AIDS	N/A	No Coverage
	Kidney Dialysis	1 year	No coverage
Sensipar	Kidney Disease/Failure	N/A	Graded
	Diabetic Nephropathy	2 years	Modified
Serevent	Asthma	N/A	Level
Jerevent	COPD / Emphysema	N/A	Graded
Seroquel	Psychotic Disorder	N/A	Level
Simvastatin	Cholesterol	N/A	Level



Medication	Indication	Rx Fill Within	Benefit Eligibility
Simulect	Organ / Tissue Transplant	N/A	No Coverage
Sinemet/Sinemet CR	Parkinson's	N/A	Graded
Sodium Edecrin	Hypertension	N/A	Level
Sodium Edecim	CHF	N/A	No Coverage
Soltalol Hydrochloride	Hypertension	N/A	Level
30italoi Trydrocilloride	CHF	N/A	No Coverage
		First Fill	Modified
Soltamox	Cancer	<3years	Modified
Soldinox	Caricei	First Fill >3	Level
		years	V-1 -
Sorine	Hypertension	N/A	Level
235	CHF	N/A	No Coverage
Sotalol HCL	Hypertension	N/A	Level
	CHF	N/A	No Coverage
Spiriva	COPD	N/A	Graded
Spironolactone	Hypertension	N/A	Level
	CHF	N/A	No Coverage
			NA CONTROL
Sprycel	Cancer	3 years	Modified
		Current Use	No Coverage
Stalevo	Parkinson's	N/A	Graded
Ctli	Diabetes	N/A	Level
Starlix	Diabetic	2 years	Modified
	Nephropathy/Neuropathy	2 vones	Modified
Stilphostrol	Cancer	3 years	
	Cancer Pain	Current Use 3 years	No Coverage Modified
Sublimaze	Severe Pain	N/A	Level
Suboxone	Alcohol / Drugs	2 years	Modified
Subutex	Alcohol / Drugs	2 years	Modified
Sustiva	AIDS	N/A	No Coverage
		3 years	Modified
Sutent	Cancer	Current Use	No Coverage
	Asthma	N/A	Level
Symbicort	COPD / Emphysema	N/A	Graded
Symmetrel	Parkinson's	N/A	Graded
		3 years	Modified
Tabloid	Cancer	Current Use	No Coverage
Tagamet	Stomach Disorder	N/A	Level
Tambocor	Arrythmia	N/A	Level
	,,	First Fill	
T		<3years	Modified
Tamoxifen	Cancer	First Fill >3	Louisell
		years	Level
Tarcour	Caracr	3 years	Modified
Tarceva	Cancer	Current Use	No Coverage
Targretin	Cancer	3 years	Modified
raiyietiii		Current Use	No Coverage
Tarka	Hypertension	N/A	Level
Idika	CHF	N/A	No Coverage
Tasigna	Cancer	3 years	Modified
		Current Use	No Coverage
Tasmar	Parkinson's	N/A	Graded
Taxol	Cancer	3 years	Modified
Тахот	Carleer	Current Use	No Coverage



Medication	Indication	Rx Fill Within	Benefit Eligibility
Taxotere	Cancer	3 years	Modified
Тахотеге		Current Use	No Coverage
Tegretol	Seizures	N/A	Level
regreter	Diabetic Neuropathy	2 years	Modified
Temodar	Cancer	3 years	Modified
00 - 2040020000 0 PHONON-MORPOU	POTENTIAL PLANTS HOLL FAST	Current Use	No Coverage
Tenex	Hypertension	N/A	Level
Tenoretic	Hypertension CHF	N/A	Level
	0.00000000	N/A N/A	No Coverage Level
Tenormin	Hypertension CHF	N/A N/A	No Coverage
	2007.000	3 years	Modified
Teslac	Cancer	Current Use	No Coverage
	Hypertension	N/A	Level
Teveten	CHF	N/A	No Coverage
-11 =11 sec. 1		3 years	Modified
Thalomid	Cancer	Current Use	No Coverage
Theodur	Asthma	N/A	Level
rneodur	COPD / Emphysema	N/A	Graded
Theophylline	Asthma	N/A	Level
тнеорпушне	COPD / Emphysema	N/A	Graded
Theracys	Cancer	3 years	Modified
Theracys	Caricei	Current Use	No Coverage
Thioplex	Cancer	3 years	Modified
CONTRACTOR AND A STATE OF THE PROPERTY OF THE	1	Current Use	No Coverage
Thioridazine	Psychotic Disorder	N/A	Level
Thiotepa	Cancer	3 years	Modified
1529	1-11/2/11/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/	Current Use	No Coverage
Thiothixene	Psychotic Disorder	N/A	Level
Thymoglobulin	Organ / Tissue Transplant	N/A	No Coverage
Thorazine Tiazac	Psychotic Disorder Hypertension	N/A N/A	Level Level
Hazac	Hypertension	3 years	Modified
Tice BCG	Cancer	Current Use	No Coverage
		First Fill	XXX
		<2years	Modified
Ticlid	Stroke/TIA/Heart Attack	First Fill >2	
		years	Level
Tilade	Asthma	N/A	Level
Thaue	COPD / Emphysema	N/A	Graded
Timolide	Hypertension	N/A	Level
Timoliac	CHF	N/A	No Coverage
Timolol Maleate	Hypertension	N/A	Level
Timeser Fidence	CHF	N/A	No Coverage
T-1	Diabetes	N/A	Level
Tolazamide	Diabetic	2 years	Modified
	Nephropathy/Neuropathy	N/A	Loval
Tolbutamide	Diabetes Diabetic		Level Modified
Toibutaililide	Nephropathy/Neuropathy	2 years	Moullied
	Diabetes	N/A	Level
Tolinase	Diabetic	2 years	Modified
Tomase	Nephropathy/Neuropathy	2 70013	riodifica
=	237	3 years	Modified
Toposar	Cancer	Current Use	No Coverage
25.2		current use	No Coverage



Medication	Indication	Rx Fill Within	Benefit Eligibility
Topotecan	Cancer	3 years	Modified
торосесан	Caricei	Current Use	No Coverage
Totect	Cancer	3 years	Modified
Totect	Caricei	Current Use	No Coverage
Torisel	Cancer	3 years	Modified
Torisei	Caricei	Current Use	No Coverage
Torsemide	Hypertension	N/A	Level
Torsemide	CHF	N/A	No Coverage
TIVI	Hypertension	N/A	Level
Toprol XL	CHF	N/A	No Coverage
T	Hypertension	N/A	Level
Trandate	CHF	N/A	No Coverage
	Hypertension	N/A	Level
Trandolapril	CHF	N/A	No Coverage
	53.7	3 years	Modified
Treanda	Cancer	Current Use	No Coverage
		3 years	Modified
Trelstar	Cancer	Current Use	No Coverage
		3 years	Modified
Tretinoin	Cancer	Current Use	No Coverage
	Hypertension	N/A	Level
Triamterene	CHF	N/A N/A	
	(1899a) (CV)		No Coverage
Triamterene/HCTZ	Hypertension	N/A	Level
·	CHF	N/A	No Coverage
Tribenzor	Hypertension	N/A	Level
Application of the second seco	CHF	N/A	No Coverage
Trisenox	Cancer	3 years	Modified
		Current Use	No Coverage
Trihexyphenidyl HCL	Parkinson's	N/A	Graded
95-955	Other Use	N/A	Level
Trizivir	AIDS	N/A	No Coverage
Truvada	AIDS	N/A	No Coverage
Twynsta	Hypertension	N/A	Level
TWYTISta	CHF	N/A	No Coverage
Tykerb	Cancer	3 years	Modified
960		Current Use	No Coverage
Tyzeka	Liver Disorder	N/A	Graded
Uniretic	Hypertension	N/A	Level
Officer	CHF	N/A	No Coverage
Univasc	Hypertension	N/A	Level
Ullivasc	CHF	N/A	No Coverage
Llyaday	Canaar	3 years	Modified
Uvadex	Cancer	Current Use	No Coverage
Valcyte	AIDS	N/A	No Coverage
**	Seizures	N/A	Level
Valproic Acid	Diabetic Neuropathy	2 years	Modified
		3 years	Modified
Valstar	Cancer	Current Use	No Coverage
1909 -	Hypertension	N/A	Level
Valturna	CHF	N/A	No Coverage
Vascor	Angina	2 years	Modified
	Hypertension	N/A	Level
Vaseretic	CHF	N/A N/A	No Coverage
		N/A	Level
Vasotec	Hypertension		
	CHF	N/A	No Coverage



Medication	Indication	Rx Fill Within	Benefit Eligibility
Velcade	Cancer	3 years	Modified
*Cicacc	20 CONTROL CON	Current Use	No Coverage
Ventolin	Asthma	N/A	Level
10	COPD / Emphysema	N/A	Graded
Vepisid	Cancer	3 years	Modified
2 ACC	P01590W-07-05-H30-668	Current Use	No Coverage
Verapamil	Hypertension	N/A	Level
Vesanoid	Cancer	3 years	Modified
		Current Use 3 years	No Coverage Modified
Viadur	Cancer	Current Use	No Coverage
Viaspan	Organ / Tissue Transplant	N/A	No Coverage
Victrelis	Liver Disorder	N/A	Graded
Vidaza	Cancer	3 years	Modified
Videx	AIDS	N/A	No Coverage
	AIDS	3 years	Modified
Vinblastine Sulfate	Cancer	Current Use	No Coverage
		3 years	Modified
Vincasar PFS	Cancer	Current Use	No Coverage
		3 years	Modified
Vincristine Sulfate	Cancer	Current Use	No Coverage
NO 11: T 1 .		3 years	Modified
Vinorelbine Tartrate	Cancer	Current Use	No Coverage
Viracept	AIDS	N/A	No Coverage
Viramune	AIDS	N/A	No Coverage
Viread	AIDS	N/A	No Coverage
Minkon	Hypertension	N/A	Level
Visken	CHF	N/A	No Coverage
Vistide	AIDS	N/A	No Coverage
Vivitrol	Alcohol / Drugs	2 years	Modified
Votrient	Cancer	3 years	Modified
Votrient	Caricei	Current Use	No Coverage
Vumon	Cancer	3 years	Modified
varion		Current Use	No Coverage
	Cardiac Valve	2 years	Modified
V4.000.00 C 200 - 200	Replacement		NA LICE
Warfarin	TIA/Stroke	2 years	Modified
	Pulmonary Embolism Thrombosis	N/A	Level
	THIOHIDOSIS	N/A 3 years	Level Modified
Xeloda	Cancer	Current Use	No Coverage
30 Ste	-	3 years	Modified
Xgeva	Cancer	Current Use	No Coverage
7002	Asthma	N/A	Level
Xopenex	COPD / Emphysema	N/A N/A	Graded
		3 years	Modified
Zanosar	Cancer	Current Use	No Coverage
Zantac	Stomach Disorder	N/A	Level
r	Hypertension	N/A	Level
Zaroxolyn	CHF	N/A	No Coverage
7-4	Hypertension	N/A	Level
Zebeta	CHF	N/A	No Coverage
Zelapar	Parkinson's	N/A	Graded
Zenapax	Organ / Tissue Transplant	N/A	No Coverage



Medication	Indication	Rx Fill Within	Benefit Eligibility
	Kidney Dialysis	1 year	No coverage
Zemplar	Kidney Disease/Failure	Ń/A	Graded
Control of	Diabetic Nephropathy	2 years	Modified
Zerit	AIDS	N/A	No Coverage
Zestoretic	Hypertension	N/A	Level
Zestoretic	CHF	N/A	No Coverage
Zestril	Hypertension	N/A	Level
Zestiii	CHF	N/A	No Coverage
Zevalin Y-90	Cancer	3 years	Modified
Zevaiiii 1-90	Cancer	Current Use	No Coverage
Ziac	Hypertension	N/A	Level
Ziac	CHF	N/A	No Coverage
Ziagen	AIDS	N/A	No Coverage
Zidovudine	AIDS	N/A	No Coverage
Zinecard	Cancer	3 years	Modified
Ziriecaru		Current Use	No Coverage
Zocor	Cholesterol	N/A	Level
Zofran	Cancer	3 years	Modified
Zoliali	Caricei	Current Use	No Coverage
Zoladex	Cancer	3 years	Modified
		Current Use	No Coverage
7.0		3 years	Modified
Zolinza	Cancer	Current Use	No Coverage
Zoloft	Depressive Disorder	N/A	Level
71-		3 years	Modified
Zometa	Cancer	Current Use	No Coverage
Zortress	Organ / Tissue Transplant	N/A	No Coverage
7		3 years	Modified
Zuplenz	Cancer	Current Use	No Coverage
Zyprexa	Psychotic Disorder	N/A	Level

#### LIVING PROMISE

Proposed insureds currently taking any of the following medications are not eligible for Living Promise coverage. This is not an all-inclusive drug list. Additional medications or combinations of medications may be added to this list at the discretion of United of Omaha at any time.

Note: Proposed insureds taking medications marked with an asterisk (\*) may qualify for the Graded benefit product.

Abacavir	Combivir	Hydrea	Peg-Intron*	Sustiva
Abilify*	Copaxone*	Hydroxyurea	Perphenazine*	Symbyax*
Alkeran	Crixivan	Infergen*	Pradaxa*	Targretin
Amiodarone*	Cyclosporine	Invega*	Prograf	Teslac
Ampyra*	Cytoxan	Invirase	Ranexa*	Truvada
Antabuse*	Donepezil	Latuda*	Razadyne	Viracept
Aricept	Droxia	Leucovorin Calcium	Rebif*	Viramune
Atripla	Eligard	Lexiva	Retrovir	Viread
Avonex*	Eminase*	Limbitrol*	Revia*	Zenapax
Azilect*	Epivir Hbv	Lithium*	Revlimid	Zerit
Baraclude*	Ergoloid Mesylates	Megace	Ribavirin*	Ziagen
Betaseron*	Exelon	Megestrol Acetate	Risperdal*	Zidovudine
Calcium Acetate*	Floxuridine	(Megace)	Rituxan	Zoladex
Campath	Fluorouracil	Mitomycin	Sandimmune	Zyprexa*
Campral*	Galantamine	Mycophenolate Mofetil	Saphris*	
Caprelsa	Hydrobromide	Myfortic	Seroquel*	
Carbidopa/Levodopa*	Gammagard	Naloxone Hcl*	Serzone*	
Casodex	Gamunex	Naltrexone Hcl*	Sinemet*	
Cellcept	Gengraf	Namenda	Spiriva*	
Chlorpromazine Hcl*	Geodon*	Neupogen	Stalevo*	
Clozapine*	Haldol*	Panretin	Stribild	
Cognex	Haloperidol*	Pegasys*	Suboxone*	

#### ADDITIONAL INFORMATION REQUIRED

If the proposed insured currently takes any of the following medications listed below, please include the reason(s) for the medication(s) on the application. If this information is not included with the application, it will be obtained during the underwriting process in a pharmaceutical report, MIB reporting or, if needed, phone interview to help determine eligibility for coverage.

Aggrenox	Coreg	Eliquis	Lovenox	Xarelto
Arimidex	Coumadin	Enoxaparin Sodium	Plavix	
Carvedilol	Digitek	Femara	Tamoxifen	
Clopidogrel	Digoxin	Lanoxin	Warfarin	

## **Phoenix Remembrance**

## **List of Concerning Medications**

If your client is currently on any of the medications cited below, coverage will not be available.

ABILIFY	CYTOXAN	HALOPERIDOL	MEGACE	RISPERDAL	TYŞABRI
ALKERAN	DEPO-PROVERA <sup>3</sup>	HYDERGINE	MELLARIL	SANDIMMUNE	VIRAMUNE
ANTABUSE	DEXAMETHASONE	IMURAN	METHADONE	SEROQUEL	WARFARIN
ARICEPT	DIGOXIN	INVIRASE	PLAVIX	STELAZINE	ZENAPAX
AVONEX	ERGOLOID MESYLATES	JANTOVEN	PURINETHOL	SUSTIVA	ZERIT
CASODEX	ESKALITH	LANOXIN	RAZADYNE	TAMOXIFEN	ZIAGEN
CLOPIDOGREL	EXELON	LEXIVA	REBIF	TESLAC	ZIDOVUDINE
COGNEX	GENGRAF	LITHIUM	REMICADE	THORAZINE	ZOLADEX4
COMBIVIR	GEODON	LUPRON	REMINYL	TRUVADA	ZYPREXA
COPAXONE	HALDOL		RETROVIR		

<sup>3.</sup> Use to age 50 is acceptable.

<sup>4.</sup> Use in treatment for endometriosis is acceptable.

## **Prescription List for Final Expense Application**

#### For use with Final Expense applications on Insureds ages 45 and up

#### Disclosures:

- 1. This list is not all inclusive and is intended as a guide only. All cases subject to review.
- 2. This list only identifies some uses for the medications. There may be other uses that could positively or negatively impact the final classification of the case being reviewed. We only list the uses we are concerned about. For example, we don't list elevated blood pressure because it is acceptable on the final expense application.
- 3. The action identified in the Decision column is based on the last use of the medication unless otherwise indicated.
- 4. The action identified in the Decision column is based on the medication in question being the only medication that is impacting the final decision. Multiple medications may negatively impact the final decision.
- 5. The action identified in the Decision column is based on the medication in question being used for the reason indicated in the "If taking for this reason" column. Using the medication for other reasons could positively or negatively impact the decision.
- 6. If a medication is being taken for a reason other than what is listed, please document the medication and reason taking on the Supplemental Application.

There are 2 lists of medications below. The first list indicates the medications that are declined if taking for the reason indicated. The second list indicates the acceptable medications- these may be Graded, Standard or Preferred.

Medications	If taking for this reason	Decision
Abacavir	AIDS/HIV	Decline
Abacavir-Lamivudine	AIDS/HIV	Decline
Abacavir-Lamivudine-Zidovudine	AIDS/HIV	Decline
Acetylcysteine	Cystic Fibrosis	Decline
Amikacin	Cystic Fibrosis	Decline
Aptivus	AIDS/HIV	Decline
Aricept	Alzheimers, Dementia, Memory Loss	Decline
Atazanavir	AIDS/HIV	Decline
Atripla	AIDS/HIV	Decline
Azathioprine	Organ Transplant	Decline
Aztreonam Lysine	Cystic Fibrosis	Decline
Cayston	Cystic Fibrosis	Decline
CellCept	Organ Transplant	Decline
Ceflazidime	Cystic Fibrosis	Decline
Ceflazidime-Dextrose	Cystic Fibrosis	Decline
Cognex	Alzheimers, Dementia, Memory Loss	Decline
Combivir	AIDS/HIV	Decline
Crixivan	AIDS/HIV	Decline
Cyclosporine	Organ Transplant	Decline
Darunavir	AIDS/HIV	Decline
Delavirdine	AIDS/HIV	Decline
Didanosine	AIDS/HIV	Decline
Donepezil	Alzheimers, Dementia, Memory Loss	Decline
Dornase Alfa	Cystic Fibrosis	Decline
Droxia	Sickle Cell Anemia	Decline
Edurant	AIDS/HIV	Decline
Efavirenz	AIDS/HIV	Decline
Efavirenz-Emtricitabin-Tenofav	AIDS/HIV	Decline
Emtricitabine	AIDS/HIV	Decline
Emtricitabine-Tenofovir	AIDS/HIV	Decline
Emtricitab-Rilpivirine-Tenofav	AIDS/HIV	Decline
Emtriva	AIDS/HIV	Decline
Enfuvirtide	AIDS/HIV	Decline
Epivir	AIDS/HIV	Decline
Epogen	AIDS/HIV	Decline

RXMLFE45 0214 Rev: 02-28-2014



ADS/HIV   Decline	Medications	If taking for this reason	Decision
Ergoloid Alzheimers, Dementia, Memory Loss Decline Eravirine AIDS-HIV Decline Eravirine AIDS-HIV Decline Eravirine AIDS-HIV Decline Eravirine AIDS-HIV Decline Fligrastim AIDS-HIV Decline Floraz Cyste Fibrosis Decline Foramprenavir AIDS-HIV Decline Fozamprenavir AIDS-HIV Decline Galentamine Alzheimers, Dementia, Memory Loss Decline Galentamine Alzheimers, Dementia, Memory Loss Decline Galentamine Alzheimers, Dementia, Memory Loss Decline Gengtraf Organ Transplant Decline Hydres Sickle Cell Anemia Decline Hydres Sickle Cell Anemia Decline Hydroxyurea Sickle Cell Anemia Decline Indinavir AIDS-HIV Decline Intelence AIDS-HIV Decline Intele	and the state of t		5.00 - 5.00 (4.00 (
Erravirine Erselon Alzheimers, Dementia, Memory Loss Decline Filgrastim AIDS/HIV Decline Fortaz Cyste Fibrosis Decline Fosemprenavir AIDS/HIV Decline Fosemprenavir AIDS/HIV Decline Galantamine Alzheimers, Dementia, Memory Loss Decline Galantamine Alzheimers Dementia, Memory Loss Decline Gengraf Organ Transplant Decline Hydroxyurea Sickle Cell Anemia Decline Indravir AIDS/HIV Decline Indravir AIDS/HIV Decline Indravir AIDS/HIV Decline Invirase AIDS/HIV Decline Invirase AIDS/HIV Decline Vacathor Cyste Fibrosis Decline AIDS/HIV Decline Lamivudine Lamivudine Lamivudine AIDS/HIV Decline AIDS/HIV Decline Lamivudine AIDS/HIV Decline Leukine AIDS/HIV Decline Leukine AIDS/HIV Decline Decline AIDS/HIV Decline Leukine AIDS/HIV Decline Decline AIDS/HIV Decline Decline AIDS/HIV Decline AIDS/HIV Decline Decline Mycophenolate Mofetil Organ Transplant Decline Mycophenolate Mofetil Organ Transplant Decline Decline AIDS/HIV Decline Nevrariprie AIDS/HIV Decline Decline AIDS/HIV Decline AIDS/HIV Decline Decline Decline AIDS/HIV Decline Decline AIDS/HIV Decline Decl			100 (110 (110 (110 (110 (110 (110 (110
Exelon			Decline
Filgrastim		Alzheimers, Dementia, Memory Loss	No. 2010 00 00 00 00 00 00 00 00 00 00 00 00
Fortaz Cystic Fibrosis Decline Fosamprenavir AIDS/HIV Decline Galantamine AIDS/HIV Decline Galantamine AIDS/HIV Decline Gengraf Organ Transplant Decline Hydrea Sickle Cell Anemia Decline Indinavir AIDS/HIV Decline Intelence AIDS/HIV Decline Intelence AIDS/HIV Decline Decline Intervises AIDS/HIV Decline Intervises AIDS/HIV Decline Isentress AIDS/HIV Decline Decline Decline Decline AIDS/HIV Decline Declin	Filgrastim		Decline
Fosamprenavir   AIDS/HIV   Decline   Fuzeon   AIDS/HIV   Decline   Galantamine   AIbs/HIV   Decline   Galantamine   AIbs/HIV   Decline   Gengraf   Organ Transplant   Decline   Hydres   Sickle Cell Anemia   Decline   Hydroxyurea   Sickle Cell Anemia   Decline   Indinavir   AIDS/HIV   Decline   Intelence   AIDS/HIV   Decline   Invirase   AIDS/		Studies and Authority Control and Authority Studies and Authority	19 (19 (19 (19 (19 (19 (19 (19 (19 (19 (
Fuzeon	The same of the sa		
Alzheimers, Dementia, Memory Loss   Decline		5-50-00-00-00-00-00-00-00-00-00-00-00-00	HOLDING PROPERTY AND A STATE OF THE STATE OF
Gengraf	<u> </u>		Decline
Hydroxyurea   Sickle Cell Anemia   Decline   Hydroxyurea   Sickle Cell Anemia   Decline   Indinavir   AIDS/HIV   Decline   Intelence   AIDS/HIV   Decline   Intelence   AIDS/HIV   Decline   Intelence   AIDS/HIV   Decline   Interess   AIDS/HIV   Decline   Invirase   AIDS/HIV   Decline   Invirate   Invi	Supercopolitics of sign and consumptions		Decline
Hydroxyurea   Sickle Cell Anemia   Decline   Indinavir   AIDS/HIV   Decline   Indinavir   AIDS/HIV   Decline   Decline   Intelence   AIDS/HIV   Decline			Decline
Indianavir Intelence Intelence AIDS/HIV Decline Invirase AIDS/HIV Decline AIDS/HIV Decline AIDS/HIV Decline Inviratione AIDS/HIV Decline Inviration Invirationavir AIDS/HIV Decline AIDS/			FOLD BEST STORES FOR SET OF SE
Invirase AIDS/HIV Decline Isentress AIDS/HIV Decline Isentress AIDS/HIV Decline Ivacaftor Cystic Fibrosis Decline Kaletra AIDS/HIV Decline Kalydeco Cystic Fibrosis Decline Lamivudine AIDS/HIV Decline Lamivudine-Zidovudine AIDS/HIV Decline Lamivudine-Zidovudine AIDS/HIV Decline Leukine AIDS/HIV Decline Leukine AIDS/HIV Decline Leukine Transplant Decline Leukine Transplant Decline Leviva AIDS/HIV Decline Maraviroc AIDS/HIV Decline Maraviroc AIDS/HIV Decline Megace AIDS/HIV Decline Megace AIDS/HIV Decline Meganace AIDS/HIV Decline Memantine Alzheimers, Dementia, Memory Loss Decline Mycophenolate Mofetil Organ Transplant Decline Nelfinavir AIDS/HIV Decline Nelfinavir AIDS/HIV Decline Neoral Organ Transplant Decline Neurapine AIDS/HIV Decline Nevirapine AIDS/HIV Decline Nevirapine AIDS/HIV Decline Norvir AIDS/HIV Decline		AIDS/HIV	Decline
Invirase AIDS/HIV Decline Isentress AIDS/HIV Decline Isentress AIDS/HIV Decline Ivacaftor Cystic Fibrosis Decline Kaletra AIDS/HIV Decline Kalydeco Cystic Fibrosis Decline Lamivudine AIDS/HIV Decline Lamivudine-Zidovudine AIDS/HIV Decline Lamivudine-Zidovudine AIDS/HIV Decline Leukine AIDS/HIV Decline Leukine AIDS/HIV Decline Leukine Transplant Decline Leukine Transplant Decline Leviva AIDS/HIV Decline Maraviroc AIDS/HIV Decline Maraviroc AIDS/HIV Decline Megace AIDS/HIV Decline Megace AIDS/HIV Decline Meganace AIDS/HIV Decline Memantine Alzheimers, Dementia, Memory Loss Decline Mycophenolate Mofetil Organ Transplant Decline Nelfinavir AIDS/HIV Decline Nelfinavir AIDS/HIV Decline Neoral Organ Transplant Decline Neurapine AIDS/HIV Decline Nevirapine AIDS/HIV Decline Nevirapine AIDS/HIV Decline Norvir AIDS/HIV Decline	6.8 (3.9 (3.9 (3.9 (3.9 (4.9 (3.9 (4.9 (4.9 (4.9 (4.9 (4.9 (4.9 (4.9 (4	5-2-4/1000000000000000000000000000000000000	1.5 TO STATE OF THE STATE OF TH
Isentress	Invirase		
Nacaftor   Cystic Fibrosis   Decline   Kaletra   AIDS/HIV   Decline   Kaletra   AIDS/HIV   Decline   Cystic Fibrosis   Decline   Decline   AIDS/HIV   Decline   Decline   Decline   AIDS/HIV   Decline   Dec			0.125010101010000
Kaletra         ÁIDS/HIV         Decline           Kalydeco         Cystic Fibrosis         Decline           Lamivudine         AIDS/HIV         Decline           Lamivudine-Zidovudine         AIDS/HIV         Decline           Leukine         AIDS/HIV         Decline           Leukine         Transplant         Decline           Leukine         AIDS/HIV         Decline           Leviva         AIDS/HIV         Decline           Lopinavir-Ritonavir         AIDS/HIV         Decline           Meraviroc         AIDS/HIV         Decline           Megace         AIDS/HIV         Decline           Memantine         AIzheimers, Dementia, Memory Loss         Decline           Mycophenolate Mofetil         Organ Transplant         Decline           Nelfinavir         AIDS/HIV         Decline           Nelfinavir         AIDS/HIV         Decline           Nevirajne         AIDS/HIV         Decline           Nevirajne         AIDS/HIV         Decline           Norvir         AIDS/HIV         Decline           Procrit         AIDS/HIV         Decline           Procrit         AIDS/HIV         Decline           Prograf         O			
Kalydeco Cystic Fibrosis Decline Lamivudine AIDS/HIV Decline Leukine AIDS/HIV Decline Leukine Transplant Decline Leukine Transplant Decline Leukine AIDS/HIV Decline Leukine Transplant Decline Maraviroc AIDS/HIV Decline Maraviroc AIDS/HIV Decline Megace AIDS/HIV Decline Memantine Alzheimers, Dementia, Memory Loss Decline Mycophenolate Mofetil Organ Transplant Decline Mycophenolate Mofetil Organ Transplant Decline Namenda Alzheimers, Dementia, Memory Loss Decline Nelfinavir AIDS/HIV Decline Neoral Organ Transplant Decline Nevirapine AIDS/HIV Decline Nevirapine AIDS/HIV Decline Norvir AIDS/HIV Decline Prezista AIDS/HIV Decline Procrit AIDS/HIV Decline Prograf Organ Transplant Decline Prograf Organ Transplant Decline Prograf Organ Transplant Decline AIDS/HIV Decline Prograf Organ Transplant Decline Restriptor AIDS/HIV Decline Rescriptor AIDS/HIV Decline	Kaletra		NEW POSSESSES
Lamivudine         AIDS/HIV         Decline           Lamivudine-Zidovudine         AIDS/HIV         Decline           Leukine         AIDS/HIV         Decline           Leukine         Transplant         Decline           Lexiva         AIDS/HIV         Decline           Lopinavir-Ritonavir         AIDS/HIV         Decline           Maraviroc         AIDS/HIV         Decline           Megace         AIDS/HIV         Decline           Memantine         Alzheimers, Dementia, Memory Loss         Decline           Memantine         Alzheimers, Dementia, Memory Loss         Decline           Nelinavir         AIDS/HIV         Decline           Neoral         Organ Transplant         Decline           Neoral         Organ Transplant         Decline           Neurizapine         AIDS/HIV         Decline           Nevirapine         AIDS/HIV         Decline           Norvir         AIDS/HIV         Decline           Procrit         AIDS/HIV         Decline           Prograf         Organ Transplant         Decline           Prograf         Organ Transplant         Decline           Pulmozyme         Cystic Fibrosis         Decline			Land Samuel and Association
Leukine AIDS/HIV Decline Leukine AIDS/HIV Decline Leukine Transplant Decline Leukine Transplant Decline Leukine Transplant Decline Leviva AIDS/HIV Decline Lopinavir-Ritonavir AIDS/HIV Decline Maraviroc AIDS/HIV Decline Megace AIDS/HIV Decline Memantine Alzheimers, Dementia, Memory Loss Decline Mycophenolate Mofetil Organ Transplant Decline Namenda AIzheimers, Dementia, Memory Loss Decline Nelfinavir AIDS/HIV Decline Neoral Organ Transplant Decline Neupogen AIDS/HIV Decline Nevirapine AIDS/HIV Decline Norvir AIDS/HIV Decline Namenda AIDS/HIV Decline Prezista AIDS/HIV Decline Prograf Organ Transplant Decline Prograf Organ Transplant Decline Pumozyme Cystic Fibrosis Decline Raltegravir AIDS/HIV Decline Razadyne AIDS/HIV Decline Rescriptor AIDS/HIV Decline Ritutek Lou Gehrig's Disease/ALS Decline Ritutek Lou Gehrig's Disease/ALS Decline Ritutek AIDS/HIV Decline			VCT 30 050000000
Leukine     AIDS/HIV     Decline       Lexiva     AIDS/HIV     Decline       Lexiva     AIDS/HIV     Decline       Lopinavir-Ritonavir     AIDS/HIV     Decline       Maraviroc     AIDS/HIV     Decline       Megace     AIDS/HIV     Decline       Memantine     Alzheimers, Dementia, Memory Loss     Decline       Mycophenolate Mofetil     Organ Transplant     Decline       Namenda     Alzheimers, Dementia, Memory Loss     Decline       Nelfinavir     AIDS/HIV     Decline       Neoral     Organ Transplant     Decline       Neupogen     AIDS/HIV     Decline       Nevirapine     AIDS/HIV     Decline       Norvir     AIDS/HIV     Decline       Prezista     AIDS/HIV     Decline       Procrit     AIDS/HIV     Decline       Prograf     Organ Transplant     Decline       Prograf     Organ Transplant     Decline       Pulmozyme     Cystic Fibrosis     Decline       Raltegravir     AIDS/HIV     Decline       Razadyne     AIZheimers, Dementia, Memory Loss     Decline       Rescriptor     AIDS/HIV     Decline       Restrovir     AIDS/HIV     Decline       Reyataz     AIDS/HIV     Decline <td></td> <td>40.00.000.000.000.0000.0000.0000.0000.0000</td> <td></td>		40.00.000.000.000.0000.0000.0000.0000.0000	
Lexine     Transplant     Decline       Lexiva     AIDS/HIV     Decline       Lopinavir-Ritonavir     AIDS/HIV     Decline       Maraviroc     AIDS/HIV     Decline       Megace     AIDS/HIV     Decline       Memantine     Alzheimers, Dementia, Memory Loss     Decline       Mycophenolate Mofetil     Organ Transplant     Decline       Namenda     Alzheimers, Dementia, Memory Loss     Decline       Nelfinavir     AIDS/HIV     Decline       Neoral     Organ Transplant     Decline       Neupogen     AIDS/HIV     Decline       Nevirapine     AIDS/HIV     Decline       Norvir     AIDS/HIV     Decline       Prezista     AIDS/HIV     Decline       Procrit     AIDS/HIV     Decline       Prograf     Organ Transplant     Decline       Prograf     Organ Transplant     Decline       Pulmozyme     Cystic Fibrosis     Decline       Raltegravir     AIDS/HIV     Decline       Razadyne     Alzheimers, Dementia, Memory Loss     Decline       Rescriptor     AIDS/HIV     Decline       Resyataz     AIDS/HIV     Decline       Ripivirine     AIDS/HIV     Decline       Rilutek     Lou Gehriq's Disease/ALS <td></td> <td></td> <td>10 23 CMM201000</td>			10 23 CMM201000
Lexiva AIDS/HIV Decline Lopinavir-Ritonavir AIDS/HIV Decline Maraviroc AIDS/HIV Decline Megace AIDS/HIV Decline Memantine Alzheimers, Dementia, Memory Loss Decline Mycophenolate Mofetil Organ Transplant Decline Namenda AIzheimers, Dementia, Memory Loss Decline Nelfinavir AIDS/HIV Decline Nevirapine AIDS/HIV Decline Nevirapine AIDS/HIV Decline Prezista AIDS/HIV Decline Procrit AIDS/HIV Decline Procrit AIDS/HIV Decline Prograf Organ Transplant Decline Prograf Organ Transplant Decline Raltegravir AIDS/HIV Decline Razadyne AIDS/HIV Decline Rescriptor AIDS/HIV Decline Restrovir AIDS/HIV Decline Ritutek Lou Gehrig's Disease/ALS Decline Ritutek Lou Gehrig's Disease/ALS Decline Ritutonavir AIDS/HIV Decline Ragargamostim AIDS/HIV Decline Selzentry AIDS/HIV Decline	1996-1997 (B. 1907-1908-1909)	98-240-040-040-040-040-040-040-040-040-040	50-500 (Fig. 500 ) 500 (Fig. 6)
Lopinavir-Ritonavir Maraviroc AIDS/HIV Decline Megace AIDS/HIV Decline Megace AIDS/HIV Decline Memantine Alzheimers, Dementia, Memory Loss Decline Namenda Alzheimers, Dementia, Memory Loss Decline Namenda Alzheimers, Dementia, Memory Loss Decline Nelfinavir AIDS/HIV Decline Neoral Neoral Neupogen AIDS/HIV Decline Nevirapine AIDS/HIV Decline Norvir AIDS/HIV Decline Prezista AIDS/HIV Decline Progrif Organ Transplant Decline Decline Organ Transplant Decline AIDS/HIV Decline AIDS/HIV Decline Prezista AIDS/HIV Decline Progrif AIDS/HIV Decline Prograf Organ Transplant Decline Pulmozyme Cystic Fibrosis Decline AIDS/HIV Decline AIDS/HIV Decline Pulmozyme AIDS/HIV Decline AIDS/HIV Decline Razadyne AIDS/HIV Decline Razadyne AIDS/HIV Decline Razadyne AIDS/HIV Decline Razadyne AIDS/HIV Decline Rescriptor AIDS/HIV Decline Retrovir AIDS/HIV Decline Rilpivinine AIDS/HIV Decline Rivastigmine AIDS/HIV Decline Rivastigmine AIDS/HIV Decline Saquinavir Mesylate AIDS/HIV Decline Saquinavir Mesylate AIDS/HIV Decline Selzentry AIDS/HIV Decline			
Maraviroc       AIDS/HIV       Decline         Megace       AIDS/HIV       Decline         Memantine       Alzheimers, Dementia, Memory Loss       Decline         Mycophenolate Mofetil       Organ Transplant       Decline         Namenda       Alzheimers, Dementia, Memory Loss       Decline         Nelfinavir       AIDS/HIV       Decline         Neoral       Organ Transplant       Decline         Neupogen       AIDS/HIV       Decline         Nevirapine       AIDS/HIV       Decline         Norvir       AIDS/HIV       Decline         Prezista       AIDS/HIV       Decline         Procrit       AIDS/HIV       Decline         Prograf       Organ Transplant       Decline         Prograf       Organ Transplant       Decline         Pulmozyme       Cystic Fibrosis       Decline         Raltegravir       AIDS/HIV       Decline         Razadyne       Alzheimers, Dementia, Memory Loss       Decline         Rescriptor       AIDS/HIV       Decline         Restrovir       AIDS/HIV       Decline         Ripyririne       AIDS/HIV       Decline         Rilutek       Lou Gehrig's Disease/ALS       Decline <td></td> <td></td> <td>1/2 0 (A10) 200 (A0) 400 (A0)</td>			1/2 0 (A10) 200 (A0) 400 (A0)
Megace       AIDS/HIV       Decline         Memantine       Alzheimers, Dementia, Memory Loss       Decline         Mycophenolate Mofetil       Organ Transplant       Decline         Namenda       Alzheimers, Dementia, Memory Loss       Decline         Nelfinavir       AIDS/HIV       Decline         Neoral       Organ Transplant       Decline         Neunogen       AIDS/HIV       Decline         Nevirapine       AIDS/HIV       Decline         Norvir       AIDS/HIV       Decline         Prezista       AIDS/HIV       Decline         Procrit       AIDS/HIV       Decline         Prograf       Organ Transplant       Decline         Pulmozyme       Cystic Fibrosis       Decline         Raltegravir       AIDS/HIV       Decline         Razadyne       AIzheimers, Dementia, Memory Loss       Decline         Rescriptor       AIDS/HIV       Decline         Restrovir       AIDS/HIV       Decline         Reyataz       AIDS/HIV       Decline         Rijptirine       AIDS/HIV       Decline         Rijuzole       Lou Gehrig's Disease/ALS       Decline         Riluzole       Lou Gehrig's Disease/ALS       Decline			
Memantine       Alzheimers, Dementia, Memory Loss       Decline         Mycophenolate Mofetil       Organ Transplant       Decline         Namenda       Alzheimers, Dementia, Memory Loss       Decline         Nelfinavir       AIDS/HIV       Decline         Neoral       Organ Transplant       Decline         Neupogen       AIDS/HIV       Decline         Nevirapine       AIDS/HIV       Decline         Norvir       AIDS/HIV       Decline         Prezista       AIDS/HIV       Decline         Procrit       AIDS/HIV       Decline         Prograf       Organ Transplant       Decline         Pulmozyme       Cystic Fibrosis       Decline         Raltegravir       AIDS/HIV       Decline         Razadyne       Alzheimers, Dementia, Memory Loss       Decline         Rescriptor       AIDS/HIV       Decline         Restrovir       AIDS/HIV       Decline         Reyataz       AIDS/HIV       Decline         Rilpivirine       AIDS/HIV       Decline         Rilpivirine       AIDS/HIV       Decline         Riluzole       Lou Gehrig's Disease/ALS       Decline         Ritonavir       AIDS/HIV       Decline <td></td> <td>200-00-00-00-00-00-00-00-00-00-00-00-00-</td> <td></td>		200-00-00-00-00-00-00-00-00-00-00-00-00-	
Mycophenolate Mofetil         Organ Transplant         Decline           Namenda         Alzheimers, Dementia, Memory Loss         Decline           Nelfinavir         AIDS/HIV         Decline           Neoral         Organ Transplant         Decline           Neupogen         AIDS/HIV         Decline           Nevirapine         AIDS/HIV         Decline           Norvir         AIDS/HIV         Decline           Prezista         AIDS/HIV         Decline           Procrit         AIDS/HIV         Decline           Prograf         Organ Transplant         Decline           Pulmozyme         Cystic Fibrosis         Decline           Raltegravir         AIDS/HIV         Decline           Rescriptor         AIDS/HIV         Decline           Rescriptor         AIDS/HIV         Decline           Reyataz         AIDS/HIV         Decline           Rilpivirine         AIDS/HIV         Decline           Rilpivirine         AIDS/HIV         Decline           Rilutek         Lou Gehrig's Disease/ALS         Decline           Rivastigmine         AIDS/HIV         Decline           Rivastigmine         AIDS/HIV         Decline           S	<u> </u>		
Namenda       Alzheimers, Dementia, Memory Loss       Decline         Nelfinavir       AIDS/HIV       Decline         Neoral       Organ Transplant       Decline         Neupogen       AIDS/HIV       Decline         Nevirapine       AIDS/HIV       Decline         Norvir       AIDS/HIV       Decline         Prezista       AIDS/HIV       Decline         Procrit       AIDS/HIV       Decline         Prograf       Organ Transplant       Decline         Pulmozyme       Cystic Fibrosis       Decline         Ratzdyrir       AIDS/HIV       Decline         Razadyne       AIzheimers, Dementia, Memory Loss       Decline         Rescriptor       AIDS/HIV       Decline         Restrovir       AIDS/HIV       Decline         Reyataz       AIDS/HIV       Decline         Rilpivirine       AIDS/HIV       Decline         Riluzole       Lou Gehrig's Disease/ALS       Decline         Riluzole       Lou Gehrig's Disease/ALS       Decline         Rivastigmine       AIDS/HIV       Decline         Saquinavir Mesylate       AIDS/HIV       Decline         Saquinavir Mesylate       AIDS/HIV       Decline <td>Mycophenolate Mofetil</td> <td></td> <td>Decline</td>	Mycophenolate Mofetil		Decline
Nelfinavir AIDS/HIV Decline Neoral Organ Transplant Decline Neupogen AIDS/HIV Decline Nevirapine AIDS/HIV Decline Norvir AIDS/HIV Decline Prezista AIDS/HIV Decline Procrit AIDS/HIV Decline Prograf Organ Transplant Decline Pulmozyme Cystic Fibrosis Decline Raltegravir AIDS/HIV Decline Razadyne AIDS/HIV Decline Rescriptor AIDS/HIV Decline Restrovir AIDS/HIV Decline Restrovir AIDS/HIV Decline Restrovir AIDS/HIV Decline Rejataz AIDS/HIV Decline Rilpivirine AIDS/HIV Decline Rilutek Lou Gehrig's Disease/ALS Decline Riluzole Lou Gehrig's Disease/ALS Decline Rivastigmine AIDS/HIV Decline Sargramostim AIDS/HIV Decline Selzentry AIDS/HIV Decline			
Neoral       Organ Transplant       Decline         Neupogen       AIDS/HIV       Decline         Nevirapine       AIDS/HIV       Decline         Norvir       AIDS/HIV       Decline         Prezista       AIDS/HIV       Decline         Procrit       AIDS/HIV       Decline         Prograf       Organ Transplant       Decline         Pulmozyme       Cystic Fibrosis       Decline         Raltegravir       AIDS/HIV       Decline         Razadyne       Alzheimers, Dementia, Memory Loss       Decline         Rescriptor       AIDS/HIV       Decline         Retrovir       AIDS/HIV       Decline         Reyataz       AIDS/HIV       Decline         Rilpivirine       AIDS/HIV       Decline         Riluzole       Lou Gehrig's Disease/ALS       Decline         Riluzole       Lou Gehrig's Disease/ALS       Decline         Rivastigmine       AIDS/HIV       Decline         Saquinavir Mesylate       AIDS/HIV       Decline         Sargramostim       AIDS/HIV       Decline         Selzentry       AIDS/HIV       Decline	O 300 SEC O 122 SEMINOS SECURIOS		TO CONTRACT THE CONTRACT
Neupogen       AIDS/HIV       Decline         Nevirapine       AIDS/HIV       Decline         Norvir       AIDS/HIV       Decline         Prezista       AIDS/HIV       Decline         Procrit       AIDS/HIV       Decline         Prograf       Organ Transplant       Decline         Pulmozyme       Cystic Fibrosis       Decline         Raltegravir       AIDS/HIV       Decline         Razadyne       AIzheimers, Dementia, Memory Loss       Decline         Rescriptor       AIDS/HIV       Decline         Retrovir       AIDS/HIV       Decline         Ripivirine       AIDS/HIV       Decline         Rilutek       Lou Gehrig's Disease/ALS       Decline         Riluzole       Lou Gehrig's Disease/ALS       Decline         Ritonavir       AIDS/HIV       Decline         Rivastigmine       AIzheimers, Dementia, Memory Loss       Decline         Saquinavir Mesylate       AIDS/HIV       Decline         Sargramostim       AIDS/HIV       Decline			
Nevirapine       AIDS/HIV       Decline         Norvir       AIDS/HIV       Decline         Prezista       AIDS/HIV       Decline         Procrit       AIDS/HIV       Decline         Prograf       Organ Transplant       Decline         Pulmozyme       Cystic Fibrosis       Decline         Raltegravir       AIDS/HIV       Decline         Razadyne       AIZheimers, Dementia, Memory Loss       Decline         Rescriptor       AIDS/HIV       Decline         Retrovir       AIDS/HIV       Decline         Reyataz       AIDS/HIV       Decline         Rilpivirine       AIDS/HIV       Decline         Riluzole       Lou Gehrig's Disease/ALS       Decline         Riluzole       Lou Gehrig's Disease/ALS       Decline         Ritonavir       AIDS/HIV       Decline         Rivastigmine       AIZheimers, Dementia, Memory Loss       Decline         Saquinavir Mesylate       AIDS/HIV       Decline         Sargramostim       AIDS/HIV       Decline	0.0004 (0.0,004)00.		
Norvir AIDS/HIV Decline Prezista AIDS/HIV Decline Procrit AIDS/HIV Decline Prograf Organ Transplant Decline Pulmozyme Cystic Fibrosis Decline Raltegravir AIDS/HIV Decline Razadyne Alzheimers, Dementia, Memory Loss Decline Rescriptor AIDS/HIV Decline Retrovir AIDS/HIV Decline Reyataz AIDS/HIV Decline Rilpivirine AIDS/HIV Decline Rilpivirine AIDS/HIV Decline Rilutek Lou Gehrig's Disease/ALS Decline Riluzole Lou Gehrig's Disease/ALS Decline Rivastigmine AIDS/HIV Decline Rivastigmine AIDS/HIV Decline Rivastigmine AIDS/HIV Decline Rivastigmine AIDS/HIV Decline Saquinavir Mesylate AIDS/HIV Decline Sargramostim AIDS/HIV Decline Selzentry AIDS/HIV Decline			Decline
Prezista AIDS/HIV Decline Procrit AIDS/HIV Decline Prograf Organ Transplant Decline Pulmozyme Cystic Fibrosis Decline Raltegravir AIDS/HIV Decline Razadyne Alzheimers, Dementia, Memory Loss Decline Rescriptor AIDS/HIV Decline Retrovir AIDS/HIV Decline Reyataz AIDS/HIV Decline Rilpivirine AIDS/HIV Decline Rilutek Lou Gehrig's Disease/ALS Decline Riluzole Lou Gehrig's Disease/ALS Decline Ritonavir AIDS/HIV Decline Rivastigmine AIDS/HIV Decline Rivastigmine AIDS/HIV Decline Rivastigmine AIDS/HIV Decline Rivastigmine AIDS/HIV Decline Saquinavir Mesylate AIDS/HIV Decline Sargramostim AIDS/HIV Decline Selzentry AIDS/HIV Decline			Decline
Procrit AIDS/HIV Decline Prograf Organ Transplant Decline Pulmozyme Cystic Fibrosis Decline Raltegravir AIDS/HIV Decline Razadyne Alzheimers, Dementia, Memory Loss Decline Rescriptor AIDS/HIV Decline Retrovir AIDS/HIV Decline Retyotir AIDS/HIV Decline Rejataz AIDS/HIV Decline Rilpivirine AIDS/HIV Decline Rilutek Lou Gehrig's Disease/ALS Decline Riluzole Lou Gehrig's Disease/ALS Decline Ritonavir AIDS/HIV Decline Rivastigmine AIDS/HIV Decline Rivastigmine AIDS/HIV Decline Rivastigmine AIZheimers, Dementia, Memory Loss Decline Saquinavir Mesylate AIDS/HIV Decline Sargramostim AIDS/HIV Decline Selzentry AIDS/HIV Decline		AIDS/HIV	
Prograf       Organ Transplant       Decline         Pulmozyme       Cystic Fibrosis       Decline         Raltegravir       AIDS/HIV       Decline         Razadyne       Alzheimers, Dementia, Memory Loss       Decline         Rescriptor       AIDS/HIV       Decline         Retrovir       AIDS/HIV       Decline         Reyataz       AIDS/HIV       Decline         Rilpvirine       AIDS/HIV       Decline         Rilutek       Lou Gehrig's Disease/ALS       Decline         Riluzole       Lou Gehrig's Disease/ALS       Decline         Ritonavir       AIDS/HIV       Decline         Rivastigmine       Alzheimers, Dementia, Memory Loss       Decline         Saquinavir Mesylate       AIDS/HIV       Decline         Sargramostim       AIDS/HIV       Decline         Selzentry       AIDS/HIV       Decline	Procrit		
Pulmozyme       Cystic Fibrosis       Decline         Raltegravir       AIDS/HIV       Decline         Razadyne       Alzheimers, Dementia, Memory Loss       Decline         Rescriptor       AIDS/HIV       Decline         Retrovir       AIDS/HIV       Decline         Reyataz       AIDS/HIV       Decline         Rilpivirine       AIDS/HIV       Decline         Rilutek       Lou Gehrig's Disease/ALS       Decline         Riluzole       Lou Gehrig's Disease/ALS       Decline         Ritonavir       AIDS/HIV       Decline         Rivastigmine       Alzheimers, Dementia, Memory Loss       Decline         Saquinavir Mesylate       AIDS/HIV       Decline         Sargramostim       AIDS/HIV       Decline         Selzentry       AIDS/HIV       Decline			Decline
Raltegravir AIDS/HIV Decline Razadyne Alzheimers, Dementia, Memory Loss Decline Rescriptor AIDS/HIV Decline Retrovir AIDS/HIV Decline Reyataz AIDS/HIV Decline Rilpivirine AIDS/HIV Decline Rilutek Lou Gehrig's Disease/ALS Decline Riluzole Lou Gehrig's Disease/ALS Decline Ritonavir AIDS/HIV Decline Rivastigmine AIDS/HIV Decline Rivastigmine AIDS/HIV Decline Saquinavir Mesylate AIDS/HIV Decline Sargramostim AIDS/HIV Decline Selzentry AIDS/HIV Decline			Decline
Razadyne Alzheimers, Dementia, Memory Loss Decline Rescriptor AIDS/HIV Decline Retrovir AIDS/HIV Decline Reyataz AIDS/HIV Decline Rilpivirine AIDS/HIV Decline Rilutek Lou Gehrig's Disease/ALS Decline Riluzole Lou Gehrig's Disease/ALS Decline Ritonavir AIDS/HIV Decline Rivastigmine Alzheimers, Dementia, Memory Loss Decline Saquinavir Mesylate AIDS/HIV Decline Sargramostim AIDS/HIV Decline Selzentry AIDS/HIV Decline		-	Decline
Rescriptor       AIDS/HIV       Decline         Retrovir       AIDS/HIV       Decline         Reyataz       AIDS/HIV       Decline         Rilpivirine       AIDS/HIV       Decline         Rilutek       Lou Gehrig's Disease/ALS       Decline         Riluzole       Lou Gehrig's Disease/ALS       Decline         Ritonavir       AIDS/HIV       Decline         Rivastigmine       Alzheimers, Dementia, Memory Loss       Decline         Saquinavir Mesylate       AIDS/HIV       Decline         Sargramostim       AIDS/HIV       Decline         Selzentry       AIDS/HIV       Decline	100 M. A. C.		
Retrovir       AIDS/HIV       Decline         Reyataz       AIDS/HIV       Decline         Rilpivirine       AIDS/HIV       Decline         Rilutek       Lou Gehrig's Disease/ALS       Decline         Riluzole       Lou Gehrig's Disease/ALS       Decline         Ritonavir       AIDS/HIV       Decline         Rivastigmine       Alzheimers, Dementia, Memory Loss       Decline         Saquinavir Mesylate       AIDS/HIV       Decline         Sargramostim       AIDS/HIV       Decline         Selzentry       AIDS/HIV       Decline			Decline
Reyataz       AIDS/HIV       Decline         Rilpivirine       AIDS/HIV       Decline         Rilutek       Lou Gehrig's Disease/ALS       Decline         Riluzole       Lou Gehrig's Disease/ALS       Decline         Ritonavir       AIDS/HIV       Decline         Rivastigmine       Alzheimers, Dementia, Memory Loss       Decline         Saquinavir Mesylate       AIDS/HIV       Decline         Sargramostim       AIDS/HIV       Decline         Selzentry       AIDS/HIV       Decline			
Rilpivirine AIDS/HIV Decline Rilutek Lou Gehrig's Disease/ALS Decline Riluzole Lou Gehrig's Disease/ALS Decline Ritonavir AIDS/HIV Decline Rivastigmine Alzheimers, Dementia, Memory Loss Decline Saquinavir Mesylate AIDS/HIV Decline Sargramostim AIDS/HIV Decline Selzentry AIDS/HIV Decline			
Rilutek Lou Gehrig's Disease/ALS Decline Riluzole Lou Gehrig's Disease/ALS Decline Ritonavir AIDS/HIV Decline Rivastigmine Alzheimers, Dementia, Memory Loss Decline Saquinavir Mesylate AIDS/HIV Decline Sargramostim AIDS/HIV Decline Selzentry AIDS/HIV Decline			
Riluzole Lou Gehrig's Disease/ALS Decline Ritonavir AIDS/HIV Decline Rivastigmine Alzheimers, Dementia, Memory Loss Decline Saquinavir Mesylate AIDS/HIV Decline Sargramostim AIDS/HIV Decline Selzentry AIDS/HIV Decline			14.3 (PF 2-A 304) (MR3 3 F 2-A 304)
Ritonavir AIDS/HIV Decline Rivastigmine Alzheimers, Dementia, Memory Loss Decline Saquinavir Mesylate AIDS/HIV Decline Sargramostim AIDS/HIV Decline Selzentry AIDS/HIV Decline			
Rivastigmine Alzheimers, Dementia, Memory Loss Decline Saquinavir Mesylate AIDS/HIV Decline Sargramostim AIDS/HIV Decline Selzentry AIDS/HIV Decline			
Saquinavir Mesylate         AIDS/HIV         Decline           Sargramostim         AIDS/HIV         Decline           Selzentry         AIDS/HIV         Decline			
Sargramostim         AIDS/HIV         Decline           Selzentry         AIDS/HIV         Decline			COLUMN TO THE CO
Selzentry AIDS/HIV Decline			
			The transport of contract of the second of t
	Stavudine	AIDS/HIV	Decline

RXMLFE45 0214 2 Rev: 02-28-2014

Medications	If taking for this reason	Decision
Sustiva	AIDS/HIV	Decline
Tacrine	Alzheimers, Dementia, Memory Loss	Decline
Tacrolimus	Organ Transplant	Decline
Tazicef	Cystic Fibrosis	Decline
Tenofovir Disoproxil Fumarate	AIDS/HIV	Decline
Tetrabenazine	Huntington's Disease	Decline
Tipranavir	AIDS/HIV	Decline
Tobi	Cystic Fibrosis	Decline
Tobramycin	Cystic Fibrosis	Decline
Trizivir	AIDS/HIV	Decline
Truvada	AIDS/HIV	Decline
Valcyte	Organ Transplant	Decline
Valganciclovir HCL	Organ Transplant	Decline
Videx	AIDS/HIV	Decline
Viracept	AIDS/HIV	Decline
Viramune	AIDS/HIV	Decline
Viramune XR	AIDS/HIV	Decline
Viread	AIDS/HIV	Decline
Xenazine	Huntington's Disease	Decline
Zerit	AIDS/HIV	Decline
Ziagen	AIDS/HIV	Decline
Zidovudine	AIDS/HIV	Decline

Medications	If taking for this reason	Decision
Acamprosate	Alcohol Abuse	Within 1 yr- Graded Within 2
		yrs- Standard Over 2 yrs- Preferred
Acarbose	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age 18, then Graded
AccuNeb	Chronic Obstructive Pulmonary Disease,	Standard
	Emphysema, Chronic Asthma, Black Lung,	
	Chronic Bronchitis, Chronic Respiratory	
Accupril	Disease  Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
Accupin	Congestive flear (1 and e. Crit	Standard Over 2 yrs- Preferred if CHF
		resolved
Acetazolamide	Seizures	Within 1 yr and > 12 seizures in last yr-
		Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
Actical	Cirrhosis	seizures respectively- Preferred Within 1 yr- Graded Within 2 yrs-
Actigall		Standard Over 2 yrs- Preferred
Activase	Stroke/CVA	Date of Stroke: Within 1 yr- Graded; Within 2 yrs- Standard; Over 2 yrs-
		Preferred
Actoplus MET	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age
·	151	18, then Graded
Actos	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age
		18, then Graded
Adalat	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr-
		Graded; Within 2 yrs- Standard; Over 2 years- Preferred
Adriamycin	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Adrimycin	Liver Disease	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred
Adrucil	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Advair	Chronic Obstructive Pulmonary Disease,	Standard
	Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory	
	Disease	
Advair Symbicort	Chronic Obstructive Pulmonary Disease,	Standard
3	Emphysema, Chronic Asthma, Black Lung,	
	Chronic Bronchitis, Chronic Respiratory	
A.C.	Disease	MELL 2 B. F. MELL 2.
Afinitor	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Albenza	Liver Disease	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred
Albuked	Liver Disease	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Albumin	Liver Disease	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred
Albuminar	Liver Disease	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
AlbuRX	Liver Disease	Within 1 yr- Graded Within 2 yrs-
AIDUKA	Livel Disease	Standard Over 2 yrs- Preferred
L		

RXMLFE45 0214 4 Rev: 02-28-2014

Medications	If taking for this reason	Decision
Albutein	Liver Disease	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred
Albuterol	Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Standard
Aldactone	Cirrhosis	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Aldactone	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Alimta	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Alkeran	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Altace	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Altretamine	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Alvesco	Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Standard
Amantadine	Multiple Sclerosis	Standard
Amantadine	Parkinson's Disease	Standard
Amaryl	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age 18, then Graded
Aminophylline	Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Standard
Amiodarone	Arrhythmia	Within 2 yrs- Standard Over 2 yrs- Preferred
Amlodipine	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr- Graded; Within 2 yrs- Standard; Over 2 years- Preferred
Amobarbital	Seizures	Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last 2 yrs- Std; Over 2 years or < 12 seizures respectively- Preferred
Ampyra	Multiple Sclerosis	Standard
Amytal	Seizures	Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last 2 yrs- Std; Over 2 years or < 12 seizures respectively- Preferred
Anastrozole	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Android	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Androxy	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Antabuse	Alcohol Abuse	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred

RXMLFE45 0214 5 Rev: 02-28-2014

Medications	If taking for this reason	Decision
Apidra	Insulin Dependent Diabetes/Type 1	Within 2 yrs- Std Over 2 yrs- Preferred
Aranesp	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Aranesp	Anemia	Within 2 yrs- Standard Over 2 yrs- Preferred
Aranesp	Kidney/Renal Disease	Within 4 yrs- Std Over 4 yrs- Preferred On Dialysis- Graded
Arimidex	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Arixtra	Heart Attack	Date of Heart Attack: Within 1 yr- Graded Within 2 yrs- Standard > 2 yrs- Preferred
Aromasin	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Asmanex	Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Standard
Atacand	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Atenolol	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr- Graded; Within 2 yrs- Standard; Over 2 years- Preferred
Atenolol	Heart Attack	Date of Heart Attack: Within 1 yr- Graded Within 2 yrs- Standard > 2 yrs- Preferred
Atenolol	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Ativan	Alcohol Abuse	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Atrovent	Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Standard
Atrovent	Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Standard
Avapro	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Avastin	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Avonex	Multiple Sclerosis	Standard
Axitinib	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Azasan	Liver Disease	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Azasan	Hepatitis B or C	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if resolved
Azathioprine	Hepatitis B or C	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if resolved

RXMLFE45 0214 6 Rev: 02-28-2014

Medications	If taking for this reason	Decision
Azilect	Parkinson's Disease	Standard
Banzel	Seizures	Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last 2 yrs- Std; Over 2 years or < 12 seizures respectively- Preferred
Baraclude	Hepatitis B or C	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if resolved
Bcalofen	Multiple Sclerosis	Standard
BCG Live	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Benadryl	Parkinson's Disease	Standard
Benazepril	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Benicar	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Benztropine	Parkinson's Disease	Standard
Betapace	Arrhythmia/Irregular Heart Rhythm	Within 2 yrs- Standard Over 2 yrs- Preferred
Betaseron	Multiple Sclerosis	Standard
Bevacizumab	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Bicalutamide	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
BiCNU	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Bisoprolol Fumarate	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr- Graded; Within 2 yrs- Standard; Over 2 years- Preferred
Bisoprolol Fumarate	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Bleomycin	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Bravona	Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Standard
Brilinta	Stroke/CVA	Date of Stroke: Within 1 yr- Graded Within 2 yrs- Standard > 2 yrs- Preferred
Bromocriptine	Parkinson's Disease	Standard
Budesonide	Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Standard
Builtricide	Liver Disease	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Bumatanide	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Bumetanide	Kidney/Renal Disease	Within 4 yrs- Std Over 4 yrs- Preferred On Dialysis- Graded

RXMLFE45 0214 7 Rev: 02-28-2014

If taking for this reason Liver Disease	19.101.5.300.002.5.1111.
Liver Disease	Within 1 yr- Graded Within 2 yrs-
	Standard Over 2 yrs- Preferred
Drug Abuse	Within 1 yr- Graded Within 2 yrs-
	Standard Over 2 yrs- Preferred
Drug Abuse	Within 1 yr- Graded Within 2 yrs-
	Standard Over 2 yrs- Preferred
Smoking Cessation	Within 1 yr- Tobacco rates
Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age
	18, then Graded
Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age
<u> </u>	18, then Graded
Angina/Chest Pain	Based on date of diagnosis: Within 1 yr-
7 19	Graded; Within 2 yrs- Standard; Over 2
	years- Preferred
Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
congestive risearch analogorii	Standard Over 2 yrs- Preferred if CHF
	resolved
Angina/Chest Pain	Based on date of diagnosis: Within 1 yr-
7 triginar on oser ann	Graded; Within 2 yrs- Standard; Over 2
	years- Preferred
Kidney/Renal Disease	Within 4 yrs- Std Over 4 yrs- Preferred
Maney/Nerial Disease	On Dialysis- Graded
Kidney/Renal Disease	Within 4 yrs- Std Over 4 yrs- Preferred
Maney/Keriai bisease	On Dialysis- Graded
Cancor	Within 2 yrs- Decline Within 2 to 4 yrs-
Cancer	Graded Over 4 yrs- Preferred
Alcohol Abuse	Within 1 yr- Graded Within 2 yrs-
Alcohol Abuse	Standard Over 2 yrs- Preferred
Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
Cancer	Graded Over 4 yrs- Preferred
Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
Garicei	Graded Over 4 yrs- Preferred
Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
congestive rieart railare/orn	Standard Over 2 yrs- Preferred if CHF
	resolved
Seizures	Within 1 yr and > 12 seizures in last yr-
Solzares	Graded; Within 2 yrs and > 12 seizures in
	last 2 yrs- Std; Over 2 years or < 12
	seizures respectively- Preferred
Seizures	Within 1 yr and > 12 seizures in last yr-
33,23,33	Graded; Within 2 yrs and > 12 seizures in
	last 2 yrs- Std; Over 2 years or < 12
	seizures respectively- Preferred
Parkinson's Disease	Standard
SERVICE CONTROL CONTRO	Within 2 yrs- Decline Within 2 to 4 yrs-
	Graded Over 4 yrs- Preferred
Angina/Chest Pain	Based on date of diagnosis: Within 1 yr-
	Graded; Within 2 yrs- Standard; Over 2
	years- Preferred
	Within 2 yrs- Standard Over 2 yrs-
Arrhythmia/Irredular Heart Rhythm	I WILLING VIS- STANDARD OVER 7 VIS-
Arrhythmia/Irregular Heart Rhythm	Preferred
	Drug Abuse  Smoking Cessation Non-Insulin Diabetes/Type 2  Non-Insulin Diabetes/Type 2  Angina/Chest Pain  Congestive Heart Failure/CHF  Angina/Chest Pain  Kidney/Renal Disease  Kidney/Renal Disease  Cancer  Alcohol Abuse  Cancer  Cancer  Congestive Heart Failure/CHF  Seizures

RXMLFE45 0214 8 Rev: 02-28-2014

Medications	If taking for this reason	Decision
Carmustine	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Cartia	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr-
	· ·	Graded; Within 2 yrs- Standard; Over 2
		years- Preferred
Carvedilol	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
	5500	Standard Over 2 yrs- Preferred if CHF
		resolved
Casodex	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Celontin	Seizures	Within 1 yr and > 12 seizures in last yr-
		Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
		seizures respectively- Preferred
Cetuximab	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Chantix	Smoking Cessation	Within 1 yr- Tobacco rates
Chlordiazepoxide	Alcohol Abuse	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred
Chlorpromazine	Liver Disease	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred
Chlorpropamide	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age
		18, then Graded
Chlorthalidone	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred if CHF
		resolved
Cilostazol	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred if CHF
		resolved
Cilostazol	Circulatory/Vascular Disorder	Within 2 yrs- Standard Over 2 yrs-
		Preferred
Cinacalet	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Cinacalet	Kidney/Renal Disease	Within 4 yrs- Std Over 4 yrs- Preferred
	provide destruction of the contract of the con	On Dialysis- Graded
Cisplatin	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
·		Graded Over 4 yrs- Preferred
Cisplatin	Kidney/Renal Disease	Within 4 yrs- Std Over 4 yrs- Preferred
·	,,,	On Dialysis- Graded
Clonazepam	Seizures	Within 1 yr and > 12 seizures in last yr-
1		Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
		seizures respectively- Preferred
Clopidogrel	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr-
	, , , , , , , , , , , , , , , , , , ,	Graded; Within 2 yrs- Standard; Over 2
		years- Preferred
Clopidogrel	Heart Attack	Date of Heart Attack: Within 1 yr- Graded
		Within 2 yrs- Standard > 2 yrs-
o.op.aog.o.		
o.op.aog.o.		Preferred
	Stroke/CVA	Preferred
Clopidogrel	Stroke/CVA	

RXMLFE45 0214 9 Rev: 02-28-2014

Alcohol Abuse   Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred	Medications	If taking for this reason	Decision
Combivent Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease Parkinson's Disease Standard Parkinson's Disease Standard Over 2 yrs- Preferred Copaxone Multiple Sclerosis Standard Over 2 yrs- Preferred Parkinson's Disease Parkinson's Disease Standard Over 2 yrs- Preferred Parkinson's Disease Parkinson Parkinson's Disease Parkinson Parki			Within 1 yr- Graded Within 2 yrs-
Emphysema, Chronic Asthma, Black Lung, Chronic Respiratory Disease  Comtan Parkinson's Disease Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred Corstutose Within 2 yrs- Standard Over 2 yrs- Preferred Cordarone Multiple Sclerosis Standard Over 2 yrs- Preferred Cordarone Arrhythmia Within 2 yrs- Standard Over 2 yrs- Preferred Coreg Congestive Heart Failure/CHF Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred Coreg Corgard Angina/Chest Pain Based on date of diagnosis: Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved Cortef Multiple Sclerosis Standard Cored 2 years- Preferred if CHF resolved Cortisone Hepatitis B or C Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if Cortisone Comegen Concer Concer Comegen Concer Comedin Heart Attack Date of Heart Attack: Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred Coumadin Heart Attack Date of Heart Attack: Within 1 yr- Graded Within 2 yrs- Standard: Over 2 yrs- Preferred Coumadin Compestive Heart Failure/CHF Cortisone Congestive Heart Failure/CHF Cortisone Cortisone Congestive Heart Failure/CHF Cortisone Corti	Colesevelam	Non-Insulin Diabetes/Type 2	
Constulose  Liver Disease  Multiple Sclerosis  Standard Over 2 yrs- Preferred  Cordarone  Arrhythmia  Arrhythmia  Preferred  Coreg  Congestive Heart Failure/CHF  Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred  Coreg  Congestive Heart Failure/CHF  Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved  Corgard  Angina/Chest Pain  Based on date of diagnosis: Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved  Cortef  Multiple Sclerosis  Standard  Cortisone  Hepatitis B or C  Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if resolved  Cosmegen  Cancer  Within 2 yrs- Decline Within 2 yrs- Standard Over 2 yrs- Preferred if resolved  Coumadin  Heart Attack  Date of Heart Attack: Within 1 yr- Graded Within 1 yr- Graded Over 4 yrs- Preferred  Coumadin  Stroke/CVA  Date of Stroke: Within 1 yr- Graded: Within 2 yrs- Standard Over 2 yrs- Preferred  Coumadin  Stroke/CVA  Date of Stroke: Within 1 yr- Graded: Within 2 yrs- Standard Over 2 yrs- Preferred  Cozaar  Congestive Heart Failure/CHF  Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred  Crizotinib  Cancer  Within 2 yrs- Decline Within 2 yrs- Standard Over 2 yrs- Preferred  Cyclophosphamide  Cancer  Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred  Cyclophosphamide  Cancer  Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred  Cycloset  Non-Insulin Diabetes/Type 2  Preferred unless diagnosed prior to age 18, then Graded  Cyclosporine  Liver Disease  Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred  Cyclosporine  Liver Disease  Within 1 yr- Graded Within 2 yrs- Standard  Cyclosporine  Cyclosporine  Chronic Obstructive Pulmonary Disease,  Emphysema, Chronic Asthma, Black Lung,  Chronic Bronchitis, Chronic Respiratory  Disease	Combivent	Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory	Standard
Standard Over 2 yrs- Preferred Corpaxone Multiple Sclerosis Standard Cordarone Arrhythmia Within 2 yrs- Standard Over 2 yrs- Preferred Coreg Congestive Heart Failure/CHF Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved Corgard Angina/Chest Pain Based on date of diagnosis: Within 1 yr- Graded: Within 2 yrs- Standard: Over 2 years- Preferred Cortisone Hepatitis B or C Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if resolved Cosmegen Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Coumadin Heart Attack Date of Heart Attack Within 1 yr- Graded Within 2 yrs- Standard > 2 yrs- Preferred Coumadin Stroke/CVA Date of Stroke: Within 1 yr- Graded Within 2 yrs- Standard > 2 yrs- Preferred Cozaar Congestive Heart Failure/CHF Within 1 yr- Graded Within 2 yrs- Standard: Over 2 yrs- Preferred Cozaar Congestive Heart Failure/CHF Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred Cuprimine Liver Disease Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred Cyclophosphamide Cancer Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred Cycloset Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Cyclosporine Liver Disease Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred Cyclosporine Liver Disease Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred Cyclosporine Liver Disease Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred Cyclosporine Cancer Within 2 yrs- Decline Within 2 yrs- Standard Over 2 yrs- Preferred Cyclosporine Cancer Within 2 yrs- Standard Over 2 yrs- Preferred Cyclosporine Cancer Within 2 yrs- Standard Over 2 yrs- Preferred Cyclosporine Cancer Within 2 yrs- Standard Over 2 yrs- Preferred Cyclosporine Cancer Within 2 yrs- Standard Over 2 yrs- Preferred Cyclosporine Cancer Within 2 yrs- Standard Over 2 yrs- Preferred	Comtan	Parkinson's Disease	Standard
Cordarone Arrhythmia Within 2 yrs- Standard Over 2 yrs- Preferred Coreg Congestive Heart Failure/CHF Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved Corgard Angina/Chest Pain Based on date of diagnosis: Within 1 yr- Graded Within 2 yrs- Standard: Over 2 yrs- Preferred if CHF resolved Cortef Multiple Sclerosis Standard Cortisone Hepatitis B or C Within 1 yr- Graded Within 2 yrs- Preferred if resolved Cosmegen Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred if resolved Coumadin Heart Attack Date of Heart Attack Within 1 yr- Graded Over 4 yrs- Preferred Coumadin Stroke/CVA Date of Stroke: Within 1 yr- Graded; Within 2 yrs- Standard; Over 2 yrs- Preferred Coumadin Stroke/CVA Date of Stroke: Within 1 yr- Graded; Within 2 yrs- Standard; Over 2 yrs- Preferred Cozaar Congestive Heart Failure/CHF Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred Crizotinib Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Crizotinib Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Cyclophosphamide Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Cyclophosphamide Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Cycloset Non-Insulin Diabetes/Type 2 Preferred Within 2 yrs- Preferred Cyclosporine Liver Disease Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred Cyclosporine Cancer Within 2 yrs- Preferred Cyclosporine Cancer Within 2 yrs- Decline Within 2 yrs- Preferred Cyclosporine Cancer Within 2 yrs- Preferred Cyclosporine Cancer Within 2 yrs- Preferred Cyclosporine Cancer Within 2 yrs- Decline Within 2 yrs- Preferred Cyclosporine Cancer Standard Over 2 yrs- Preferred	Constulose	Liver Disease	
Coreg Congestive Heart Failure/CHF Within 1 yr - Graded Within 2 yrs-Standard Over 2 yrs-Preferred if CHF resolved  Angina/Chest Pain Based on date of diagnosis: Within 1 yr-Graded: Within 1 yr-Graded: Within 1 yr-Graded: Within 2 yrs-Standard; Over 2 years-Preferred  Cortef Multiple Sclerosis Standard Cortisone Hepatitis B or C Within 1 yr-Graded Within 2 yrs-Preferred if resolved  Cosmegen Cancer Within 2 yrs-Preferred if resolved  Within 2 yrs-Preferred if resolved  Commadin Heart Attack Date of Heart Attack: Within 1 yr-Graded Within 2 yrs-Preferred  Coumadin Stroke/CVA Date of Stroke: Within 1 yr-Graded Within 2 yrs-Standard: Over 2 yrs-Preferred  Cozaar Congestive Heart Failure/CHF Within 1 yr-Graded Within 2 yrs-Standard: Over 2 yrs-Preferred  Crizotinib Cancer Within 2 yrs-Decline Within 2 to 4 yrs-Graded Over 4 yrs-Preferred  Cuprimine Liver Disease Within 1 yr-Graded Within 2 yrs-Preferred  Cycloset Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Within 2 yrs-Preferred  Cyclosporine Liver Disease Within 1 yr-Graded Within 2 yrs-Standard Over 2 yrs-Preferred  Cyclosporine Liver Disease Within 1 yr-Graded Within 2 yrs-Standard Over 2 yrs-Preferred  Cyclosporine Liver Disease Within 1 yr-Graded Within 2 yrs-Standard Over 2 yrs-Preferred  Cyclosporine Liver Disease Within 1 yr-Graded Within 2 yrs-Standard Over 2 yrs-Preferred  Cyclosporine Cancer Within 2 yrs-Decline Within 2 yrs-Standard Over 2 yrs-Preferred  Cyclosporine Cancer Within 2 yrs-Decline Within 2 yrs-Standard Over 2 yrs-Preferred  Cyclosporine Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Copaxone		West of the Control o
Standard Over 2 yrs- Preferred if CHF resolved  Corgard  Angina/Chest Pain  Based on date of diagnosis: Within 1 yr- Graded; Within 2 yrs- Standard; Over 2 years - Preferred  Cortisone  Multiple Sclerosis  Standard  Cortisone  Hepatitis B or C  Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if resolved  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred if resolved  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Coumadin  Heart Attack  Date of Heart Attack Within 1 yr- Graded Within 2 yrs- Standard > 2 yrs- Preferred  Coumadin  Stroke/CVA  Date of Stroke: Within 1 yr- Graded; Within 2 yrs- Standard Over 2 yrs- Preferred  Cozaar  Congestive Heart Failure/CHF  Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved  Crizotinib  Cancer  Cirizotinib  Cancer  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Cyclophosphamide  Cyclophosphamide  Cancer  Within 2 yrs- Decline Within 2 yrs- Standard Over 2 yrs- Preferred  Cycloset  Non-Insulin Diabetes/Type 2  Preferred unless diagnosed prior to age 18, then Graded  Cyclosporine  Liver Disease  Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred  Cyclosporine  Liver Disease  Standard  Cyclosporine  Liver Disease  Cyclosporine Multiple Sclerosis  Standard  Dactinomycin  Cancer  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Standard  Standard  Standard  Standard  Cyrs- Preferred  Standard  Standard  Standard  Standard  Cyrs- Preferred  Standard	Cordarone	Arrhythmia	Preferred
Graded: Within 2 yrs - Standard; Over 2 years - Preferred  Cortef  Multiple Sclerosis  Standard  Cortisone Hepatitis B or C Within 1 yr - Graded Within 2 yrs - Standard Over 2 yrs - Preferred if resolved  Cosmegen Cancer Within 2 yrs - Decline Within 2 yrs - Standard Over 2 yrs - Preferred if resolved  Coumadin Heart Attack Date of Heart Attack: Within 1 yr - Graded Within 2 yrs - Standard > 2 yrs - Preferred  Coumadin Stroke/CVA Date of Stroke: Within 1 yr - Graded; Within 2 yrs - Standard; Over 2 yrs - Preferred  Cozaar Cozaar Congestive Heart Failure/CHF Within 1 yr - Graded Within 2 yrs - Standard Over 2 yrs - Preferred  Crizotinib Cancer Within 2 yrs - Decline Within 2 to 4 yrs - Graded Over 4 yrs - Preferred  Cuprimine Liver Disease Within 1 yr - Graded Within 2 yrs - Standard Over 2 yrs - Preferred  Cyclophosphamide Cancer Within 2 yrs - Decline Within 2 to 4 yrs - Graded Over 4 yrs - Preferred  Cycloset Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded  Cyclosporine Liver Disease Within 1 yr - Graded Within 2 yrs - Standard Over 2 yrs - Preferred  Cyclosporine Liver Disease Within 1 yr - Graded Within 2 yrs - Standard Over 2 yrs - Preferred  Cyclosporine Liver Disease Standard Over 2 yrs - Preferred  Cyclosporine Cycl	Coreg	Congestive Heart Failure/CHF	Standard Over 2 yrs- Preferred if CHF resolved
Cosmegen Cancer Commadin Heart Attack Coumadin Heart Attack Coumadin  Stroke/CVA Congestive Heart Failure/CHF Crizotinib Cancer Circotinib	Corgard	Angina/Chest Pain	Graded; Within 2 yrs- Standard; Over 2
Cosmegen Cancer Within 2 yrs- Decline Within 1 yr- Graded Over 4 yrs- Preferred Coumadin Heart Attack Date of Heart Attack: Within 1 yr- Graded Within 2 yrs- Standard > 2 yrs- Preferred Coumadin  Stroke/CVA Coumadin Coumadin  Stroke/CVA  Coumadin  Coumadin  Coumadin  Stroke/CVA  Coumadin  Coumadin  Coumadin  Coumadin  Coumadin  Stroke/CVA  Congestive Heart Failure/CHF  Coumadin  Coum	Cortef		Standard
Coumadin Heart Attack Date of Heart Attack: Within 1 yr- Graded Within 2 yrs- Standard > 2 yrs- Preferred  Coumadin Stroke/CVA Date of Stroke: Within 1 yr- Graded; Within 2 yrs- Standard; Over 2 yrs- Preferred  Cozaar Cozaar Congestive Heart Failure/CHF Within 1 yr- Graded Within 2 yrs- Standard; Over 2 yrs- Preferred  Crizotinib Cancer Within 2 yrs- Decline Within 2 yrs- Preferred if CHF resolved  Cuprimine Liver Disease Within 1 yr- Graded Within 2 yrs- Preferred  Cyclophosphamide Cancer Within 2 yrs- Decline Within 2 yrs- Preferred  Cyclophosphamide Cancer Within 1 yr- Graded Within 2 yrs- Preferred  Cyclophosphamide Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Cycloset Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded  Cyclosporine Liver Disease Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred  Cyclosporine Multiple Sclerosis Standard  Dactinomycin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Cycroheptadine Dactinomycin Cancer Within 1 yr- Graded Within 2 yrs- Standard  Cycroheptadine Dactinomycin Cancer Standard Standard  Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Cortisone	Hepatitis B or C	
Coumadin Stroke/CVA Date of Stroke: Within 1 yr- Graded; Within 2 yrs- Standard; Over 2 yrs- Preferred  Cozaar Congestive Heart Failure/CHF Within 1 yr- Graded Within 2 yrs- Standard; Over 2 yrs- Preferred  Crizotinib Cancer Within 2 yrs- Decline Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved  Cuprimine Liver Disease Within 1 yr- Graded Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Cyclophosphamide Cancer Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred  Cyclophosphamide Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Cycloset Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded  Cyclosporine Liver Disease Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred  Cyclosporine Liver Disease Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred  Cyclosporine Cyclosporine Cyclosporine Aultiple Sclerosis Standard  Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 2 yrs- Preferred  Cyproheptadine Dactinomycin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Cyproheptadine Dactinomycin Cancer Standard Cyclosporine Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory, Disease	Cosmegen	Cancer	
Cozaar Cogestive Heart Failure/CHF Within 2 yrs- Standard; Over 2 yrs- Preferred Cozaar Congestive Heart Failure/CHF Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved Crizotinib Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred Cyclophosphamide Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Cycloset Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Cyclosporine Liver Disease Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred Cyproheptadine Dactinomycin Cancer Within 2 yrs- Decline Within 2 yrs- Standard Within 2 yrs- Preferred Standard Standard Cyer 2 yrs- Preferred Standard	Coumadin	Heart Attack	Within 2 yrs- Standard > 2 yrs-
Standard Over 2 yrs- Preferred if CHF resolved  Crizotinib  Cancer  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Cuprimine  Liver Disease  Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred  Cyclophosphamide  Cancer  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Cycloset  Non-Insulin Diabetes/Type 2  Preferred unless diagnosed prior to age 18, then Graded  Cyclosporine  Liver Disease  Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred  Cyproheptadine  Multiple Sclerosis  Standard  Dactinomycin  Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease  Standard  Standard  Standard	Coumadin	Stroke/CVA	Within 2 yrs- Standard; Over 2 yrs- Preferred
Cuprimine Liver Disease Cyclophosphamide Cyclophosphamide Cycloset Cycloset Cycloset Cyclosporine Liver Disease Cycloset Cycloset Cycloset Cycloset Cyclosporine Liver Disease Cycloset Cycloset Cyclosporine Cycloset Cyclosporine Cycloset Cyclosporine Cycloset Cyclosporine Cyclosporine Cycloset Cyclosporine Cyclospori	Cozaar	Congestive Heart Failure/CHF	Standard Over 2 yrs- Preferred if CHF
Cyclophosphamide Cyclophosphamide Cycloset Cycloset Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Cyclosporine Liver Disease Cyproheptadine Dactinomycin Cancer Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease  Standard Over 2 yrs- Preferred Within 2 yrs- Graded Within 2 yrs- Standard Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Standard	Crizotinib	Cancer	
Cycloset  Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded  Cyclosporine Liver Disease Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred  Cyproheptadine Multiple Sclerosis Standard  Dactinomycin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Cuprimine	Liver Disease	
Cyclosporine Liver Disease Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred  Cyproheptadine Multiple Sclerosis Standard  Dactinomycin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Cyclophosphamide	Cancer	
Cyproheptadine Multiple Sclerosis Standard  Dactinomycin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Cycloset	Non-Insulin Diabetes/Type 2	
Cyproheptadine         Multiple Sclerosis         Standard           Dactinomycin         Cancer         Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred           Daliresp         Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease         Standard	Cyclosporine	Liver Disease	
Dactinomycin  Cancer  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Standard	Cyproheptadine	Multiple Sclerosis	1070
Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease		·	
	Daliresp	Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory	Standard
	Dantrium	Muscular Dystrophy	Within 1 yr- Graded Over 1 yr- Preferred

RXMLFE45 0214 10 Rev: 02-28-2014

Medications	If taking for this reason	Decision
Dantrolene	Muscular Dystrophy	Within 1 yr- Graded Over 1 yr- Preferred
Degarelix	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Delatestryl	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Delestrogen	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Demadex	Cirrhosis	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Demadex	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Demadex	Kidney/Renal Disease	Within 4 yrs- Std Over 4 yrs- Preferred On Dialysis- Graded
Denosumab	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Depacon	Seizures	Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last 2 yrs- Std; Over 2 years or < 12 seizures respectively- Preferred
Depade	Alcohol Abuse	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Depade	Drug Abuse	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Depakene	Seizures	Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last 2 yrs- Std; Over 2 years or < 12 seizures respectively- Preferred
Depakote	Seizures	Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last 2 yrs- Std; Over 2 years or < 12 seizures respectively- Preferred
Depakote Sprinkles	Seizures	Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last 2 yrs- Std; Over 2 years or < 12 seizures respectively- Preferred
Depo-Estradiol	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Depo-Provera	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Depo-Testosterone	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Dexamethasone	Multiple Sclerosis	Standard
Diabeta	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age 18, then Graded
Diavan	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Diazepam	Alcohol Abuse	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Diazepam Intensol	Alcohol Abuse	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred

RXMLFE45 0214 11 Rev: 02-28-2014

Medications	If taking for this reason	Decision
Digitek	Arrhythmia/Irregular Heart Rhythm	Within 2 yrs- Standard Over 2 yrs- Preferred
Digoxin	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Digoxin	Arrhythmia/Irregular Heart Rhythm	Within 2 yrs- Standard Over 2 yrs- Preferred
Dilantin	Seizures	Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last 2 yrs- Std; Over 2 years or < 12 seizures respectively- Preferred
Diltiazem	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr- Graded; Within 2 yrs- Standard; Over 2 years- Preferred
Diltiazem	Arrhythmia/Irregular Heart Rhythm	Within 2 yrs- Standard Over 2 yrs- Preferred
Diphen	Seizures	Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last 2 yrs- Std; Over 2 years or < 12 seizures respectively- Preferred
Diphenhydramine	Parkinson's Disease	Standard
Disulfiram	Alcohol Abuse	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Divalproex	Seizures	Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last 2 yrs- Std; Over 2 years or < 12 seizures respectively- Preferred
Dobutamine	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Docefrez	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Docetaxel	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Dopamine	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Dopamine	Kidney/Renal Disease	Within 4 yrs- Std Over 4 yrs- Preferred On Dialysis- Graded
Doxil	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Doxorubicin	Liver Disease	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Doxorubicin	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Dronedarone	Arrhythmia	Within 2 yrs- Standard Over 2 yrs- Preferred
Duetact	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age 18, then Graded
DuoNeb	Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Standard

RXMLFE45 0214 12 Rev: 02-28-2014

Medications	If taking for this reason	Decision
Dyazide	Liver Disease	Within 1 yr- Graded Within 2 yrs-
3		Standard Over 2 yrs- Preferred
Dyazide	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
	· ·	Standard Over 2 yrs- Preferred if CHF
		Resolved
Dyazide	Kidney/Renal Disease	Within 4 yrs- Std Over 4 yrs- Preferred On
		Dialysis- Graded
Dyphylline Guaifenesin	Chronic Obstructive Pulmonary Disease,	Standard
	Emphysema, Chronic Asthma, Black Lung,	
	Chronic Bronchitis, Chronic Respiratory	
	Disease	
Eligard	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Eliquis	Arrhythmia	Within 2 yrs- Standard Over 2 yrs-
	*	Preferred
Eliquis	Circulatory/Vascular Disorder	Within 2 yrs- Standard Over 2 yrs-
*	(60)	Preferred
Ellence	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Eloxatin	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Emcyt	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Enalapril Maleate	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred if CHF
		resolved
Enoxaparin	Circulatory/Vascular Disorder	Within 2 yrs- Standard Over 2 yrs-
		Preferred
Entecavir	Hepatitis B or C	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred if resolved
Enulose	Liver Disease	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred
Epirubicin	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Epitol	Seizures	Within 1 yr and > 12 seizures in last yr-
		Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
Farana	0	seizures respectively- Preferred
Epogen	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
F	Cincolate a Managala Binanda	Graded Over 4 yrs- Preferred
Epogen	Circulatory/Vascular Disorder	Within 2 yrs- Standard Over 2 yrs-
F=====	Kidaaa/Darat Diaaaa	Preferred
Epogen	Kidney/Renal Disease	Within 4 yrs- Std Over 4 yrs- Preferred On
Ferrie	Hepatitis B or C	Dialysis- Graded Within 1 yr- Graded Within 2 yrs-
Epvir	nepaulis di G	Standard Over 2 yrs- Preferred if resolved
Fauetro	Seizures	Within 1 yr and > 12 seizures in last yr-
Equetro	Seizules	Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
		seizures respectively- Preferred
Erbitux	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
LIBITUA	Gancei	Graded Over 4 yrs- Preferred
Erlotinib	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
LIMIND	Cancer	Graded Over 4 yrs- Preferred
		oraced Over 4 yrs-Freierred

RXMLFE45 0214 13 Rev: 02-28-2014

Medications	If taking for this reason	Decision
Esterifed Estrogens	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
ÿ		Graded Over 4 yrs- Preferred
Estrace	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
	SSSS CALLANA COLORANA	Graded Over 4 yrs- Preferred
Estradiol	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
	40047434349054	Graded Over 4 yrs- Preferred
Estradiol Valerate	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Estramustine	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Ethosuximide	Seizures	Within 1 yr and > 12 seizures in last yr-
		Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
		seizures respectively- Preferred
Ethotoin	Seizures	Within 1 yr and > 12 seizures in last yr-
		Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
		seizures respectively- Preferred
Etopophos	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
and the second second		Graded Over 4 yrs- Preferred
Etoposide	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
scharged   Destroctory rough	NOANTH 9 5550 N. 5555	Graded Over 4 yrs- Preferred
Etoposide Phosphate	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Everolimus	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Exemestane	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Exenatide	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age
	employee engineering in examination of Lorent	18, then Graded
Ezogabine	Seizures	Within 1 yr and > 12 seizures in last yr-
G:		Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
		seizures respectively- Preferred
Fanatrex	Seizures	Within 1 yr and > 12 seizures in last yr-
		Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
		seizures respectively- Preferred
Felbamate	Seizures	Within 1 yr and > 12 seizures in last yr-
		Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
		seizures respectively- Preferred
Felbatol	Seizures	Within 1 yr and > 12 seizures in last yr-
		Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
		seizures respectively- Preferred
Femara	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Firmagon	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
¥.1		Graded Over 4 yrs- Preferred
Flagyl	Liver Disease	Within 1 yr- Graded Within 2 yrs-
	makudangan sa rikusangananantah	Standard Over 2 yrs- Preferred
Flexbumin	Liver Disease	Within 1 yr- Graded Within 2 yrs-

RXMLFE45 0214 14 Rev: 02-28-2014

Medications	If taking for this reason	Decision
Flovent	Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Standard
Floxuridine	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Fluorouracil	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Fluticasone	Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Standard
Fluticasone Salmeterol	Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Standard
Fomepizole	Alcohol Abuse	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Foradil Aerolizer	Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Standard
Formoterol Fumarate	Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Standard
Fortamet	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age 18, then Graded
Fosinopril	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Fosphenytoin	Seizures	Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last 2 yrs- Std; Over 2 years or < 12 seizures respectively- Preferred
Fragmin	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr- Graded; Within 2 yrs- Standard; Over 2 years- Preferred
Fragmin	Heart Attack	Date of Heart Attack: Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Fragmin	Circulatory/Vascular Disorder	Within 2 yrs- Standard Over 2 yrs- Preferred
Furosemide	Cirrhosis	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Furosemide	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Fusilev	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Gabapentin	Seizures	Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last 2 yrs - Std; Over 2 years or < 12 seizures respectively- Preferred

RXMLFE45 0214 15 Rev: 02-28-2014

Seizures   Within 1 yr and > 12 seizures in last 2 yrs. Std. Over 2 years or < 12 seizures in last 2 yrs. Std. Over 2 years or < 12 seizures in last 2 yrs. Std. Over 2 years or < 12 seizures respectively. Perferred	Medications	If taking for this reason	Decision
last 2 yrs - Std: Over 2 years or < 12 soitures respectively. Preferred   Galzin   Liver Disease   Within 1 yr. Graded Within 2 yrs-   Standard Over 2 yrs - Preferred	Company of the Association and the Company of the C		
Seizures respectively- Preferred			Graded; Within 2 yrs and > 12 seizures in
Seizures respectively- Preferred			last 2 yrs- Std; Over 2 years or < 12
Euro Disease   Within 1 yr-Graded Within 2 yrs-Standard Over 2 yrs-Preferred			
Standard Over 2 yrs - Preferred	Galzin	Liver Disease	Within 1 yr- Graded Within 2 yrs-
Gemzir Cancer Within 2 yes Decline Within 2 to 4 yes- Graded Over 4 yes Preferred Gemzir Cancer Within 2 yes Preferred Gemzir Cancer Within 2 yes Preferred Generlac Liver Disease Within 1 yes Graded Over 4 yes Preferred Generlac Liver Disease Within 1 yes Standard Over 2 yes Preferred Gengraf Liver Disease Within 1 yes Standard Over 2 yes Preferred Gilenya Multiple Sclerosis Standard Over 2 yes Preferred Gilenya Multiple Sclerosis Standard Gener Gener Within 2 yes Decline Within 2 to 4 yes Gileevec Cancer Within 2 yes Decline Within 2 to 4 yes Gileevec Cancer Within 2 yes Preferred General Over 2 yes Preferred Gilenya Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glipizide Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glipizide-Metformin Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glucothol Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glucotrol Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glucovance Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glucovance Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburid			
Gemzar Cancer Within 2 tyrs- Decline Within 2 to 4 yrs- Generlac Liver Disease Within 1 yr- Graded Within 2 yrs- Standard Over 4 yrs- Preferred Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred Gengraf Liver Disease Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred Within 2 yrs- Decline Within 2 yrs- Standard Over 2 yrs- Preferred Gilenya Multiple Sclerosis Standard Gleevec Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Gilmepiride Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Gliptzide Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Glucophage Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glucophage Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then	Gemcitabine	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
Gemzar Generlac Liver Disease Within 1 yrs- Decline Within 2 yrs- Graded Over 4 yrs- Preferred Within 1 yrs- Graded Within 2 yrs- Standard Over 2 yrs- Preferred Gengraf Liver Disease Within 1 yrs- Graded Within 2 yrs- Standard Over 2 yrs- Preferred Within 1 yrs- Graded Over 2 yrs- Preferred Gilanya Multiple Sclerosis Standard Over 2 yrs- Preferred Glievec Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Glimepiride Non-Insuliin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glipizide-Metformin Non-Insuliin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glicophage Non-Insuliin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Freferred unless diagnose			
Generlac Liver Disease Within 1 yr. Graded Within 2 yrs. Standard Over 2 yrs. Preferred Gengraf Liver Disease Within 1 yr. Graded Within 2 yrs. Standard Over 2 yrs. Preferred Within 1 yr. Graded Within 2 yrs. Standard Over 2 yrs. Preferred Gllenya Multiple Sclerosis Standard Over 2 yrs. Preferred Gllenya Gleevec Cancer Within 2 yrs. Decline Within 2 to 4 yrs. Graded Over 4 yrs. Preferred Within 2 to 4 yrs. Graded Over 4 yrs. Preferred Glimepiride Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glipizide Metformin Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glucophage Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Gra	Gemzar	Cancer	
Standard Over 2 yrs- Preferred			Graded Over 4 yrs- Preferred
Standard Over 2 yrs- Preferred	Generlac	Liver Disease	Within 1 yr- Graded Within 2 yrs-
Gengraf Liver Disease Miltin 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred Glienya Multiple Sclerosis Standard Gleevec Cancer Graded Over 4 yrs- Preferred Miltin 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Glimepiride Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glipizide-Metformin Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glipizide-Metformin Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glucophage Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glucotrol Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glucovance Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glucovance Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide-Metformin Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide-Metformin Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide-Metformin Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide-Metformin Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide-Metformin Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide-Metformin Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide-Metformin Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide-Metformin Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide-Me			
Standard Over 2 yrs- Preferred   Glienya	Gengraf	Liver Disease	
Gilevec Cancer Cancer Within 2 yrs - Decline Within 2 to 4 yrs- Graded Over 4 yrs - Preferred Glimepiride Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glipizide-Metformin Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glipizide-Metformin Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glucophage Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glucotrol Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glucovance Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glucovance Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glucovance Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed Preferred unless diagnosed Preferred unless diagnosed Preferred	stock delicated with the stock	Antibiological Control State Antibiological Antibio	
Gleevec Gimepiride Non-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded Glipizide Non-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded Glipizide-Metformin Non-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded Glipizide-Metformin Non-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded Glucophage Non-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded Freferred unless diagnosed prior t	Gilenya	Multiple Sclerosis	
Glimepiride Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glipizide Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glipizide-Metformin Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glucophage Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glucotrol Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glucovance Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glucovance Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide-Metformin Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Glynase Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Freferred unless diagnosed prior to age 18, then Graded Freferred unless diagnosed prior to age 18, then Graded Freferred unless diagnosed prior to age 18, then Graded Freferred unless diagnosed prior to age 18, then Graded Freferred unless diagnosed prior to age 18, then Graded Freferred unless diagnosed prior to age 18, then Graded Freferred unless diagnosed prior to age 18, then Graded Freferred unless diagnosed prior to age 18, then Graded Freferred unless diagnosed prior to age 18, then Graded Freferred unless diagnosed prior to age 18, then Graded Freferred unless diagnosed prior to age 18, then Graded Freferred unless diagnosed prior to age 18, then Graded Freferred unless diagnosed prior to age 18, then Graded Freferred unless diagnosed prior to age 18, then Graded Freferred unless diagnosed prior to age 18, then Graded Freferred unless diagnosed prior to age 18, then Graded Freferred unless diagnosed prior to a			Within 2 vrs- Decline Within 2 to 4 vrs-
Glimepiride  Non-Insulin Diabetes/Type 2 Glipizide  Non-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Freferred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Freferred u			
Sezures   Sezu	Glimepiride	Non-Insulin Diabetes/Type 2	
Glipizide Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed Prefer	(2.11112 <u>)</u>	, , , , , , , , , , , , , , , , ,	
Sipizide-Metformin	Glipizide	Non-Insulin Diabetes/Type 2	
Glipzide-Metformin  Non-Insulin Diabetes/Type 2  Preferred unless diagnosed prior to age 18, then Graded  Glucotrol  Non-Insulin Diabetes/Type 2  Preferred unless diagnosed prior to age 18, then Graded  Glucotrol  Non-Insulin Diabetes/Type 2  Preferred unless diagnosed prior to age 18, then Graded  Glucovance  Non-Insulin Diabetes/Type 2  Preferred unless diagnosed prior to age 18, then Graded  Glumetza  Non-Insulin Diabetes/Type 2  Preferred unless diagnosed prior to age 18, then Graded  Glyburide  Non-Insulin Diabetes/Type 2  Preferred unless diagnosed prior to age 18, then Graded  Glyburide-Metformin  Non-Insulin Diabetes/Type 2  Preferred unless diagnosed prior to age 18, then Graded  Glynase  Non-Insulin Diabetes/Type 2  Preferred unless diagnosed prior to age 18, then Graded  Glynase  Non-Insulin Diabetes/Type 2  Preferred unless diagnosed prior to age 18, then Graded  Glyset  Non-Insulin Diabetes/Type 2  Preferred unless diagnosed prior to age 18, then Graded  Glyset  Non-Insulin Diabetes/Type 2  Preferred unless diagnosed prior to age 18, then Graded  Glyset  Liver Disease  Glyset  Hecoria  Liver Disease  Uithin 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Hepsera  Hepsera  Hepatitis B or C  Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred  Herceptin  Cancer  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Hexalen  Cancer  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Histrelin  Cancer  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Histrelin  Cancer  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Histrelin  Cancer  Within 1 yr and > 12 seizures in last yr- Graded Over 4 yrs- Preferred		, JF = -	
Glucophage Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glucotrol Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glucovance Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glumetza Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide-Metformin Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glynase Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyset Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyset Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Goserelin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Hecoria Liver Disease Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred Hepsera Hepatitis B or C Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if resolved Herceptin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Hexalen Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Histrelin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Histrelin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Histrelin Seizures in Iast yr- Graded Within 1 yr and > 12 seizures in Iast yr- Graded Within 1 yr and > 12 seizures in Iast yr- Graded Within 1 yr sand > 12 seizures in Iast yr- Graded Within 1 yr sand > 12 seizures in Iast yr- Graded Within 1 yr sand > 12 seizures in Iast yr- Graded Within 2 yrs and > 12 seizures in Iast yr- Graded Within 2 yrs and > 12 seizures in Iast yr- Graded Within 2 yrs and > 12 seizures in Iast yr- Graded Within 2 yrs and > 12 seizures in Iast yr- Graded Within 2 yrs and > 12 seizures in Iast yr- Graded Within 2 yrs and > 12 seizures in Iast	Glipizide-Metformin	Non-Insulin Diabetes/Type 2	
Glucotrol  Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded  Glucovance Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded  Glucovance Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded  Glumetza Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded  Glyburide Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded  Glyburide-Metformin Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded  Glybaride-Metformin Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded  Glynase Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded  Glyset Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded  Goserelin Cancer Within 2 yrs - Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Hecoria Liver Disease Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred  Hepsera Hepatitis B or C Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred  Herceptin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Hexalen Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Histrelin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Histrelin Seizures Within 1 yr and > 12 seizures in last yr- Graded Within 1 yr snd > 12 seizures in last yr- Graded Within 1 yr snd > 12 seizures in last yr-			
Glucotrol  Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Within 2 yrs - Decline Within 2 to 4 yrs- Graded Over 4 yrs - Preferred Preferred unless diagnosed prior to age 18, then Graded Within 1 yrs - Decline Within 2 to 4 yrs- Graded Over 4 yrs - Preferred Preferred Preferred Unless diagnosed prior to age 18, then Graded Within 1 yrs - Decline Within 2 to 4 yrs- Standard Over 2 yrs - Preferred Preferred Preferred Unless diagnosed prior to age 18, then Graded Within 2 yrs - Decline Within 2 to 4 yrs- Graded Over 2 yrs - Preferred	Glucophage	Non-Insulin Diabetes/Type 2	
Glucotrol    Non-Insulin Diabetes/Type 2   Preferred unless diagnosed prior to age 18, then Graded	Sissophage	Tron modific Brasicos, Typo 2	
Glucovance  Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Referred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Referred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Referred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Referred unless diagnosed prior to age 18, then Graded  Ron-Insulin Diabetes/Type 2 Referred unless diagnosed prior to age 18, then Graded  Roserelin  Ron-Insulin Diabetes/Type 2 Referred unless diagnosed prior to age 18, then Graded  Roserelin  Ron-Insulin Diabetes/Type 2 Referred unless diagnosed prior to age 18, then Graded  Roserelin  Roserelin  Roserelin  Roserelin  Roserelin  Roserelin  Roserelin Vithin 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Repsera  Repsera  Repatitis B or C Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred  Receptin  Roserelin  Rosererel  Rexalen  Rosererel  Roserere	Glucotrol	Non-Insulin Diabetes/Type 2	
Glucovance    Non-Insulin Diabetes/Type 2   Preferred unless diagnosed prior to age 18, then Graded   Preferred unless diagnosed pri	Sidodifor	Non mount blassess 13ps 2	
Glumetza Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded  Goserelin  Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Preferred unless diagnosed prior to age 18, then Graded Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Hepsera Hepatitis B or C Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred  Herceptin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Hexalen Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Histrelin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs and > 12 seizures in last yr- Graded Over 4 yrs- and > 12 seizures in last yr- Graded Over 4 yrs- and > 12 seizures in last yr-	Glucovance	Non-Insulin Diabetes/Type 2	
Glumetza Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Hecoria Liver Disease Within 1 yr - Graded Within 2 yrs- Standard Over 2 yrs- Preferred Hexalen Preferred Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Preferred Histrelin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Preferred Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Preferred Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in	Sideovanies	Non mount blassess Type 2	
Glyburide Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred Unless diagnosed prior to age 18, then Graded Preferred unless diagnosed prior to age 18, then Graded Preferred Unless diagnosed prior to age 18, then Graded Preferred Unless diagnosed Prior to age 18, then Graded Over 4 yrs- Preferred Preferred Hepsers Preferred Within 19, referred Preferred	Glumetza	Non-Insulin Diabetes/Type 2	
Glyburide Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyburide-Metformin Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glynase Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Glyset Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded Goserelin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Hecoria Liver Disease Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred Hepsera Hepatitis B or C Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if resolved Herceptin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Hexalen Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Histrelin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Horizant Seizures Within 1 yrs and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in	Siamoted	Non mount blassess type 2	
Glyburide-Metformin Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded  Glynase Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded  Glyset Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded  Goserelin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Hecoria Liver Disease Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred  Hepsera Hepsera Hepatitis B or C Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if resolved  Herceptin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Hexalen Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Histrelin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Preferred  Within 2 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred	Glyburide	Non-Insulin Diabetes/Type 2	
Glyburide-Metformin  Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded  Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded  Glyset Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded  Goserelin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Hecoria Liver Disease Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred  Hepsera Hepatitis B or C Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred  Herceptin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Hexalen Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Histrelin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred	olybania o	Tron mount blassies, type 2	
Glynase Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded  Glyset Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded  Goserelin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Hecoria Liver Disease Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred  Hepsera Hepatitis B or C Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred ir esolved  Herceptin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Hexalen Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Histrelin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Horizant Seizures Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in	Glyburide-Metformin	Non-Insulin Diabetes/Type 2	
Glyset  Non-Insulin Diabetes/Type 2  Preferred unless diagnosed prior to age 18, then Graded  Non-Insulin Diabetes/Type 2  Preferred unless diagnosed prior to age 18, then Graded  Preferred unless diagnosed prior to age 18, then Graded  Goserelin  Cancer  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Hecoria  Liver Disease  Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred  Hepsera  Hepatitis B or C  Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if resolved  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Hexalen  Cancer  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Histrelin  Cancer  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred	elysumus miestermini	Tron modific Blassics, Type 2	
It is then Graded  ithin 2 to 4 yrs-  It is then Graded Within 2 to 4 yrs-  It is then Graded Within 2 to 4 yrs-  It is then Graded Within 2 to 4 yrs-  It is then Graded Within 2 to 4 yrs-  It is then Graded Over 4 yrs- Preferred  It is then Graded Over 4 yrs- Preferred  It is then Graded Over 4 yrs- Preferred  It is then Graded Over 4 yrs-  It is then Graded Ove	Glynase	Non-Insulin Diabetes/Type 2	
Glyset  Non-Insulin Diabetes/Type 2 Preferred unless diagnosed prior to age 18, then Graded  Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Hecoria Liver Disease Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred  Hepsera Hepatitis B or C Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if resolved  Herceptin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Hexalen Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Histrelin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 1 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in	- Signace	Tron mount Brasetees Type 2	
Goserelin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Hecoria Liver Disease Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred  Hepsera Hepatitis B or C Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if resolved  Herceptin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Hexalen Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred	Glyset	Non-Insulin Diabetes/Type 2	
Goserelin  Cancer  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Liver Disease Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred  Hepsera  Hepatitis B or C Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if resolved  Herceptin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Hexalen Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Histrelin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 1 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 1 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 1 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 1 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred		Tron mount prosector type 2	
Hecoria Liver Disease Liver Disease Begin and Depth of the partitis B or C Hepsera Hepsera Hepsera Herceptin Cancer Hexalen Cancer Histrelin Cancer Cancer Graded Over 4 yrs- Preferred Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred	Goserelin	Cancer	Constitution of the Consti
Hepsera Hepsera Hepsera Hepsera Hepsera Hepsera Herceptin Herceptin Hexalen Histrelin Cancer Cancer Histrelin Cancer Seizures Horizant  Liver Disease Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if resolved Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred	3333.3	ounds.	
Herceptin  Cancer  Cancer  Hexalen  Cancer  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 3 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred	Hecoria	Liver Disease	
Hepsera Hepatitis B or C Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if resolved  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 1 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 1 yrs and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in	ricostia	EN OF BISCUSO	
Herceptin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Hexalen Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Horizant Seizures Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in	Hansara	Henatitis B or C	
Herceptin Cancer Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Horizant Seizures Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in	Перзега	Hopatais B of 0	
Hexalen Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Horizant Seizures Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in	Hercentin	Cancer	
Hexalen Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in		Gallooi	
Histrelin Cancer Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in	Hexalen	Cancer	
Histrelin Cancer Cancer Graded Over 4 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred  Horizant Seizures Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in	Tiesdiell	Garicei	I
Horizant Seizures Within 1 yr and > 12 seizures in last yr-Graded; Within 2 yrs and > 12 seizures in	Histrelin	Cancer	
Horizant Seizures Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in	Histom	Ganesi	
Graded; Within 2 yrs and > 12 seizures in	Horizant	Saizuras	
	TOTZAIIC	Jeizures	
			last 2 yrs- Std; Over 2 years or < 12

RXMLFE45 0214 16 Rev: 02-28-2014

Medications	If taking for this reason	Decision
		seizures respectively- Preferred
Humalog	Insulin Dependent Diabetes/Type 1	Within 2 yrs- Std Over 2 yrs- Preferred
Humulin	Insulin Dependent Diabetes/Type 1	Within 2 yrs- Std Over 2 yrs- Preferred
Hycamtin	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Hydrochlorothiazide	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred if CHF
		resolved
Hydroxyurea	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Hydroxyzine	Alcohol Abuse	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred
Ifex	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
Ic sees the	0	Graded Over 4 yrs- Preferred
Ifosfamide	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
Iffi-l- B.	Commen	Graded Over 4 yrs- Preferred
Ifosfamide-Mesna	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
Imptinib	Concor	Graded Over 4 yrs- Preferred Within 2 yrs- Decline Within 2 to 4 yrs-
Imatinib	Cancer	Graded Over 4 yrs- Preferred
Imdir	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
illiuli	Congestive Heart Failure/CHF	Standard Over 2 yrs- Preferred if CHF
		resolved
Imdur	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr-
inidui	Anginaronestrain	Graded; Within 2 yrs- Standard; Over 2
		years- Preferred
Imdur	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
, masi	Songotine riculti anale, om	Standard Over 2 yrs- Preferred if CHF
		resolved
lmuran	Liver Disease	Within 1 yr- Graded Within 2 yrs-
	\$466,40000 A0000 AA0000 AA0000 A	Standard Over 2 yrs- Preferred
lmuran	Hepatitis B or C	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred if resolved
Incivek	Hepatitis B or C	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred if resolved
Inderal	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr-
		Graded; Within 2 yrs- Standard; Over 2
		years- Preferred
Inlyta	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Insulin Glargine	Insulin Dependent Diabetes	Within 2 yrs- Std Over 2 yrs- Preferred
Interferon	Multiple Sclerosis	Standard
Interferon	Hepatitis B or C	Within 1 yr- Graded Within 2 yrs-
meneron	Tiepatitis B of C	Standard Over 2 yrs- Preferred if resolved
Interferon Alpha- 2b	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
	Samesi	Graded Over 4 yrs- Preferred
Intron	Hepatitis B or C	Within 1 yr- Graded Within 2 yrs-
NEW PROCESSORY (III)	magazana a an a	Standard Over 2 yrs- Preferred if resolved
Intron	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Ipratropium Albuterol	Chronic Obstructive Pulmonary Disease,	Standard
•	Emphysema, Chronic Asthma, Black Lung,	
	Chronic Bronchitis, Chronic Respiratory	
	Disease	1

RXMLFE45 0214 17 Rev: 02-28-2014

Medications	If taking for this reason	Decision
Ipratropium Bromide	Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Standard
Irbesartan	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Irinotecan	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Isordil	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr- Graded; Within 2 yrs- Standard; Over 2 years- Preferred
Isosorbide Dinitrate	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr- Graded; Within 2 yrs- Standard; Over 2 years- Preferred
Isosorbide Dinitrate	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Isosorbide Mononitrate	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr- Graded; Within 2 yrs- Standard; Over 2 years- Preferred
Isosorbide Mononitrate	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Isosxsuprine	Circulatory/Vascular Disorder	Within 2 yrs- Standard Over 2 yrs- Preferred
Jantoven	Stroke/CVA	Date of Stroke: Within 1 yr- Graded; Within 2 yrs- Standard; Over 2 yrs- Preferred
Janumet	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age 18, then Graded
Januvia	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age 18, then Graded
Jentadueto	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age 18, then Graded
Juvisunc	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age 18, then Graded
Kedbumin	Liver Disease	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Kenalog	Multiple Sclerosis	Standard
Керрга	Seizures	Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last 2 yrs- Std; Over 2 years or < 12 seizures respectively- Preferred
Ketoconazole	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Klonopin	Seizures	Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last 2 yrs- Std; Over 2 years or < 12 seizures respectively- Preferred
Kombiglyze	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age 18, then Graded
Kristalose	Liver Disease	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred

RXMLFE45 0214 18 Rev: 02-28-2014

Medications	If taking for this reason	Decision
Labetalol	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr-
	300	Graded; Within 2 yrs- Standard; Over 2
		years- Preferred
Lacosamide	Seizures	Within 1 yr and > 12 seizures in last yr-
		Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
		seizures respectively- Preferred
Lactulose	Liver Disease	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred
Lamictal	Seizures	Within 1 yr and > 12 seizures in last yr-
		Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
		seizures respectively- Preferred
Lamivudine	Hepatitis B or C	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred if resolved
Lamotrigine	Seizures	Within 1 yr and > 12 seizures in last yr-
		Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
I moustoche den	0 1 10 15	seizures respectively- Preferred
Lanoxin	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred if CHF
1 993,000 93	A L d · /I L L L · Di d	resolved
Lanoxin	Arrhythmia/Irregular Heart Rhythm	Within 2 yrs- Standard Over 2 yrs-
Towns	I I I D I I D I I I I I I	Preferred Date On the Preferred
Lantus	Insulin Dependent Diabetes/Type 1	Within 2 yrs- Std Over 2 yrs- Preferred
Lapatinib	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
1 :	0.1.1	Graded Over 4 yrs- Preferred
Lasix	Cirrhosis	Within 1 yr- Graded Within 2 yrs-
1 002:00	Comment of the College	Standard Over 2 yrs- Preferred
Lasix	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred if CHF resolved
Letrozole	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
Letiozole	Cancer	Graded Over 4 yrs- Preferred
Leucovorine	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
Ledcovornie	Cancer	Graded Over 4 yrs- Preferred
Leukine	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
Leakine	Cancer	Graded Over 4 yrs- Preferred
Leuprolide	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
Loaprondo	Sancer	Graded Over 4 yrs- Preferred
Levemir	Insulin Dependent Diabetes/Type 1	Within 2 yrs- Std Over 2 yrs- Preferred
Levetiracetam	Seizures	Within 1 yr and > 12 seizures in last yr-
Lovotinadotani	36124163	Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
		seizures respectively- Preferred
Levolecucovorin Calcium	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Linagliptin	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age
Linayiiptiii 	Non-insum Diabetes/Type 2	18, then Graded
Linagliptin-Metformin	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age
Linagiipiiii-ivietioi IIIIII	Non-insulin Diabetes/Type 2	18, then Graded
Lipodox	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
Lipodox	Cancer	Graded Over 4 yrs- Preferred
		Graded Over 4 yrs- Preferred

RXMLFE45 0214 19 Rev: 02-28-2014

Medications	If taking for this reason	Decision
Lipraglutide	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age
	31	18, then Graded
Lisinopril	Heart Attack	Date of Heart Attack: Within 1 yr- Graded
<u> </u>		Within 2 yrs- Standard > 2 yrs-
		Preferred
Lisinopril	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
	555	Standard Over 2 yrs- Preferred if CHF
		resolved
Lopressor	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr-
		Graded; Within 2 yrs- Standard; Over 2
		years- Preferred
Lopressor	Heart Attack	Date of Heart Attack: Within 1 yr- Graded
		Within 2 yrs- Standard > 2 yrs-
		Preferred
Lopressor	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred if CHF
	01. 1. 501	resolved
Lorazepam	Alcohol Abuse	Within 1 yr- Graded Within 2 yrs-
I again and Internal	Alaskal Akusa	Standard Over 2 yrs- Preferred
Lorazepam Intensol	Alcohol Abuse	Within 1 yr- Graded Within 2 yrs-
Lagartan	Congestive Heart Failure/CHF	Standard Over 2 yrs- Preferred Within 1 yr- Graded Within 2 yrs-
Losartan	Congestive Heart Failure/CHF	
		Standard Over 2 yrs- Preferred if CHF resolved
Lotensin	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
Loterisiii	Congestive near trailure/onr	Standard Over 2 yrs- Preferred if CHF
		resolved
Lovenox	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr-
Loveriox	Anginaronestrain	Graded; Within 2 yrs- Standard; Over 2
		years- Preferred
Lovenox	Heart Attack	Date of Heart Attack: Within 1 yr- Graded
		Within 2 yrs- Standard > 2 yrs-
		Preferred
Lupron Depot	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
, , , , , , , , , , , , , , , , , , , ,		Graded Over 4 yrs- Preferred
Lyrica	Seizures	Within 1 yr and > 12 seizures in last yr-
•		Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
		seizures respectively- Preferred
Lysodren	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Lysodren	Kidney/Renal Disease	Within 4 yrs- Std Over 4 yrs- Preferred
		On Dialysis- Graded
Magestrol	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Makena	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
B. A E. Janes	Company	Graded Over 4 yrs- Preferred
Matulane	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
Movile	Congostive Heart Failure ICHE	Graded Over 4 yrs- Preferred
Mavik	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred if CHF resolved
Махаіг	Chronia Obatrustiva Dulmanani Di	Standard
IVIdXdII	Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung,	
	Chronic Bronchitis, Chronic Respiratory	
	omonic bronchius, enronic Respiratory	

RXMLFE45 0214 20 Rev: 02-28-2014

Medications	If taking for this reason	Decision
	Disease	
Mechlorethamine	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Medrol	Multiple Sclerosis	Standard
Medrol	Hepatitis B or C	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred if resolved
Medroxyprogesterone	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Megace	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
2.75		Graded Over 4 yrs- Preferred
Megestrol	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
NA - I - I - I - I - I	C-11-1-1	Graded Over 4 yrs- Preferred
Melphalan	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
Menest	Cancer	Graded Over 4 yrs- Preferred Within 2 yrs- Decline Within 2 to 4 yrs-
Meriest	Cancer	Graded Over 4 yrs- Preferred
Metformin	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age
Metioriiii	Non-insum Diabetes/Type 2	18, then Graded
Methadone	Drug Abuse	Within 1 yr- Graded Within 2 yrs-
Methadone	Drug Abuse	Standard Over 2 yrs- Preferred
Methitest	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
Metritest	Cancel	Graded Over 4 yrs- Preferred
Methotrexate	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
Wethorexate	Garicei	Graded Over 4 yrs- Preferred
Methsuximide	Seizures	Within 1 yr and > 12 seizures in last yr-
	33,23,33	Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
		seizures respectively- Preferred
Methylprednisolone	Multiple Sclerosis	Standard
Methylprednisolone	Hepatitis B or C	Within 1 yr- Graded Within 2 yrs-
	The state of the s	Standard Over 2 yrs- Preferred if resolved
Methyltestosterone	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Metolazone	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred if CHF
		resolved
Metolazone	Kidney/Renal Disease	Within 4 yrs- Std Over 4 yrs- Preferred
		On Dialysis- Graded
Metoprolol Succinate	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr-
		Graded; Within 2 yrs- Standard; Over 2
	0 11 15 17 10115	years- Preferred
Metoprolol Succinate	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred if CHF
NA . LIT	A : (OL : D :	resolved
Metoprolol Tartrate	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr-
		Graded; Within 2 yrs- Standard; Over 2
Motoprolol Tortroto	Heart Attack	years- Preferred
Metoprolol Tartrate	пеан Ацаск	Date of Heart Attack: Within 1 yr- Graded
		Within 2 yrs- Standard > 2 yrs- Preferred
Metoprolol Tartrate	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
ivietoproior rartiate	Congestive near trailure/onf	Standard Over 2 yrs- Preferred if CHF
		resolved
		resolved

RXMLFE45 0214 21 Rev: 02-28-2014

Medications	If taking for this reason	Decision
Metronidazole	Liver Disease	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Mexiletine	Arrhythmia/Irregular Heart Rhythm	Within 2 yrs- Standard Over 2 yrs- Preferred
Micardis	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Microzide	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Miglitol	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age 18, then Graded
Milrinone	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Mirapex	Parkinson's Disease	Standard
Mitomycin	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Mitotane	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Mitotane	Kidney/Renal Disease	Within 4 yrs- Std Over 4 yrs- Preferred On Dialysis- Graded
Mometasone	Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Standard
Montelukast	Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Standard
Multaq	Arrhythmia	Within 2 yrs- Standard Over 2 yrs- Preferred
Mustargen	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Mysoline	Seizures	Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last 2 yrs- Std; Over 2 years or < 12 seizures respectively- Preferred
Nadolol	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr- Graded; Within 2 yrs- Standard; Over 2 years- Preferred
Naltrexone	Alcohol Abuse	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Naltrexone	Drug Abuse	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Naltrexone Microspheres	Alcohol Abuse	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Naltrexone Microspheres	Drug Abuse	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Nateglinide	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age 18, then Graded
Natrecor	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved

RXMLFE45 0214 22 Rev: 02-28-2014

Medications	If taking for this reason	Decision
Nebivolol	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred if CHF
		resolved
Neo-Fradin	Liver Disease	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred
Neomycin	Liver Disease	Within 1 yr- Graded Within 2 yrs-
SACA		Standard Over 2 yrs- Preferred
Neoral	Liver Disease	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred
Nesiritide	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred if CHF
		resolved
Neupro	Parkinson's Disease	Standard
Neurontin	Seizures	Within 1 yr and > 12 seizures in last yr-
		Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
		seizures respectively- Preferred
Nexavar	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Nicoderm	Smoking Cessation	Within 1 yr- Tobacco rates
Nicorette	Smoking Cessation	Within 1 yr- Tobacco rates
Nicotine	Smoking Cessation	Within 1 yr- Tobacco rates
Nicotrol	Smoking Cessation	Within 1 yr- Tobacco rates
Nifediac	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr-
Timediae	7 ang maron escram	Graded; Within 2 yrs- Standard; Over 2
		years- Preferred
Nifedical	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr-
	79	Graded; Within 2 yrs- Standard; Over 2
		years- Preferred
Nifedipine	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr-
•		Graded; Within 2 yrs- Standard; Over 2
		years- Preferred
Nilandron	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Nilutamide	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Nitro-Bid	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr-
	**	Graded; Within 2 yrs- Standard; Over 2
		years- Preferred
Nitroglycerine	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr-
		Graded; Within 2 yrs- Standard; Over 2
		years- Preferred
Nitroglycerine	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred if CHF
		resolved
Nitrolingual	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr-
		Graded; Within 2 yrs- Standard; Over 2
		years- Preferred
Nitropress	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred if CHF
		resolved

RXMLFE45 0214 23 Rev: 02-28-2014

Medications	If taking for this reason	Decision
Nitrostat	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr-
	9	Graded; Within 2 yrs- Standard; Over 2
		years- Preferred
Norpace	Arrhythmia/Irregular Heart Rhythm	Within 2 yrs- Standard Over 2 yrs-
110.54.00	, amy annia mogalar moare my anni	Preferred
Norvasc	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr-
Norvase	7 tilgillaronost i alli	Graded; Within 2 yrs- Standard; Over 2
		years- Preferred
Novolin	Insulin Dependent Diabetes/Type 1	Within 2 yrs- Std Over 2 yrs- Preferred
Novolog	Insulin Dependent Diabetes/Type 1	Within 2 yrs- Std Over 2 yrs- Preferred
Onglyza	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age
		18, then Graded
Onxol	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Oxaliplatin	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Oxazepam	Alcohol Abuse	Within 1 yr- Graded Within 2 yrs-
out at the demonstration of the control of the cont	Vindos Josephinas in Vindos Adam	Standard Over 2 yrs- Preferred
Oxcarbazepine	Seizures	Within 1 yr and > 12 seizures in last yr-
D		Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
		seizures respectively- Preferred
Oxygen	Respiratory Disease/Disorder	Within 1 yr- Graded
Pacerone	Arrhythmia	Within 2 yrs- Standard Over 2 yrs-
Pacerone	Armyulilla	
D 11		Preferred
Pamidronate	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Papaverine	Circulatory/Vascular Disorder	Within 2 yrs- Standard Over 2 yrs-
		Preferred
Paricalcitol	Kidney/Renal Disease	Within 4 yrs- Std Over 4 yrs- Preferred On
		Dialysis- Graded
Parlodel	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age
		18, then Graded
Parlodel	Parkinson's Disease	Standard
Paromomycin	Liver Disease	Within 1 yr- Graded Within 2 yrs-
•		Standard Over 2 yrs- Preferred
Pazopanib	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Peganone	Seizures	Within 1 yr and > 12 seizures in last yr-
regunone	Scizares	Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
		seizures respectively- Preferred
D	Hanasiria Dan C	
Pegasys	Hepatitis B or C	Within 1 yr- Graded Within 2 yrs-
B	U D D D D	Standard Over 2 yrs- Preferred if resolved
Peginterferon	Hepatitis B or C	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred if resolved
Pemetrexed	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs - Preferred
Pentoxifylline	Circulatory/Vascular Disorder	Within 2 yrs- Standard Over 2 yrs-
		Preferred
Perforomist	Chronic Obstructive Pulmonary Disease,	Standard
	Emphysema, Chronic Asthma, Black Lung,	
	Chronic Bronchitis, Chronic Respiratory	

RXMLFE45 0214 24 Rev: 02-28-2014

Medications	If taking for this reason	Decision
Perindopril Erbumine	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
•		Standard Over 2 yrs- Preferred if CHF
		resolved
Phenobarbital	Seizures	Within 1 yr and > 12 seizures in last yr-
		Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
		seizures respectively- Preferred
Phenytek	Seizures	Within 1 yr and > 12 seizures in last yr-
		Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
		seizures respectively- Preferred
Phenytoin	Seizures	Within 1 yr and > 12 seizures in last yr-
		Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
		seizures respectively- Preferred
Phenytoin Sodium	Seizures	Within 1 yr and > 12 seizures in last yr-
		Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
No. 10 10 10 10 10 10 10 10 10 10 10 10 10		seizures respectively- Preferred
Photofrin	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Pioglitazone	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age
		18, then Graded
Pioglitazone-Glimepiride	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age
		18, then Graded
Pioglitazone-Metformin	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age
		18, then Graded
Plasbumin	Liver Disease	Within 1 yr- Graded Within 2 yrs-
20004 10		Standard Over 2 yrs- Preferred
Plavix	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr-
		Graded; Within 2 yrs- Standard; Over 2
		years- Preferred
Plavix	Heart Attack	Date of Heart Attack: Within 1 yr- Graded
		Within 2 yrs- Standard > 2 yrs-
DI	0. 1./01/4	Preferred Preferred
Plavix	Stroke/CVA	Date of Stroke: Within 1 yr- Graded;
		Within 2 yrs- Standard; Over 2 yrs-
Division	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Preferred William Control Will
Pletal	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred if CHF
District	Ci	resolved
Pletal	Circulatory/Vascular Disorder	Within 2 yrs- Standard Over 2 yrs-
Porfimer	Concor	Preferred Within 2 yrs- Decline Within 2 to 4 yrs-
rommer	Cancer	Graded Over 4 yrs- Preferred
Potigo	Seizures	Within 1 yr and > 12 seizures in last yr-
Potiga	Seizures	Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
		seizures respectively- Preferred
Pradaxa	Arrhythmia	Within 2 yrs- Standard Over 2 yrs-
i-i audža	Attriyumia	Preferred
Pradaxa	Circulatory/Vascular Disorder	Within 2 yrs- Standard Over 2 yrs-
i auaxa	Girculatory/vascular Disorder	Preferred
Draminovala	Darkinson's Dissess	
Pramipexole	Parkinson's Disease	Standard

RXMLFE45 0214 25 Rev: 02-28-2014

Medications	If taking for this reason	Decision
Pramlintide	Insulin Dependent Diabetes/Type 2	Within 2 yrs- Std Over 2 yrs- Preferred
Prandimet	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age 18, then Graded
Prandin	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age 18, then Graded
Praziquantel	Liver Disease	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Precose	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age 18, then Graded
Pregabalin	Seizures	Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last 2 yrs- Std; Over 2 years or < 12 seizures respectively- Preferred
Premarin	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Primidone	Seizures	Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last 2 yrs- Std; Over 2 years or < 12 seizures respectively- Preferred
Prinivil	Heart Attack	Date of Heart Attack: Within 1 yr- Graded Within 2 yrs- Standard > 2 yrs- Preferred
Prinivil	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
ProAir	Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Standard
Procarbazine	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Procardia	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr- Graded; Within 2 yrs- Standard; Over 2 years- Preferred
Procardia	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr- Graded; Within 2 yrs- Standard; Over 2 years- Preferred
Procrit	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Procrit	Circulatory/Vascular Disorder	Within 2 yrs- Standard Over 2 yrs- Preferred
Procrit	Kidney/Renal Disease	Within 4 yrs- Std Over 4 yrs- Preferred On Dialysis- Graded
Prograf	Liver Disease	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Propafenone	Arrhythmia	Within 2 yrs- Standard Over 2 yrs- Preferred
Propranolol	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr- Graded; Within 2 yrs- Standard; Over 2 years- Preferred
Proventil	Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Standard

RXMLFE45 0214 26 Rev: 02-28-2014

Medications	If taking for this reason	Decision
Pulmicort	Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Standard
Quinapril	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Quinidine	Arrhythmia	Within 2 yrs- Standard Over 2 yrs- Preferred
Qvar	Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Standard
Ramipril	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Renagel	Kidney/Renal Disease	Within 4 yrs- Std Over 4 yrs- Preferred On Dialysis- Graded
Ranexa	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr- Graded; Within 2 yrs- Standard; Over 2 years- Preferred
Rebif	Multiple Sclerosis	Standard
Reclast	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Renvela	Kidney/Renal Disease	Within 4 yrs- Std Over 4 yrs- Preferred On Dialysis- Graded
Repaglinide	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age 18, then Graded
Repaglinide-Metformin	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age 18, then Graded
Requip	Parkinson's Disease	Standard
Revia	Alcohol Abuse	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Revia	Drug Abuse	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Revonto	Muscular Dystrophy	Within 1 yr- Graded Over 1 yr- Preferred
Rheumatrex	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Ribasphere	Hepatitis B or C	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if resolved
Ribavirin	Hepatitis B or C	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if resolved
Rifaximin	Liver Disease	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Riomet	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age 18, then Graded
Rituxan	Multiple Sclerosis	Standard
Rituximab	Multiple Sclerosis	Standard
Rocaltrol	Kidney/Renal Disease	Within 4 yrs- Std Over 4 yrs- Preferred On Dialysis- Graded
Roflumilast	Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Standard

RXMLFE45 0214 27 Rev: 02-28-2014

Medications	If taking for this reason	Decision
Ropinirole	Parkinson's Disease	Standard
Rufinamide	Seizures	Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last 2 yrs- Std; Over 2 years or < 12 seizures respectively- Preferred
Rythmol	Arrhythmia	Within 2 yrs- Standard Over 2 yrs- Preferred
Sabril	Seizures	Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last 2 yrs - Std; Over 2 years or < 12 seizures respectively - Preferred
Salagen	Heart Attack	Date of Heart Attack: Within 1 yr- Graded Within 2 yrs- Standard > 2 yrs- Preferred
Salagen	Stroke/CVA	Date of Stroke: Within 1 yr- Graded; Within 2 yrs- Standard; Over 2 yrs- Preferred
Saxagliptin	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age 18, then Graded
Saxagliptin-Metformin	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age 18, then Graded
Sensipar	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Sensipar	Kidney/Renal Disease	Within 4 yrs- Std Over 4 yrs- Preferred On Dialysis- Graded
Serevent	Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Standard
Sevelamer	Kidney/Renal Disease	Within 4 yrs- Std Over 4 yrs- Preferred On Dialysis- Graded
Sinemet	Parkinson's Disease	Standard
Sitagliptin	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age 18, then Graded
Sitagliptin-Metformin	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age 18, then Graded
Sitagliptin-Simvistatin	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age 18, then Graded
Slameterol	Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Standard
Sorafenib	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Sotalol	Arrhythmia/Irregular Heart Rhythm	Within 2 yrs- Standard Over 2 yrs- Preferred
Spiriva	Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	Standard
Spironolactone	Cirrhosis	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred

RXMLFE45 0214 28 Rev: 02-28-2014

Medications	If taking for this reason	Decision
Spironolactone	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Spironolactone-Hydrochlorothiazide	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Sprycel	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Stalevo	Parkinson's Disease	Standard
Starlix	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age 18, then Graded
Stavzor	Seizures	Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last 2 yrs- Std; Over 2 years or < 12 seizures respectively- Preferred
Stivarga	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Streptozocin	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Suboxone	Drug Abuse	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Sunitinib	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Supprelin	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Sutent	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Symlin	Insulin Dependent Diabetes/Type 1	Within 2 yrs- Std Over 2 yrs- Preferred
Syprine	Liver Disease	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Tacrolimus	Liver Disease	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred
Tamoxifen	Cancer	Preferred if prophylactic use only
Tarceva	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Taxotere	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Taztia	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr- Graded; Within 2 yrs- Standard; Over 2 years- Preferred
Taztia	Arrhythmia	Within 2 yrs- Standard Over 2 yrs- Preferred
Tegretol	Seizures	Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last 2 yrs- Std; Over 2 years or < 12 seizures respectively- Preferred
Telmisartan	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Temodar	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred

RXMLFE45 0214 29 Rev: 02-28-2014

Medications	If taking for this reason	Decision
Temozolomide	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Temsirolimus	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Tenormin	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr-
Association of the desired the second of the	energia de energia de la constitución de energia de la constitución de	Graded; Within 2 yrs- Standard; Over 2
		years-Preferred
Tenormin	Heart Attack	Date of Heart Attack: Within 1 yr- Graded
Topic Confedence Communication and Communication Communica	**REARCHEAGE SEE CONTROLOGICATION	Within 2 yrs- Standard > 2 yrs-
		Preferred
Tenormin	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred if CHF
		resolved
Tenormin	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
(Bookshari) (Al-Articularianicus)		Standard Over 2 yrs- Preferred if CHF
		resolved
Testopel	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Testosterone Cypionate	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
, solicition of the same	54.100.7	Graded Over 4 yrs- Preferred
Testosterone Enanthate	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
Tostostorono Enaminato	- Cambon	Graded Over 4 yrs- Preferred
Testred	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
restred	Gancer	Graded Over 4 yrs- Preferred
Teveten	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
reveten	Congestive Heart Fallure, of II	Standard Over 2 yrs- Preferred if CHF
		resolved
Theo-24	Chronic Obstructive Pulmonary Disease,	Standard
111e0-24	Emphysema, Chronic Asthma, Black Lung,	Standard
	Chronic Bronchitis, Chronic Respiratory	
	Disease	
Theochron	Chronic Obstructive Pulmonary Disease,	Standard
Medeliidii	Emphysema, Chronic Asthma, Black Lung,	Standard
	Chronic Bronchitis, Chronic Respiratory	
	Disease	
Theophylline	Chronic Obstructive Pulmonary Disease,	Standard
тпеорпушне	Emphysema, Chronic Asthma, Black Lung,	Standard
	Chronic Bronchitis, Chronic Respiratory	
	Disease	
Theracys	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
Theracys	Cancer	Graded Over 4 yrs- Preferred
Thiotepa	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
Ппосера	Cancer	Graded Over 4 yrs- Preferred
Tiagabine	Seizures	Within 1 yr and > 12 seizures in last yr-
Hagabille	Jeizules	Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
		seizures respectively- Preferred
Tiazac	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr-
HazaC	Aligina/Criest Palfi	
		Graded; Within 2 yrs- Standard; Over 2
T: DCC	0	years- Preferred
Tice BCG	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
Tiliano	01 1/1 1/-	Graded Over 4 yrs- Preferred
Tikosyn	Arrhythmia	Within 2 yrs- Standard Over 2 yrs-
		Preferred

RXMLFE45 0214 30 Rev: 02-28-2014

Medications	If taking for this reason	Decision	
Tiotropium Bromide	Chronic Obstructive Pulmonary Disease, Emphysema, Chronic Asthma, Black Lung, Chronic Bronchitis, Chronic Respiratory Disease	onic Obstructive Pulmonary Disease, ohysema, Chronic Asthma, Black Lung, onic Bronchitis, Chronic Respiratory	
Tizanidine	Multiple Sclerosis	Standard	
Tolazamide	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age 18, then Graded	
Tolbutamide	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age 18, then Graded	
Topamax	Seizures	Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last 2 yrs- Std; Over 2 years or < 12 seizures respectively- Preferred	
Topiragen	Seizures	Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last 2 yrs- Std; Over 2 years or < 12 seizures respectively- Preferred	
Topiragen	Alcohol Abuse	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred	
Topiramate	Seizures	Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last 2 yrs- Std; Over 2 years or < 12 seizures respectively- Preferred	
Topiramate	Alcohol Abuse	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred	
Topomax	Alcohol Abuse	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred	
Toposar	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred	
Topotecan	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred	
Toprol	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr- Graded; Within 2 yrs- Standard; Over 2 years- Preferred	
Toprol	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved	
Torisel	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred	
Torsemide	Cirrhosis	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred	
Torsemide	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved	
Torsemide	Kidney/Renal Disease	Within 4 yrs- Std Over 4 yrs- Preferred On Dialysis- Graded	
Tradjenta	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age 18, then Graded	
Tranxene T-tab	Seizures	Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last 2 yrs- Std; Over 2 years or < 12 seizures respectively- Preferred	
Tranxene T-tab	Alcohol Abuse	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred	

RXMLFE45 0214 31 Rev: 02-28-2014

Medications	If taking for this reason	Decision
Trastuzumab	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Trelstar	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Trental	Circulatory/Vascular Disorder	Within 2 yrs- Standard Over 2 yrs-
		Preferred
Trexall	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Trihexyphenidyl	Parkinson's Disease	Standard
Trileptal	Seizures	Within 1 yr and > 12 seizures in last yr-
		Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
		seizures respectively- Preferred
Triptorelin Pamoate	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Tudorza Pressair	Chronic Obstructive Pulmonary Disease,	Standard
	Emphysema, Chronic Asthma, Black Lung,	
	Chronic Bronchitis, Chronic Respiratory	
	Disease	
Tykerb	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
T 11:	M III O I	Graded Over 4 yrs- Preferred
Tysabri	Multiple Sclerosis	Standard
URSO Forte	Cirrhosis	Within 1 yr- Graded Within 2 yrs-
VI 30 V	0:1::	Standard Over 2 yrs- Preferred
Ursodiol	Cirrhosis	Within 1 yr- Graded Within 2 yrs-
17.15	AL 1 (A)	Standard Over 2 yrs- Preferred
Valium	Alcohol Abuse	Within 1 yr- Graded Within 2 yrs-
Walana da Cadina	Caiana	Standard Over 2 yrs- Preferred
Valproate Sodium	Seizures	Within 1 yr and > 12 seizures in last yr-
		Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
Valproic Acid	Seizures	seizures respectively- Preferred Within 1 yr and > 12 seizures in last yr-
Valproic Acid	Seizures	Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
		seizures respectively- Preferred
Valrubicin	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
vandbieni	direct	Graded Over 4 yrs- Preferred
Valsartan	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
valsartan	oongestive risart randrovern	Standard Over 2 yrs- Preferred if CHF
		resolved
Vantas	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
www.danadana		Graded Over 4 yrs- Preferred
Varenicline	Smoking Cessation	Within 1 yr- Tobacco rates
Vasotec	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs-
	, , , , , , , , , , , , , , , , , , ,	Standard Over 2 yrs- Preferred if CHF
		resolved
Ventolin	Chronic Obstructive Pulmonary Disease,	Standard
	Emphysema, Chronic Asthma, Black Lung,	
	Chronic Bronchitis, Chronic Respiratory	
	Disease	
Verapamil	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr-
ec.	,	Graded; Within 2 yrs- Standard; Over 2
		years- Preferred
	•	1 · •

RXMLFE45 0214 32 Rev: 02-28-2014

Medications	If taking for this reason	Decision
Verelan	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr-
		Graded; Within 2 yrs- Standard; Over 2
		years-Preferred
Victoza	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age
		18, then Graded
Vigabatrin	Seizures	Within 1 yr and > 12 seizures in last yr-
100		Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
		seizures respectively- Preferred
Vimpat	Seizures	Within 1 yr and > 12 seizures in last yr-
		Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
		seizures respectively- Preferred
Vinblastine	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Vincasar	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Vincristine	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Vivitrol	Alcohol Abuse	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred
Vivitrol	Drug Abuse	Within 1 yr- Graded Within 2 yrs-
		Standard Over 2 yrs- Preferred
Votrient	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Warfarin	Heart Attack	Date of Heart Attack: Within 1 yr- Graded
		Within 2 yrs- Standard > 2 yrs-
		Preferred
Warfarin	Stroke/CVA	Date of Stroke: Within 1 yr- Graded;
		Within 2 yrs- Standard; Over 2 yrs-
120 W. 03300 U		Preferred
WelChol	Non-Insulin Diabetes/Type 2	Preferred unless diagnosed prior to age
		18, then Graded
Xalkori	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Xeloda	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Xgeva	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
202		Graded Over 4 yrs- Preferred
Xifaxan	Liver Disease	Within 1 yr- Graded Within 2 yrs-
7 0	M 10 1 2 1	Standard Over 2 yrs- Preferred
Zanaflex	Multiple Sclerosis	Standard
Zanosar	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs-
		Graded Over 4 yrs- Preferred
Zarontin	Seizures	Within 1 yr and > 12 seizures in last yr-
		Graded; Within 2 yrs and > 12 seizures in
		last 2 yrs- Std; Over 2 years or < 12
		seizures respectively- Preferred
Zaroxolyn	Kidney/Renal Disease	Within 4 yrs- Std Over 4 yrs- Preferred
<b>7</b> 00 post con	Associated and a second	On Dialysis- Graded
Zebeta	Angina/Chest Pain	Based on date of diagnosis: Within 1 yr-
		Graded; Within 2 yrs- Standard; Over 2
		years- Preferred

RXMLFE45 0214 33 Rev: 02-28-2014

Medications	If taking for this reason	Decision
Zebeta	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF
		resolved
Zemplar	Kidney/Renal Disease	Within 4 yrs- Std Over 4 yrs- Preferred On Dialysis- Graded
Zestril	Heart Attack	Date of Heart Attack: Within 1 yr- Graded Within 2 yrs- Standard > 2 yrs- Preferred
Zestril	Congestive Heart Failure/CHF	Within 1 yr- Graded Within 2 yrs- Standard Over 2 yrs- Preferred if CHF resolved
Zoladex	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Zoledronic Acid	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Zometra	Cancer	Within 2 yrs- Decline Within 2 to 4 yrs- Graded Over 4 yrs- Preferred
Zonegran	Seizures	Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last 2 yrs- Std; Over 2 years or < 12 seizures respectively- Preferred
Zonisamide	Seizures	Within 1 yr and > 12 seizures in last yr- Graded; Within 2 yrs and > 12 seizures in last 2 yrs- Std; Over 2 years or < 12 seizures respectively- Preferred
Zyban	Smoking Cessation	Within 1 yr- Tobacco rates

RXMLFE45 0214 34 Rev: 02-28-2014

### **Underwriting Guidelines**

#### Prescribed Medicine

Several of the application health questions ask if the Proposed Insured has received treatment for the listed medical conditions. Prescription medicines are considered treatment. In order to help best assess eligibility, it is important that you ask if medicine has been prescribed and for what reason. The following list is provided to help you determine whether a client is eligible to be considered for a Classic Elite or Classic Select plan. This list is not all inclusive and is subject to change as new drugs become available and existing drugs are used for additional conditions.

Medication	Time Period	Medical Condition	Decision for Elite and Select Plans
Aggrenox	24 months	Stroke or TIA	Decline if stroke or TIA within 2 years
Amantadine HCL	36 months	Parkinson's	Decline
Ambisome	Ever	HIV Treatment likely	Decline
Anastrozole	Diagnosed or treated 24 months	Cancer	Decline if first fill within 2 years
Antabuse	Diagnosed or treated 36 months	Alcoholism	Decline
Aprepitant/Emend	Diagnosed or treated 24 months	Cancer induced nausea likely	Decline
Aptivus	Ever	HIV Treatment likely	Decline
Aranesp	36 months	Kidney Disease	Decline
Aricept	Ever	Alzheimers/Dementia	Decline
Armasin	Diagnosed or treated 24 months	Cancer	Decline
Arimidex	Diagnosed or treated 24 months	Cancer	Decline if first fill within 2 years
Atamet	36 months	Parkinson's	Decline
Atgam	Ever	Organ/Tissue Transplant likely	Decline
Atripla	Ever	HIV Treatment likely	Decline
Avenox	36 months	Multiple Sclerosis	Decline
Avonex/Rebif	36 months	Multiple Sclerosis	Decline
Baclofen	36 months	Multiple Sclerosis	Decline
Belimumab/Benlysta	36 months	Systemic Lupus likely	Decline
Benlysta	36 months	Systemic Lupus likely	Decline
Betaseron	36 months	Multiple Sclerosis	Decline
Bidil	Ever	Congestive Heart Failure likely	Decline
Calcijex	36 months	Kidney Disease	Decline
Calcitriol	36 months	Kidney Disease	Decline
Calcium Acetrate	36 months	Kidney Disease	Decline
Campath	Diagnosed or treated 24 months	Cancer	Decline
Campral	36 months	Substance Abuse	Decline
Carbidopa	36 months	Parkinsons	Decline
Carbidopa	36 months	Parkinson's likely	Decline
Carnitor	36 months	Kidney Disease	Decline
Carvedilol	Ever	Congestive Heart Failure possible	Decline if used for CHF
Casodex	Diagnosed or treated 24 months	Cancer	Decline
Chlorpromazine	36 months	Schizophrenia likely	Decline if used for Schizophrenia
Clopidogrel	24 months	Stroke or TIA	Decline if stroke or TIA within 2 years
Clozapine	36 months diagnosed or treated for schizophrenia	Schizophrenia	Decline
Clozaril	36 months	Schizophrenia	Decline
Cognex	Ever	Alzheimers/Dementia	Decline
Combivir	Ever	HIV treatment likely	Decline
Copaxone	36 months	Multiple Sclerosis	Decline

Page I 8

# **Underwriting Guidelines**

### Prescribed Medicine

Medication	Time Period	Medical Condition	Decision for Elite and Select Plans
Crofelemer/Fulyzaq	Ever	HIV treatment likely	Decline
Cyclosporine	Ever	Organ Transplant	Decline
Cystagon	36 months	Kidney Disease	Decline
Cytogam	Ever	Organ Transplant	Decline
Digoxin/Lanoxin	Ever	Congestive Heart Failure likely	Decline if used for CHF
Disufram	Diagnosed or treated 36 months	Alcoholism	Decline
Donepezil	Ever	Alzheimers/Dementia	Decline
Dornase alpha	Ever	Cystic Fibrosis	Decline
Emend	Diagnosed or treated 24 months	Cancer	Decline
Emtriva	Ever	HIV treatment likely	Decline
Epivir	Ever	HIV treatment likely	Decline
Esylate	Ever	Pulmonary Fibrosis likely	Decline
Exelon	Ever	Alzheimers/Dementia	Decline
Femara	Diagnosed or treated 24 months	Cancer	Decline if first fill within 2 years
Filgrastim/Neupogen	Diagnosed or treated 24 months	Cancer likely	Decline
Floscavir	Ever	HIV treatment likely	Decline
Flutamide	Diagnosed or treated 24 months	Cancer	Decline
Fosrenol	36 months	Kidney Disease	Decline
Furosemide	Ever or 36 months	CHF/Kidney Disease likely	Decline if used for CHF
Galantamine	Ever	Alzheimers/Dementia	Decline
Ganciclovir	Ever	HIV Treatment likely	Decline
Gengraf	Ever	Organ Transplant	Decline
Geoden	36 months	Schizophrenia likely	Decline if used for Schizophrenia
Haldol	36 months	Schizophrenia likely	Decline
Halperidol/Halperidone	36 months	Schizophrenia likely	Decline if used for Schizophrenia
Hectoral	36 months	Kidney Disease	Decline  Decline
Hydrea	Diagnosed or treated 24 months	Cancer	Decline
Hydroxyurea	Diagnosed or treated 24 months	Cancer	Decline
Interferon/Ribaviran	Diagnosed or treated 36 months	Hepatitis likely	Decline
Intron-A	24 or 36 months	Cancer or Hepatitis C	Decline
	36 months	Schizophrenia likely	Decline if used for schizophrenia
Invega Invirase	Ever	HIV treatment likely	Decline il used foi scriizoprirerila  Decline
Isosorbide & Hydralazine Lamiyudine-Zidovudine	Ever	Congestive Heart Failure likely	Decline if used in combination
	Ever	HIV treatment likely	Decline  Decline if wood for CUE
Lanoxin	Ever	Congestive Heart Failure possible	Decline if used for CHF
Laradopa/Levodopa	36 months	Parkinsons	Decline  Decline if used for CHF, liver or kidney
Lasix	Diagnosed or treated 36 months	Heart/Liver/Kidney disease likely	disease
Lexiva	Ever	HIV treatment likely	Decline
Lupton	Diagnosed or treated 24 months	Cancer	Decline
Mercaptopurine	Diagnosed or treated 24 months	Cancer	Decline
Methadone	Diagnosed or treated 36 months	Substance abuse possible	Decline
Namenda	Ever	Alzheimers/Dementia	Decline
Narcan/Naloxone/Naltrexone	Diagnosed or treated 36 months	Alcohol/Drugs	Decline
Navene	36 months	Schizophrenia likely	Decline
Nintedanib	Ever	Pulmonary Fibrosis likely	Decline

Page I 9

# **Underwriting Guidelines**

### Prescribed Medicine

Medication	Time Period	Medical Condition	Decision for Elite and Select Plans
Nitro-Dur/Nitroquick/Nitrostat	24 months	Angina/chest pain	Decline if used for chest pain/angina in the last 24 months
Nitroglycerin	24 months	Angina/Chest pain	Decline if used for chest pain/angina in the last 24 months
Norvir	Ever	HIV treatment likely	Decline
Ofev	Ever	Pulmonary Fibrosis likely	Decline
Olanzapine	36 months	Schizophrenia possible	Decline if used for Schizophrenia
Ondansetron	Diagnosed or treated 24 months	Cancer	Decline
Pegasys/Peg-Intron	36 months	Liver Disease	Decline
Prograf	Ever	Organ Transplant	Decline
Pulmozyme	Ever	Cystic Fibrosis	Decline
Quetiapine	36 months	Schizophrenia possible	Decline if used for schizophrenia
Rapamune	Ever	Organ Transplant	Decline
Razadyne	Ever	Alzheimers/Dementia	Decline
Rebif	36 months	Multiple Sclerosis	Decline
Reminyl	Ever	Alzheimers/Dementia	Decline
Renagel	36 months	Kidney Disease	Decline
Retrovir	Ever	HIV treatment likely	Decline
Ribapak	36 months	Liver disease	Decline
Ribasphere	36 months	Liver Disease	Decline
Ribaviran	Diagnosed or treated 36 months	Hepatitis C	Decline
Riluzole/Rilutek	Ever	ALS likely	Decline
Risperdal/Risperidone	36 months	Schizophrenia likely	Decline
Roferon	24 or 36 months	Cancer or Hepatitis C	Decline
Seroquel	36 months	Schizophrenia likely	Decline if used for schizophrenia
Spirivia	Ever	COPD likely	Decline
Spironolactone	Ever	Congestive Heart Failure possible	Decline if used for CHF
Stalevo	36 months	Parkinson's likely	Decline
Stelazine	36 months	Schizophrenia likely	Decline
Suboxone	Diagnosed or treated 36 months	Substance abuse possible	Decline
Sulfadiazine/Primasol	36 months	Kidney Disease	Decline
Sustiva	Ever	HIV treatment likely	Decline
Tamoxifen	Diagnosed or treated 24 months	Cancer	Decline if first fill within 2 years
Targretin	Diagnosed or treated 24 months	Cancer	Decline
Thorazine	36 months	Schizophrenia likely	Decline
Trilafon	36 months	Schizophrenia likely	Decline if used for Schizophrenia
Trizivir	Ever	HIV treatment likely	Decline
Truvada	Ever	HIV treatment likely	Decline
Viracept/Viramune/Viread	Ever	HIV treatment likely	Decline
Viracept/Viread	Ever	HIV treatment likely	Decline
Zyprexa	36 months	Schizophrenia possible	Decline if used for schizophrenia